

EXAMINERS APPROVAL DOCUMENT**UNIVERSITI MALAYSIA PAHANG
FACULTY OF MECHANICAL ENGINEERING**

I certify that report entitled 'Hydrogen Powered Bicycle using Fuel Cell' is written by Mohammad Nazree bin Abd Malek with matric number MH09047. I have examined the final copy of this report and in my opinion, it is adequate in terms of language standard, and report formatting requirement for the award of Bachelor in Mechanical Engineering with Automotive Engineering. I herewith recommend that it be accepted in fulfillment of the requirements for the degree of Bachelor Engineering.

Examiner: Prof. Dato' Dr. Rosli Abu Bakar

Position: Professor

SUPERVISOR'S DECLARATION

I hereby declare I have checked this report, which written by Mohammad Nazree bin Abd Malek, and in my opinion, this report project is adequate in terms of scopes and quality for the award of the degree of Bachelor of Mechanical Engineering with Automotive Engineering.

Supervisor: Prof. Dr. Hj. Shahrani bin Anuar

Position: Professor

Date:

STUDENT'S DECLARATION

I hereby declare that the work in this report is my own, except for quotations and summaries which have been duly acknowledged. The report has not been accepted for any other Degree and is not concurrently submitted for award of other degree.

Mohammad Nazree bin Abd Malek

MH09083

Date:

**I specially dedicated this to my parents and those who have guided and motivated
me for this project**

ACKNOWLEDGEMENTS

Alhamdulillah, the highest thanks to God because with His Willingness I can finish and complete the final year project in time without any delay. I would like to express my deepest appreciation to all those who provided me the possibility to complete this report. A special gratitude I give to my dedicated supervisor, Prof. Dr. Shahrani Anuar and co-supervisor Mr. Ahmmad Shukrie Md Yudin, whose contribution in stimulating suggestions and encouragement helped me to coordinate my project especially in writing this report.

Furthermore, I would also like to acknowledge with much appreciation the crucial role as the staff, who gave the permission to use all required equipment and the necessary material to complete the task. A special thanks goes to my teammates, Rafi'uddin bin Ramlan and Muhammad Afiq, who help me in many ways and gave suggestion about the task. Many friends have helped me stay sane through these difficult years. Their support and care helped me overcome setbacks and stay focused on my graduate study. I greatly value their friendship and I deeply appreciate their belief in me.

Most importantly, none of this would have been possible without the love and patience of my family. My immediate family to whom this dissertation is dedicated to, has been a constant source of love, concern, support and strength all these years. I would like to express my heart-felt gratitude to my family.

ABSTRACT

Nowadays, many companies are struggling in producing cleaner energy in order to overcome the oil depletion problem. Of late, the use of hydrogen has become a hot topic discussed among inventors as it has the ability to assist as well as possess the potential in becoming a new form of alternative source for transportation. In this thesis, a conceptual study of a hydrogen powered bicycle by using fuel cell technology is studied. In this study, a small hydrogen generator with nine plates of stainless steel was fabricated. The hydrogen generator is capable of producing desirable quantities of hydrogen. The mass flow rate of the hydrogen was computed based on the current supplied. A rechargeable battery was chosen due to long life span and low maintenance. Apart from that, due to its desirable light weight properties, the hydrogen consumption of the bicycle is reduced. A brushless electric motor providing 200 Watt power to drive the bicycle was fitted. The maximum weight that the bicycle is able to withstand is around 60 kg, while the maximum speed attained is 25 km/hr under such weight considered.

ABSTRAK

Dalam marcapada ini, banyak syarikat-syarikat besar bertungkus-lumus menghasilkan tenaga mesra alam demi mengatasi masalah sumber bahan mentah yang semakin berkurangan. Akhir-akhir ini, penggunaan hidrogen telah menjadi satu topik hangat dibincangkan di kalangan penyelidik kerana ia mempunyai keupayaan untuk membantu serta memiliki potensi untuk menjadi satu bentuk baru sumber alternatif bagi pengangkutan. Dalam tesis ini, satu kajian konsep basikal berkuasa hidrogen dengan menggunakan teknologi sel bahan api dikaji. Dalam kajian ini, penjana hidrogen kecil dengan sembilan plat keluli tahan karat telah dihasilkan. Penjana hidrogen mampu menghasilkan kuantiti yang diinginkan hidrogen. Kadar aliran jisim hidrogen itu dikira berdasarkan arus yang dibekalkan. Bateri boleh dicas semula telah dipilih kerana jangka hayat yang panjang dan penyelenggaraan yang rendah. Selain daripada itu, kerana sifat bateri yang lebih ringan, penggunaan hidrogen untuk menggerakkan basikal dikurangkan. Sebuah motor elektrik membekalkan kuasa sebanyak 200 Watt untuk menggerakkan basikal telah dipasang. Berat maksimum yang yang mampu ditampung adalah sekitar 60 kg, manakala kelajuan maksimum yang mampu dicapai adalah 25 km/jam.

TABLE OF CONTENT

	Page
EXAMINER’S DECLARATION	ii
SUPERVISOR’S DECLARATION	iii
STUDENT’S DECLARATION	iv
ACKNOWLEDGEMENTS	vi
ABSTRACT	vii
ABSTRAK	viii
TABLE OF CONTENTS	ix
LIST OF FIGURES	xi
LIST OF SYMBOLS	xiii
CHAPTER 1 INTRODUCTION	
1.1 Fuel cell	1
1.2 Project Background	5
1.3 Problem Statements	5
1.4 Research Objectives	6
1.5 Scopes Of Research	6
CHAPTER 2 LITERATURE REVIEW	
2.1 The Polymer Electrolyte Membrane (Fuel Cell)	7
2.2 The Electrodes	8
2.3 Bipolar Plates	9
2.3.1 Metallic Bipolar Plates Materials	9
2.3.2 Graphite Bipolar Plates Materials	9
2.3.3 Flow Field Design	10

CHAPTER 3 METHODOLOGY

3.1	Planning	15
3.2	Gantt Chart	16
3.3	Flow Chart	17
3.4	Fuel Cell: Bipolar Plates	19
3.5	Control System	21
3.6	Solidworks Sketching	22
3.7	Engine selection	26

CHAPTER 4 RESULTS AND DISCUSSION

4.1	Electric Motors	27
	4.1.1 Power	27
	4.1.2 What Power Of Bike Would Be Suitable	28
4.2	Determining The Hydrogen Flow Rate	33
	4.2.1 The Projects	34
4.3	Rechargeable Battery	37
4.4	Assembly	38

CHAPTER 5 CONCLUSION AND RECOMMENDATIONS

5.2	Conclusions	41
5.3	Recommendations for the Future Research	41

REFERENCES	43
-------------------	-----------

LIST OF FIGURES

Figure No.	Title	Page
1.1	Basic concept of fuel cell	4
1.2	Fuel cell Vs Battery	4
2.1	Schematic drawing of a pin type flow field	11
2.2	Schematic drawing of a parallel channel flow field.	12
2.3	Schematic drawing of an interdigitated flow field.	13
2.4	Schematic drawing of a single serpentine flow field.	14
3.1	Gantt Chart	16
3.2	Flow Chart	18
3.3	Example of round bipolar plates	19
3.4	Spiral shape that will be implement in new bipolar design	19
3.5	Schematic drawing of bipolar plates	20
3.6	Modelling bipolar plates in Solidworks	20
3.7	Simple system for hydrogen powered bicycle	21
3.8	Top view bicycle chasis	22
3.9	Side view bicycle chasis	22
3.10	Isometric view of bicycle chasis	23
3.11	Hydrogen generator side view	23
3.12	Isometric view of a hydrogen generator	24
3.13	Full components of hydrogen generator	24
3.14	Standard fuel cell stack	25
3.15	Assembly of the fuel cell stack	25
4.1	Schematic Car diagram	28
4.2	Schematic Car diagram in sloping road	30
4.3	24V Brushless Motor 200W BLDC Motor	32
4.4	A Spindle Motor for Router Engraving Machine	32
4.5	Calculation for the hydrogen flow rate in fuel cell	33
4.6	Reading current for the hydrogen generator	34
4.7	Hydrogen generator dimension	35
4.8	Stainless steel plate by stack in the hydrogen generator	36
4.9	Hydrogen generator working smoothly	37

4.10	Fully design hydrogen powered bicycle	39
4.11	Fuel cell stack	39
4.12	Electric motor	40
4.13	Rechargeable battery	40

LIST OF SYMBOLS

C_d	Drag coefficient
v_0	Initial velocity
v	Velocity
t	Time taken
f_μ	Friction force
f_D	Drag force
ρ	Density
μ	Viscosity

CHAPTER 1

INTRODUCTION

1.1 FUEL CELL

The first basic fuel cell was built and demonstrated by Sir William Robert Grove. He was using four large cells, each containing hydrogen and oxygen, to produce electric power which was then used to split the water in the smaller upper cell. Commercial potential first demonstrated by NASA in the 1960's with the use of fuel cells on the Gemini and Apollo space flights. However, these fuel cells were very expensive fuel cells. Fuel cell research and development has been actively taking place since the 1970's, resulting in many commercial applications ranging from low cost portable systems for cell phones and laptops to large power systems for buildings [1].

Quite simply, a fuel cell is a device that converts chemical energy into electrical energy, water, and heat through electrochemical reactions. Fuel and air react when they come into contact through a porous membrane (electrolyte) which separates them. This reaction results in a transfer of electrons and ions across the electrolyte from the anode to the cathode. If an external load is attached to this arrangement a complete circuit is formed arrangement, a complete circuit is formed and a voltage is generated from the flow of electrical current.

The voltage generated by a single cell is typically rather small which is less the one volt, so many cells are connected in series to create a useful voltage because the intermediate steps of producing heat and mechanical work typical of most conventional power generation methods are avoided, fuel cells are not limited by thermodynamic limitations of heat engines such as the Carnot efficiency. In addition, because

combustion is avoided, fuel cells produce power with minimal pollutant. However, unlike batteries the reductant and oxidant in fuel cells must be continuously replenished to allow continuous operation.

Most fuel cell power systems comprise a number of components:

- i. Unit cells, in which the electrochemical reactions take place
- ii. Stacks, in which individual cells are modularly combined by electrically connecting the cells to form units with the desired output capacity
- iii. Balance of plant which comprises components that provide feed stream conditioning (including a fuel processor if needed), thermal management, and electric power conditioning among other ancillary and interface functions

Hydrogen powered bicycle that using fuel cell as the main power to the bicycle are offering a cheap and efficient mode of transportation. They are becoming increasingly popular in many countries such as Japan. These modes of transportation are suitable for nearby distance where people do not feel exhausted while going to their destination. Some may be carried they heavy stuff and using the bicycle powered hydrogen, they do not have to cycle to the nearby destination where they just start the fuel cell and off they go. Power assisted bicycle are usually powered by either lead-acid or nickel-cadmium, with motor power ratings between 200 and 400 W, depending on the make and type. Recently, the fuel cell has been considered as a means to provide direct power to power assisted bicycle, or more likely to charge the battery which, in turn, drives the motor.

Wherever possible, the components chosen for the fuel-cell system are commercially available [2]. Also in this past 15 years, some country like the United Arab Emirates have been using have spent nearly $\$20 \times 10^9$ on roads, highways, bridges and tunnels [3]. The objective of building these was to ease vehicular flow and to shorten traveling time between the cities. When the highway was developed on the map of emirates the demand for internal combustion engine was booming. Higher demand for better livelihoods and innovative technologies and the lower cost of fossil fuels a

comparison with other nations. This increase in the utilization of vehicles along with industrial plants has led to serious environmental consequences, such that energy related carbon emissions in the UAE in 1998 was estimated to be 31.3 million metric tons of carbon, which was 11.5 metric tons of carbon per capita as compared to the USA, which was 5.5 metric tons of carbon per capita [4].

One of the key measures to reduce environmental pollution caused by automobiles is to introduce vehicles running by fuel cells, especially the proton-exchange membrane fuel-cell (PEMFC) vehicles. These types of vehicles are powered by a clean fuel namely hydrogen energy. Besides proton exchange membrane fuel cell vehicles being environmentally clean, they operate at low temperatures and achieve quick responses, they are at least 30% more efficient than IC vehicles since they are not limited by the Carnot Cycle [6]. In addition, they have less hardware parts and do not generate noise like internal combustion vehicles.

Many automotive manufacturers and power industry research organizations have shown interest in this new technology in the past few years, due to its attractive features. Major car companies in the world are now involved in the development and commercialization of hydrogen-fueled motor vehicles. Most of these companies such as BMW, Daimler–Chrysler, Ford, GM, Toyota, Nissan and Honda are preparing to commercialize hydrogen-fueled cars in 2004 [7]. In the past few years, some policies and schemes were presented concerning reduction of greenhouse gas emissions caused mainly by automobiles. Some studies were conducted on the utilization of proton exchange membrane fuel-cells in hybrid electric vehicles such as works of Krepec and Hong [8], and Jorgensen [9], while others will conduct a general study on the projected utilization of electric vehicles in the future [10].




Figure 1.1: Basic concept of fuel cell

Source: Sharon Thomas. 2001

Basic operating principles of both are very similar, but there are several intrinsic differences.




Figure1. 2: Fuel cell Vs Battery

Source: Sharon Thomas. 2001

1.2 PROJECT BACKGROUND

In this project, design and development of fuel cell for bicycle will be conducted. The details phases of the new fuel cell development, from concept design consideration to hardware selection, fabrication and finally the testing process will be studied.

Next the design concept or sketching the prototype of a fuel cell for bicycle will be evaluated in order to select the best design and drawn using Solidwork or AutoCAD software's prior to the final design being fabricated but before that the system for fuel cell need to be sketched in order to see the whole system thoroughly. This can help me continue on planning the next step. Hydrogen generator can be man-made or can do pre-order anyway around Kuantan.

This process will follow by the fabrication process in order to develop the design. Fabrication process involves all basic mechanical processes such as grinding, drilling, cutting and etc. Once the fabrication process finished, the hydrogen generator, fuel cell and the motor will be attached to the bicycle. The test run will be conducted if all the component valid and functional as well

1.3 PROBLEM STATEMENTS

This study is about the design and develops the fuel cell and hydrogen generator for bicycle. The design of the fuel cell needed to be finalized as it will be used in the process. The schematic diagram of the fuel cell still and how actually the system working is still unknown. Hydrogen generator is also a problem where it is should be fitted to the bicycle and working fine. The real dimension also still not available so how large the hydrogen generator are will be determined later.

The whole system of how the hydrogen will be produced and where it is starting and where it will ended are unexplainable. This project will focus on the fuel cell where the selection of components is the crucial part in this study. A few design needs to be done to see how the component fit on the bicycle. Lastly the material for the whole

project from the hydrogen generator, fuel cell and motor are needed to be confirmed so that list of material can be done.

1.4 RESEARCH OBJECTIVES

The main objectives of the study are:

- a) To study on the compact hydrogen powered bicycle.
- b) To design a control system for hydrogen powered bicycle.

1.5 SCOPES OF THE RESEARCH

- a) Research about fuel cell
- b) Design a fuel cell so it can be fitted to the bicycle

CHAPTER 2

LITERATURE REVIEW

2.1 THE POLYMER ELECTROLYTE MEMBRANE (FUEL CELL)

An ordinary electrolyte is a substance that dissociates into positively charged and negatively charged ions in the presence of water, thereby making the water solution electrically conducting. The electrolyte in a polymer electrolyte membrane fuel cell is a type of plastic, a polymer, and is usually referred to as a membrane. The appearance of the electrolyte varies depending upon the manufacturer. In an operating fuel cell, the membrane is well humidified so that the electrolyte looks like a moist piece of thick plastic wrap. Only the positive ions contained within the membrane are mobile and are free to carry positive charge through the membrane.

In polymer electrolyte membrane fuel cells these positive ions are hydrogen ions, or protons, hence the term proton exchange membrane. Movement of the hydrogen ions through the membrane, in one direction only, from anode to cathode, is essential to fuel cell operation. Without this movement of ionic charge within the fuel cell, the circuit defined by cell, wires, and load remains open, and no current would flow back. Polymer electrolyte membranes are relatively strong, stable substances. Although thin, a polymer electrolyte membrane is an effective gas separator. It can keep the hydrogen fuel separate from the oxidant air, a feature essential to the efficient operation of a fuel cell [12]. Although ionic conductors, polymer electrolyte membranes do not conduct electrons.

The organic nature of the polymer electrolyte membrane structure makes them electronic insulators, another feature essential to fuel cell operation. As electrons cannot move through the membrane, the electrons produced at one side of the cell must

travel, through an external wire, to the other side of the cell to complete the circuit. It is in their route through the circuitry external to the fuel cell that the electrons provide electrical power to run a car or a power plant

2.2 THE ELECTRODES

All electrochemical reactions consist of two separate reactions, an oxidation half-reaction occurring at the anode and a reduction half-reaction occurring at the cathode. The anode and the cathode are separated from each other by the electrolyte, the membrane. In the oxidation half-reaction, gaseous hydrogen produces hydrogen ions, which travel through the ionically conducting membrane to the cathode, and electrons which travel through an external circuit to the cathode. In the reduction half-reaction, oxygen, supplied from air flowing past the cathode, combines with these hydrogen ions and electrons to form water and excess heat.

These two half-reactions would normally occur very slowly at lower operating temperatures, typically 80°C, of the polymer electrolyte membrane fuel cell. Thus, catalysts are used on both the anode and cathode to increase the rates of each half-reaction. The catalyst that works the best on each electrode is platinum, a very expensive material [13]. The final products of the overall cell reaction are electric power, water, and excess heat. Cooling is required, in fact to maintain the temperature of a fuel cell stack at about 60 degree celcius. At this temperature, the product water produced at the cathode is both liquid and vapor. This product water is carried out of the fuel cell by the air flow

2.3 BIPOLAR PLATES

2.3.1 Metallic Bipolar Plate Materials

Some applications of fuel cell were of high cost. Some example is fuel cell submarines. Here, expensive corrosion-resistant metals were used as bipolar plate materials. Corrosion may occur at the anode as it often does on the cathode side. Air and positive potentials at the cathode usually lead to the growth of metal oxide layers, causing an increase in the electrical resistance. Therefore, substrates and coatings have been investigated to get the optimal material combination. The reducing environment at the anode of the fuel cell leads to a reduction of the oxide protective layer of metallic materials, hydride formation, and dissolution of the metal in product water or humid hydrogen feed gas as a consequence. Bipolar plate steel is made of stainless steel, titanium, aluminum, and several metal alloys [14]. Two classes of coatings can be classified into two that is carbon based and metal-based. Carbon-based coatings mainly comprise conducting polymers such as the polyaniline, polypyrrole, and diamond-like carbon [14].

Metal-based coatings include noble metals, metal nitrides, and early transition metal elements such as molybdenum, vanadium, and niobium that forms a thin oxide layer that covers the metal layer against corrosion [14]. Bipolar plates generally made of stainless steel, titanium, aluminum and several metal alloys. For coating some material may have several consequences such as the titanium where it is quite expensive and aluminum where it requires perfect coating otherwise pitting corrosion will occur. The production process of bipolar plates out of steel is a forming method like stamping or hydroforming.

2.3.2 Graphite Bipolar Plate Materials

Graphite was already known in the industry for its application acid fuel cell to be a suitable material. Pure graphite-based bipolar plates offer the advantages of chemical resistance and good thermal and electrical conductivity combined with a lower density than metal plates. However, machining the flow fields into pure graphite plates

is a complicated and time-consuming step that leads to high prices. Additionally, the graphite-based are brittle and porous where they need to be coated to be impermeable to the fuel and oxygen.

Hence, it has become the not practicable candidates as low-cost fuel cell components. Graphite composite materials with polymer binders are more suited to achieve the desired properties and to improve manufacturing technologies for bipolar plates including the flow fields and cooling channels [14]. These composite materials are made of commercially available polymers as binders and high loading of conductive carbon compounds that increase the conductivity. The polymers are either thermoplastics such as polyvinylidene fluoride, polyethylene, polypropylene, liquid crystal polymers, and polyphenylene sulfide, or thermosets, such as vinyl ester, phenolic resins, and epoxy resins [14].

2.3.3 Flow Field Design

There are four different types of flow fields that have been investigated in the past: pin-type flow field, parallel channels flow field, serpentine flow field, and interdigitated flow field. The pin-type flow field consists of an array of columnar pins arranged in a regular pattern.

The shape of the individual pins is generally cubical or circular. As the reactant gases flow through a network of series and parallel flow paths, only low pressure drops occur. Preferred flow path according to the principle of least resistance can, however, lead to inhomogeneous reactant distribution and locally insufficient product water removal [15].




Figure 2.1: Schematic drawing of a pin-type flow field.

Source: A Heinzl 2009

The parallel channel type of flow field is typically used when no accumulation of water droplets is expected. If droplets form, they may block one or more of the parallel channels, while the remaining gas stream flows through the least blocked channels. This is possible due to the low pressure drop of multiple parallel channels. If fuel and oxidant are supplied in excess of what is stoichiometrically used by the electrochemical reaction, parallel flow fields are applicable.




Figure 2.2: Schematic drawing of a parallel channel flow field.

Source: A Heinzl 2009

The danger of droplet accumulation can also be reduced to a large extent by recirculating part of the gases and condensing excess product water outside of the fuel cell stack. The same argument holds for pin-type flow fields. As the pressure drop in the multiple parallel channels of each cell is small, attention has to be paid to the pressure drop in the gas distribution manifold of the stack. If it is larger than the single-cell pressure drop, this will lead to uneven reactant gas supply to the individual cells of a stack, favoring the cells that are close to the multiple inlet [15].

The interdigitated flow field consists of multiple dead ended flow channels. Its main characteristic is a forced gas flow through the adjacent diffusion layer, which means active transport of reactants in close vicinity to the electrode. If products are accumulating in the gas diffusion layer, the forced flow represents a significant advantage but the pressure drop in this flow field is dependent on the properties mainly porosity and hydrophobicity of the gas diffusion layer. As these properties are known to be subject to aging processes, this type of flow field is not very common.




Figure 2.3: Schematic drawing of an interdigitated flow field.

Source: A Heinzl 2009

Most fuel cell developers use any type of serpentine flow field, a compromise between pressure drop requirements and water removal aspects. In a single serpentine, oxygen depletes with the length of the path, leading to a decrease in current density along the channel. Real flow fields, therefore, include multiple serpentine channels and, in addition, inlet and outlet parts of the channels can be placed close together [15]. Leading to sites of high hydrogen concentration and low humidity (hydrogen inlet) and low hydrogen concentration and high humidity (hydrogen outlet) being close together. Thus, a certain equalization of conditions and performance is possible.




Figure 2.4: Schematic drawing of a single serpentine flow field.

Source: A Heinzl 2009

CHAPTER 3

METHODOLOGY

3.1 PLANNING

Several methods are selected to get the project done smoothly. The project must be done according to the objective and run effectively. The Gantt chart and flow chart are must have item in methodology in achieving objectives. The fuel cell needed to be sketched and the dimension are need to be precise so that right dimension can be selected for the bicycle and the design must be suitable for the bicycle so that it is not that over-estimate.


For the hydrogen generator, since it seems that the fabrication are achievable. The hydrogen generator should be a small one and flexible so that it can be put anywhere on any bicycle parts and it still can produce hydrogen efficiently.

Lastly the bipolar plate, with ump technology has the plates can be fabricated with forming machine according to the original design. This design would be different from the usual one since different design produces different results.

3.2 GANTT CHART

Project scopes	WEEK												
	w1	w2	w3	w4	w5	w6	w7	w8	w9	w10	w11	w12	w13
Journal research													
Component parametres													
System design													
Final report presentation													

Figure 3.1: Gantt Chart






Figure 3.2: Flow chart

3.4 FUEL CELL

3.4.1 Bipolar plates




Figure 3.3: Example of round bipolar plates

Source: Dong'an Liu 2010




Figure 3.4: Spiral shape that will be implement in new bipolar design

Source: Jessica Marie Currie, 2001




Figure 3.5: Schematic drawing of bipolar plates




Figure 3.6: Modelling Bipolar plates in Solidworks

3.5 CONTROL SYSTEM

The system is starting with hydrogen generator, the hydrogen generator will react on electrolysis to produce hydrogen and oxygen. The hydrogen gases will be transferred to fuel cell. In fuel cell, electrochemical reaction will occur here the electron from the hydrogen will be extracted and the leftover hydrogen will react with air to produce water. The good thing about fuel cell is the emission where it the only emission is water and heat. The electricity will be transferred through the wire to the motor where it will rotate the motor and chain that connect between the motor and the tire will rotate.




Figure 3.7: Simple system for hydrogen powered bicycle

3.6 SOLIDWORKS SKETCHING




Figure 3.8: Top view bicycle chasis




Figure 3.9: Side view bicycle chasis




Figure 3.10: Isometric view of bicycle chasis




Figure 3.11: Hydrogen generator side view




Figure 3.12: Isometric view of a hydrogen generator




Figure 3.13: Full components of hydrogen generator




Figure 3.14: Standard fuel cell stack




Figure 3.15: Assembly of the fuel cell stack

3.7 Engine Selection

The fuel cell for the hydrogen powered bicycle is the power source for the vehicle, converting electrical energy stored in the fuel cell to rotational mechanical energy output by the driveshaft. The suitable engine will be decided using the theoretical calculation while the engine performance will be analyzed using theoretical calculation and experiential test.

Theoretical Calculation

The suitable engine to use for the hydrogen powered bicycle can be determined by using the second Newton's Law equation.

The second Newton's Law equation:

$$F = m \cdot a$$

Where: F is Force to move the car

m is the mass of the car and driver

a is the acceleration of the car

The force that acting at the car is friction force by tire and road, normal force and drag force can be calculated using the equation below:

$$f_{\mu} = F_N \cdot \mu$$

$$F_N = mg$$

$$f_D = \frac{1}{2} \rho A C_d v^2$$

Where: f_{μ} is friction force by tire and road

μ is coefficient of friction (average tire and road is 0.0055)

F_N is normal force

g is gravity acceleration

f_D is the force of drag

ρ is the mass density of the fluid (1.184 kg/m^3)

A is the reference area of the car body

C_d is the drag coefficient

v is the velocity of the car

CHAPTER 4

RESULTS AND DISCUSSION

4.1 ELECTRIC BICYCLE MOTORS

Hydrogen powered bicycle usually compared to the existing electric bicycle. So the system between both of this technology are no different. The cheap and heavy electric bikes common in Asia usually have brushed motor. Brushed motors are a little bit cheaper. The lighter the bicycle the more expensive electric bikes would now have "brushless" DC motors, commonly called BLDC. There are 2 types of BLDC motor, larger diameter motors that are internally ungeared and have power from 300w to 1000w, and more compact motors have internal gears that make a low whirring sound and have power up to 300w.

4.1.1 Power

Bikes, and conversions, can have motor power from 200 watts to 1000 watts. The higher power 1000w motors should have at least 48V. Depending on what country you are in anything above 250w may be illegal. In Australia, for instance, the legal limit is 250w whereas in US it 750w, and other places are either in between, or don't care. There is some confusion about the "watts". The Chinese suppliers quote the motor's power as watts of "input" and most bike shops repeat the input watts in their description of the e-bike. The authorities regulating these are concerned about output. This matters particularly in Australia where the limit is 250w output. Electric motors do not have a fixed upper power limit and the input power can exceed nominal power. All motors are somewhat inefficient, ie they lose energy between input and output, and the electric motors are at best 80%

efficient. So the 250w motors for bikes or kits are supplied by China for Australia become 200w bikes or kits.

4.1.2 What Power Of Bike Would Be Suitable

For most people and most purposes, that is travelling about 25-27km/h on ordinary streets and roads in ordinary suburban terrain a 250 watt bike is quite adequate. The suggestion here is if you do ride an electric bicycle that has more power than is allowed, do, at least, pretend to be pushing on the pedals. Better still, do push on the pedals, and get that very beneficial exercise. For comparison between your efforts and the bike's power, 200w is about what you can produce if you are reasonably fit. There is a calculation that can be made in order to determine the suitable power ratings for bicycle.




Figure 4.1: Schematic Car Diagram

Car specifications:

Maximum Car Weight	= 14.515 kg
Maximum Driver Weight	= 60kg
Reference area of car body, A	= $5.6m^2$
Drag coefficient, C_d	= 1.1

The acceleration for the car is given by the equation below ^[1]:

$$v = v_0 + at$$

Where: v_0 , is initial velocity of the car

a is acceleration of the car

t is time taken

v is velocity of the car

Target for car:

The car need to speeding at the velocity 25km/h (6.9444 m/s) in 10 second with the maximum mass of the car and driver is 74.52kg.

The car acceleration is:

$$v = v_0 + at$$

$$6.944 = 0 + a(10)$$

$$a = \frac{6.944}{10}$$

$$a = 0.6944 \text{ m/s}^2$$

The force to move the car:

$$\sum F = m \cdot a$$

$$F - f_\mu - f_D = m \cdot a$$

$$F = f_\mu + f_D + m \cdot a$$

$$F = F_N \mu + \frac{1}{2} \rho A C_d v^2 + m \cdot a$$

$$\begin{aligned} &= [(74.52 \times 9.81)(0.00375 \times 2)] + \left[\frac{1}{2} (1.184)(0.51096)(1.1)(6.944)^2 \right] \\ &\quad + [74.52 \times 0.3704] \\ &= 49.13 \text{ N} \end{aligned}$$

The torque that car needed is given by the equation below ^[1]:

$$T = F \cdot r$$

Where: T is torque of the car

F is Force to move the car

r is radius of rear wheel

The power that car needed is given by the equation below [1]:

$$P = F \cdot v$$

Where: P is power of the car

F is Force to move the car

v is velocity of the car

The torque required to move the car is:

$$\begin{aligned} T &= F \cdot r \\ &= 49.13 \times 0.2795 \\ &= 20.73 \text{ N.m} \end{aligned}$$

The power to move the car is:

$$\begin{aligned} P &= F \cdot v \\ &= 49.13 \times 6.9444 \\ &= 0.341 \text{ KW} \end{aligned}$$

The car also go through on the sloping road that has a sloping angle of 10° . The initial velocity of the car before go through on the sloping road is 40km/h (11.1111m/s) and the car will be assume to speeding at the velocity 20km/h (5.5556 m/s) in 10 second to finish on the sloping road.




Figure 4.2: Schematic Car Diagram in Sloping Road

The car acceleration on the sloping road is:

$$v = v_0 + at$$

$$2.7778 = 6.9444 + a(10)$$

$$a = \frac{2.7778 - 6.9444}{10}$$

$$a = -0.4166 \text{ m/s}^2$$

The force to move the car on the sloping road is:

$$\Sigma F = m \cdot a$$

$$F - f_\mu - f_D - mg \sin \theta = m \cdot a$$

$$F = f_\mu + f_D + mg \sin \theta + m \cdot a$$

$$F = F_N \mu + \frac{1}{2} \rho A C_d v^2 + mg \sin \theta + m \cdot a$$

$$F = (mg \cos \theta) \mu + \frac{1}{2} \rho A C_d v^2 + mg \sin \theta + m \cdot a$$

$$= [(74.52 \times 9.81 \cos 10^\circ)(0.00375 \times 2)]$$

$$+ \left[\frac{1}{2} (1.184)(0.51097)(1.1)(5.5556)^2 \right] + [74.52 \times 9.81 \sin 10^\circ]$$

$$+ [74.52 \times (-0.4166)]$$

$$= 100.457 \text{ N}$$

The torque required to move the car is on the sloping road is:

$$T = F \cdot r$$

$$= 100.457 \times 0.2795$$

$$= 28.97 \text{ N.m}$$

The power to move the car is on the sloping road is:

$$P = F \cdot v$$

$$= 100.457 \times 2.7778$$

$$= 0.279 \text{ W}$$

From the calculation, we manage to get electric motor that has 200w power ratings. Hence, we can get the electric motor based on the calculation. There are many choices that we can take from to select the electric motor.



Figure 4.3: 24V Brushless Motor 200W BLDC Motor



Figure 4.4: DC12-48V ER11-200W CNC A Spindle Motor for Router Engraving Machine

4.2 DETERMINING THE HYDROGEN GENERATOR FLOW RATE

By placing two electrodes (metal plates) into the water we can create an electric field between them by connecting them to the terminals of a battery or power supply. The positive electrode is known as the anode, while the negative one is the cathode. Pure water actually does not conduct electricity so it is not suitable to be used without adding something to the water. Tap water already contains many dissolved compounds which allow the water to conduct. The ions formed in the water will be attracted to the electrode of opposite polarity. The positive hydrogen ions will move towards the cathode, while the negative oxygen ions move to the anode. Once the ions reach the surface of the electrodes the charges will be neutralised by adding or removing electrons. The gas is then feed to bubble up out of the remaining water to be collected.

The electrodes are typically made from metal or graphite (carbon) so that they can pass electricity into the water. It is important that the chosen material does not react readily with oxygen or one of the dissolved compounds otherwise reactions will occur at the surface of the cathode (negative electrode) and the water will become polluted with the products of the reactions. You will see an example of this below when copper electrodes are used. This also means that no or very little oxygen gas is released as it gets combined with the metal electrode and remains in the container.

$$n_{H_2} = (1.0 \text{ A}) \left(\frac{1 \text{ coulomb/sec}}{1 \text{ A}} \right) \left(\frac{1 \text{ equivalence of } e^-}{96,487 \text{ coulombs}} \right) \left(\frac{1 \text{ g mol } H_2}{2 \text{ equiv. of } e^-} \right) \left(\frac{3600 \text{ sec}}{1 \text{ hr}} \right) = 0.018655 \frac{\text{g mol}}{\text{hr} \cdot \text{A}} H_2$$

$$m_{H_2} = \left(0.018655 \frac{\text{g mol}}{\text{hr} \cdot \text{A}} H_2 \right) \left(\frac{2.0158 \text{ g}}{1 \text{ g mol } H_2} \right) \left(\frac{1 \text{ kg}}{1000 \text{ g}} \right) = 37.605 \times 10^{-6} \frac{\text{kg } H_2}{\text{hr} \cdot \text{A}} \text{ or } 0.037605 \frac{\text{kg } H_2}{\text{hr} \cdot \text{kA}}$$

Figure 4.5: Example of the calculation for the hydrogen flow rate in fuel cell

Number of molar for hydrogen = 0.2052gmol/hr.A

Mass flow rate for hydrogen = 0.4136 kg H₂/hr. k

4.2.1 The project

This is a simple project that is used to create hydrogen and oxygen gas by electrolysis of water. The aim was to get good gas production rates without using extra chemicals or eroding the electrodes. They were made from Copper coated Carbon rods which are not ideal due to copper being able to react with the water. The idea was that the copper would eventually all react away and there would be just Carbon left which would not pollute the water.

The copper seemed to take too long to react away and it was decided that this would not be useful at all. Below you can see the result of using copper electrodes for electrolysis. The blue sludge floating on the surface of the water is some reactant of the copper and tap water.



Figure 4.6: Reading current for the hydrogen generator

Many people use electrodes made from stainless steel kitchen ware or switch plates because the stainless steel does not react as easily. The problem is that the grade of the steel often found in such items is not great and you will be left with a brown sludge after a few minutes of operation. They are also quite thin, usually less than 1mm, which means that they do not last a very long time before being totally eroded away. The erosion of the electrodes happens much more quickly when high currents or solutes which often called

catalysts are used but the problem was solved by using the pure stainless steel that available at our lab where we can use and this is not the same as the stainless steel that we usually found at our ordinary kitchen.

The volume of gas produced is proportional to the charge passing through the water current and therefore high current means more gas. To do this the spacing of the electrodes must be as close as possible while still having enough room for the gas to bubble out freely. The metal chosen for the plates was a special high grade stainless steel to reduce corrosion. Such metal is not as conductive as others like copper for instance, so these plates were made from thick sheets of 2mm to counter this potential limiting factor. Very high quality metal was used which meant it was too hard to cut with common tools so these plates were cut using a high pressure water jet and here in our case we cut it using the wire cut technology which available in our university.




Figure 4.7: Hydrogen generator dimension

Table 4.1: Bill of material for the hydrogen generator

No	Item	Unit	Price per unit	Total
01	Stainless steel	1	-	
02	Bolt and nut M8	8	0.85	2.00
03	Thread rod M8	2	10.00	20.00
04	Gas hose	1	2.00	2.00
05	PVC plug $\frac{3}{4}$	2	0.60	1.20
06	PVC socket $\frac{3}{4}$	2	1.80	3.60
07	PVC PT Elbow $\frac{3}{4}$	2	2.00	4.00



Figure 4.8: Stainless steel plate by stack in the hydrogen generator



Figure 4.9: Hydrogen generator working smoothly

4.3 RECHARGEABLE BATTERY

Batteries are the most expensive component in an electric bike, about 40% of the total. There has been, and I believe still is, a very big difference in the performance of batteries between the many places that make them. Eventually I hope the lesser quality ones will get weeded out, and the better quality makers will increase business. The batteries all look the same, but one doesn't know how long or how well they will go until they have, or have not, done or gone as they should. There are several formulations generally called "Lithium-ion" or "Li-ion" and others with lithium Iron Phosphate cathode. The Li-ion and LFP batteries are usually quoted as having a "life" of 800 and 2000 charges respectively. This quoted life comes from the battery supplier who may, or may not have, at some time done a test on a battery. Such test would have been done by rapid repeated charge/discharge cycles until the battery's energy was reduced by 20%. In practice, in real use, you may get half of that, but in any case the LFP batteries should last twice or more as long as li-ion batteries because they are much more resistant to the things which degrade all lithium batteries, vibration and shock, heat, and time itself. LFP batteries are not common (probably because of cost saving by the factories), but are becoming more common. Even

though the energy contained is a little less than in a same size li-ion battery and that they cost more it is worthwhile getting LFP batteries. However, LFP is a bulkier cathode and any size of battery will contain less of it (and thus energy/distance) than a similar sized battery with Li-ion. For instance 11AH Li-ion and 9AH LFP are often the same size.

Table 4.2 will list out the advantage and disadvantages of using the lithium ion battery

Table 4.2: Lithium ion battery advantages and disadvantages

Advantages	Disadvantages
Low maintainence	Subject to aging
High energy density	Requires protection
Relatively low-self discharge	Transportation restrictions
Light	

4.4 ASSEMBLY

Hydrogen powered bicycle consists of four major components which is the battery, hydrogen generator, fuel cell stack and the electric motor. Before we design the system we need to know all the specification and if its power was good enough to move the bicycle with people on it. The battery and the hydrogen power generator place under the top frame where it will produce the hydrogen gases and from there the hydrogen will be channel to the fuel cell stack. Here at the fuel stack the process of electrolysis where electricity is produced to drive the 200w electric motor. Before finishing all the designing all the calculation already been done. Also there will be a minor component but crucial to the system in order to keep the electricity running. The components such as the microcontroller, actuators, microprocessor and sensors.




Figure 4.10: Fully design hydrogen powered bicycle




Figure 4.11: Fuel cell stack




Figure 4.12: Electric motor




Figure 4.13: Rechargeable battery

CHAPTER 5

CONCLUSION AND RECOMMENDATIONS

5.1 CONCLUSIONS

In conclusion, the objective to study on the compact hydrogen powered bicycle has achieved. The information obtained from the previous journal studied has proven that the hydrogen powered bicycle can be developed with a proper component. This component including the hydrogen generator, fuel cell stack, brushless electric motor and the rechargeable battery. This main components are the one who drive the bicycle. The process of selecting the components is based on the calculation done. The bicycle may also prove useful in the future for enhancing the public acceptance of the hydrogen fuel. In the near future, people might find the hydrogen energy is the most suitable energy for replacing the gasoline fuel.

5.3 RECOMMENDATIONS FOR FUTURE RESEARCH

As many technology emerging and developing, fuel cell still the one who seen as the biggest potential future energy sources. We cannot deny that a cleaner energy is more preferred than the one that produce emission which is not healthy and can pollute the environment but the technology that we have right now is not sufficient and that's why a lot of company came out with an idea such as the hybrid vehicles.

Some recommendation need to be discussed in order to improve the control system for the hydrogen powered bicycle. Several recommendations are suggested below:

- i) The number of stainless steel plate in the hydrogen generator must be added in order to get higher number of hydrogen flow rate.

- ii) A good catalyst can also increase the reaction rate in the hydrogen generator.
- iii) A graphite bipolar plates are the best material for the bipolar as it has the highest conductivity.
- iv) Used a higher voltage battery for a long lasting usage so that we did not have to change the battery frequently.
- v) Select a electric motor which have at least 50 watts more than the data collected from the calculation

REFERENCES

- [1] <http://fuelcells.si.edu/mc/mcfc3.htm>. 2002.
- [2] J.J. Hwang. 2004.*Development of fuel-cell-powered electric bicycle*.
- [3] Ayoub Kazim. 2002.*Introduction of PEM fuel-cell vehicles in the transportation sector of the United Arab Emirates*.
- [4] Bayan Al. 2001*Report by ministry of planning, 75.6 Billion Dirhams spending on rural transport projects until the end of the year 2000*. Dubai, UAE.
- [5] Department of Energy. United States Energy Information Administration, United Arab Emirates 1997.
- [6] Gillet AC.1999.*From water to water.Hydrogen as a renewable energy vector for the future*. In: *Proceedings of World Renewable Energy Congress*, Malaysia.
- [7] Veziroglu TN.2000.*Quarter century of hydrogen movement 1974–2000*. In: *Proceedings of the 13th World Hydrogen Energy Conference*, Beijing, China.
- [8] Jorgensen K. 1998.*Hydrogen, hybrid and electric propulsion in a strategy for sustainable transport*.In: *Proceedings of the 12th World Hydrogen Energy Conference*, Buenos Aires, Argentina.
- [9] Knapp K. 1999*Exploring energy technology substitution for reducing atmospheric carbon emissions*. Energy Journal.
- [10] Deluchi M and Ogden J. 1993. *Solar-hydrogen fuel-cell vehicles*.*Transportation Research*.

- [11] Gulf News.2001*BMW to complete hydrogen-plant feasibility study*.Gulf News. Dubai, UAE.
- [12] Sharon Thomas. 2001.*Fuel Cell Powers*. Los Alamos National Laboratory, Los Alamos, New Mexico.
- [13] U.S. Department of Energy, Office of Fossil Energy, Federal Energy Technology Center.1998. *Fuel Cell Handbook on CD (4 th Edition)*.
- [14] A Heinzl, F Mahlendorf, and C Jansen, University of Duisburg–Essen, Duisburg, Germany 2009
- [15] Li X and Sabir I 2005.*Review of bipolar plates in PEM fuel cells: Flowfield designs*.
International Journal of Hydrogen Energy

