

INTERNATIONAL JOURNAL OF ENGINEERING SCIENCES & RESEARCH TECHNOLOGY

SYNTHESIS, CHARACTERIZATION AND CHROMOGENIC PROPERTIES OF 4-HYDROXY-(2-HYDROXYBENZYLIDENE) BENZOHYDRAZIDE

Hesham H. A. Rassem*, Abdurahman H.Nour

* Faculty of chemical and Natural Resources Engineering, University Malaysia Pahang (UMP), Malaysia. Faculty of chemical and Natural Resources Engineering, University Malaysia Pahang (UMP), Malaysia

ABSTRACT

In this work, hydrazine and hydrazide compounds were subjected to condensation reaction with ketone and different aldehyde derivatives affording the corresponding expected hydrazone, 4-hydroxy-(2-hydroxybenzylidene)benzohydrazide(L1) is synthesized and characterized. The chemical structures were found to be consistent with both analytical and spectroscopic data (CHN, FTIR, UV/Vis, TGA, 1H NMR and 13C NMR). The chromogenic property of the ligand was carried out in differentsolvents including methanol, ethanol, acetone, acetonitrile, dimethylsulphoxide, and tetrahydrofuran.

KEYWORDS: Acetonitrile; Dimethylsulfoxide; Ethano; 4-hydroxybenzoylhydrazine; Tetrahydrofuran; Methanol; Hydrochloric acid..

INTRODUCTION

Hydrazones are organic compounds of formula $R_1C=N-NR_2$ where R_1 and R_2 represent H, aliphatic and aromatic group. They are usually formed by the condensation reaction between hydrazine and ketones or aldehydes. The oxygen atoms in aldhydes and ketones are replaced with the $N-NR_2$ functional group. Hydrazones are practically insoluble in hot and cold water but some are partially soluble in cold ethyl alcohol and ether. They possess a free amino group and can condense with another molecule of the carbonyl component to form hydrazone derivative or azine (Fieser and Fieser, 1956). The hydrazone unit offers a number of attractive features: a degree of rigidity, a conjugate π -system and a deprotonation (Beves*et al.*, 2009).

Hydrazone ligands and their complexes with different transition metal ions have been thoroughly investigated due to their biological activity. The arythydrazones contain in their structure the (-CO-NH-N=C< group) that imparts on these chelating agents fungicidal. This paper report the synthesis, characterization and chromogenic properties of 4-hydroxy-(2-hydroxybenzylidene) benzohydrazide.

EXPERIMENTAL

Chemicals and solvents

In the preparation of 4-hydroxy-(2-hydroxybenzylidene)benzohydrazide, The chemicals and solvents considered were of analytical grade, and were used without further purification. Table 1 Listof the chemicals and solvents.