

## REFERENCES

- Abu Seman, M. N., Jalanni, N. A., Faizal, C. K. M., and Hilal, N. (2013). Polyester Thin Film Composite Nanofiltration Membranes Prepared by Interfacial Polymerization Technique for Removal of Humic Acid. In R. Pogaku, A. Bono, & C. Chu (Eds.), *Developments in Sustainable Chemical and Bioprocess Technology* (pp. 111–117). Springer US.
- Abu Seman, M. N., Khayet, M., and Hilal, N. (2010). Nanofiltration thin-film composite polyester polyethersulfone-based membranes prepared by interfacial polymerization. *Journal of Membrane Science*, *348*(1-2): 109–116.
- Ahmad, A. L., and Ooi, B. (2005). Properties–performance of thin film composites membrane: study on trimesoyl chloride content and polymerization time. *Journal of Membrane Science*, *255*(1-2): 67–77.
- Ahmad, A. L., Ooi, B. S., Mohammad, A. W., and Choudhury, J. P. (2004). Effect of constricted polymerization time on nanofiltration membrane characteristic and performance: A study using the Donnan Steric Pore Flow Model. *Journal of Applied Polymer Science*, *94*(1): 394–399.
- Ahmed, F. N. (2013). Modified Spiegler-Kedem Model to Predict the Rejection and Flux of Nanofiltration Processes at High NaCl Concentrations. University of Ottawa.
- Ali, N., and Mohammad, A. W. (2004). The Development Of Predictive Modeling Of Nanofiltration Membrane Properties : A Review. In *Regional Symposium on Membrane Science and Technology* (p. 15).
- Almazan, J. E., Romero-Dondiz, E. M., Rajal, V. B., and Castro-Vidaurre, E. F. (2015). Nanofiltration of glucose: Analysis of parameters and membrane characterization. *Chemical Engineering Research and Design*, *94*(September): 485–493.
- Anderson, M. J., Whitcomb, P. J., Kraber, S. L., and Adams, W. (2009). *Stat-Ease Handbook for Experimenters*. Minneapolis: Stat-Ease, Inc.
- Baker, R. W. (2012). *Membrane Technology and Applications*. Chichester, UK: John Wiley & Sons, Ltd.
- Bhattacharya, A., and Misra, B. N. (2004). *Grafting: a versatile means to modify*

- polymers Techniques , factors and applications. *Progress in Polymer Science*, 29: 767–814.
- Bi, W., Zhou, J., and Row, K. H. (2010). Separation of xylose and glucose on different silica-confined ionic liquid stationary phases. *Analytica Chimica Acta*, 677(2): 162–168.
- Boussu, K., Vandecasteele, C., and der Bruggen, B. (2008). Relation between membrane characteristics and performance in nanofiltration. *Journal of Membrane Science*, 310(1): 51–65.
- Bowen, W., and Mohammad, A. A. W. (1998). Characterization and prediction of nanofiltration membrane performance—a general assessment. *Chemical Engineering Research and Design*, 76(8): 885–893.
- Bowen, W., Mohammad, A. W., and Hilal, N. (1997). Characterisation of nanofiltration membranes for predictive purposes—use of salts, uncharged solutes and atomic force microscopy. *Journal of Membrane Science*, 126(1): 91–105.
- Bowen, W., and Sharif, A. O. (1994). Transport through Microfiltration Membranes—Particle Hydrodynamics and Flux Reduction. *Journal of Colloid and Interface Science*, 168(2): 414–421.
- Box, G. E. P., Hunter, W. J., and Hunter, J. S. (1978). *Statistics for Experimenters: An Introduction to Design, Data Analysis, and Model Building. Wiley Series in Probability and Mathematical Statistics* (Vol. 1st). Wiley.
- Braeken, L., Ramaekers, R., Zhang, Y., Maes, G., Van Der Bruggen, B., and Vandecasteele, C. (2005). Influence of hydrophobicity on retention in nanofiltration of aqueous solutions containing organic compounds. *Journal of Membrane Science*, 252: 195–203.
- Bruins, P. F. (1976). *Unsaturated Polyester Technology*. CRC Press.
- Cao, X., and Lee, L. J. (2003). Control of shrinkage and residual styrene of unsaturated polyester resins cured at low temperatures: I. Effect of curing agents. *Polymer*, 44(6): 1893–1902.
- Chen, S.-H., Chang, D.-J., Liou, R.-M., Hsu, C.-S., and Lin, S.-S. (2002). Preparation and separation properties of polyamide nanofiltration membrane. *Journal of Applied Polymer Science*, 83(5): 1112–1118.

- Cheng, X. Q., Shao, L., and Lau, C. H. (2015). High flux polyethylene glycol based nanofiltration membranes for water environmental remediation. *Journal of Membrane Science*, 476: 95–104.
- Da Silva, S. S., and Chandel, A. K. (2012). D-Xylitol: Fermentative Production, Application, and Commercialization. Heidelberg: Springer.
- Diaconescu, R. M., Grigoriu, A., Luca, C., and Georgescu, P. (2011). Study on the Response Surface Modelling by Central Composite Design and Optimization of paper Nanocoating. *Revista de Chimie, Bucurest*, 62(5).
- Dow Chemical. (2003). Ethanolamines. Michigan, U.S.A: The Dow Chemical Company.
- Feng, Y. M., Chang, X. L., Wang, W. H., and Ma, R. Y. (2009). Separation of galacto-oligosaccharides mixture by nanofiltration. *Journal of the Taiwan Institute of Chemical Engineers*, 40(3): 326–332.
- Flickinger, M. C., and Drew, S. W. (1999). Encyclopedia of bioprocess technology: fermentation, biocatalysis, and bioseparation. John Wiley.
- Ghosh, A. K., and Hoek, E. M. V. (2009). Impacts of support membrane structure and chemistry on polyamide-polysulfone interfacial composite membranes. *Journal of Membrane Science*, 336(1-2): 140–148.
- Ghosh, A. K., Jeong, B.-H., Huang, X., and Hoek, E. M. V. (2008). Impacts of reaction and curing conditions on polyamide composite reverse osmosis membrane properties. *Journal of Membrane Science*, 311(1-2): 34–45.
- Goulas, A. K., Kapasakalidis, P. G., Sinclair, H. R., Rastall, R. A., and Grandison, A. S. (2002). Purification of oligosaccharides by nanofiltration. *Journal of Membrane Science*, 209(1): 321–335.
- Guillen, G. R., Pan, Y., Li, M., and Hoek, E. M. V. (2011). Preparation and Characterization of Membranes Formed by Nonsolvent Induced Phase Separation : A Review. *Industrial & Engineering Chemistry Research*, 50(7): 3798–3817.
- Hassan, O., Ling, T. P., Maskat, M. Y., Illias, R. M., Badri, K., Jahim, J., and Mahadi, N. M. (2013). Optimization of pretreatments for the hydrolysis of oil palm empty fruit bunch fiber (EFBF) using enzyme mixtures. *Biomass and Bioenergy*, 56: 137–146.
- Hermans, S., Bernstein, R., Volodin, A., and Vankelecom, I. F. J. (2015). Study of synthesis parameters and active layer morphology of interfacially polymerized

- polyamide-polysulfone membranes. *Reactive and Functional Polymers*, 86: 199–208.
- Hilal, N., Al-Zoubi, H., Darwish, N. a., Mohammad, a. W., and Abu Arabi, M. (2004). A comprehensive review of nanofiltration membranes: Treatment, pretreatment, modelling, and atomic force microscopy. *Desalination*, 170(3): 281–308.
- Hilal, N., Khayet, M., and Wright, C. J. (2012). Membrane modification: Technology and applications. Florida, USA: CRC Press, Taylor & Francis Group.
- Hoek, E. M. V, and Tarabara, V. V. (2013). Encyclopedia of Membrane Science and Technology. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Hu, D., Xu, Z., Wei, Y., Cao, S., and Chen, W. (2012). A Novel Composite Nanofiltration Membrane Prepared by Interfacial Polymerization of 2,2'-Bis(1-Hydroxyl-1-trifluoromethyl-2,2,2-trifluoroethyl)-4,4'- methylenedianiline and Trimesoyl Chloride. *Separation Science and Technology*, 48(4): 554–563.
- Idris, A., Kormin, F., and Noordin, M. Y. (2006). Application of response surface methodology in describing the performance of thin film composite membrane. *Separation and Purification Technology*, 49(3): 271–280.
- Ismail, A. F., Padaki, M., Hilal, N., Matsuura, T., and Lau, W. J. (2015). Thin film composite membrane - Recent development and future potential. *Desalination*, 356: 140–148.
- Jalanni, N. A., Abu Seman, M. N., and Faizal, C. K. M. (2013). Investigation of new polyester nanofiltration (NF) membrane fouling with humic acid solution. *Jurnal Teknologi*, 65(4): 69–72.
- Jamal, S., Chang, S., and Zhou, H. (2014). Filtration behaviour and fouling mechanisms of polysaccharides. *Membranes*, 4(3): 319–332.
- Khayet, M., Seman, M. N. A., and Hilal, N. (2010). Response surface modeling and optimization of composite nanofiltration modified membranes. *Journal of Membrane Science*, 349(1-2): 113–122.
- Khorshidi, B., Thundat, T., Fleck, B. A., and Sadrzadeh, M. (2015). Thin film composite polyamide membranes: parametric study on the influence of synthesis conditions. *RSC Adv.*, 5(68): 54985–54997.
- Khulbe, K. C., Feng, C. Y., and Matsuura, T. (2007). Synthetic Polymeric Membranes:

Characterization by Atomic Force Microscopy. Springer.

- Kilian, S. G., Van Uden, N., and Uden, N. Van. (1988). Transport of xylose and glucose in the xylose-fermenting yeast *Pichia stipitis*. *Applied Microbiology and Biotechnology*, 27(5-6): 545–548.
- Koros, W. J., Ma, Y. H., and Shimidzu, T. (1996). Terminology for Membranes and Membrane Processes. *International Union of Pure and Applied Chemistry*, 68(7): 1479–1489.
- Lalia, B. S., Kochkodan, V., Hashaikeh, R., and Hilal, N. (2013). A review on membrane fabrication: Structure, properties and performance relationship. *Desalination*, 326: 77–95.
- Lau, W. J., Ismail, a. F., Goh, P. S., Hilal, N., and Ooi, B. S. (2015). Characterization Methods of Thin Film Composite Nanofiltration Membranes. *Separation & Purification Reviews*, 44(2): 135–156.
- Lau, W. J., and Ismail, A. F. (2011). Progress in interfacial polymerization technique on composite membrane preparation. In *2nd International Conference on Environmental Engineering and Application* (pp. 173–177).
- Lau, W. J., Ismail, A. F., Misdan, N., and Kassim, M. A. (2012). A recent progress in thin film composite membrane: A review. *Desalination*, 287: 190–199.
- Lazić, Ž. R. (2004). Design of Experiments in Chemical Engineering. Weinheim, FRG: Wiley-VCH Verlag GmbH & Co. KGaA.
- Lei, H., Bao, Z., Xing, H., Yang, Y., Ren, Q., Zhao, M., and Huang, H. (2009). Adsorption Behavior of Glucose, Xylose, and Arabinose on Five Different Cation Exchange Resins. *Journal of Chemical & Engineering Data*, 55(2): 735–738.
- Li, L., Zhang, S., and Zhang, X. (2009). Preparation and characterization of poly(piperazineamide) composite nanofiltration membrane by interfacial polymerization of 3,3',5,5'-biphenyl tetraacyl chloride and piperazine. *Journal of Membrane Science*, 335(1-2): 133–139.
- Liu, M., Wu, D., Yu, S., and Gao, C. (2009). Influence of the polyacyl chloride structure on the reverse osmosis performance, surface properties and chlorine stability of the thin-film composite polyamide membranes. *Journal of Membrane Science*, 326(1): 205–214.

- Low, Z. X., Liu, Q., Shamsaei, E., Zhang, X., and Wang, H. (2015). Preparation and characterization of thin-film composite membrane with nanowire-modified support for forward osmosis process. *Membranes*, 5(1): 136–149.
- Malaysian Innovation Agency. (2011). National Biomass Strategy 2020: New wealth creation for Malaysia's palm oil industry. *Agensi Inovasi, Malaysia, Kuala Lumpur*. Retrieved May 5, 2014, from [http://www.innovation.my/pdf/1mbas/National\\_Biomass\\_Strategy\\_Nov\\_2011\\_FINAL.pdf](http://www.innovation.my/pdf/1mbas/National_Biomass_Strategy_Nov_2011_FINAL.pdf)
- Marchetti, P., Solomon, M. F. J., Szekely, G., and Livingston, A. G. (2014). Molecular Separation with Organic Solvent Nanofiltration : A Critical Review. *Chem. Rev.*, 114: 10735–10806.
- Martendal, E., Budziak, D., and Carasek, E. (2007). Application of fractional factorial experimental and Box-Behnken designs for optimization of single-drop microextraction of 2,4,6-trichloroanisole and 2,4,6-tribromoanisole from wine samples. *Journal of Chromatography A*, 1148: 131–136.
- Mason, R., Gunst, R., and Hess, J. (2003). Statistical design and analysis of experiments: with applications to engineering and science. New Jersey: John Wiley & Sons Inc.
- Mee, R. (2009). A comprehensive guide to factorial two-level experimentation. London: Springer.
- Meinander, N. Q., and Hahn-Hägerdal, B. (1997). Influence of cosubstrate concentration on xylose conversion by recombinant, XYL1-expressing *Saccharomyces cerevisiae*: a comparison of different sugars and ethanol as cosubstrates. *Applied and Environmental Microbiology*, 63(5): 1959–1964.
- Mohammad, A. W., Teow, Y. H., Ang, W. L., Chung, Y. T., Oatley-Radcliffe, D. L., and Hilal, N. (2015). Nanofiltration membranes review: Recent advances and future prospects. *Desalination*, 356: 226–254.
- Montgomery, D. C., and Runger, G. C. (2010). Applied Statistics and Probability for Engineers. John Wiley & Sons.
- Moreno-Vilet, L., Bonnin-Paris, J., Bostyn, S., Ruiz-Cabrera, M. a., and Moscosa-Santillán, M. (2014). Assessment of sugars separation from a model carbohydrates solution by nanofiltration using a design of experiments (DoE) methodology.

- Separation and Purification Technology*, 131: 84–93.
- Morthensen, S. T., Luo, J., Meyer, A. S., Jørgensen, H., and Pinelo, M. (2015). High performance separation of xylose and glucose by enzyme assisted nanofiltration. *Journal of Membrane Science*, 492: 107–115.
- Mulder, M. (1996). Basic Principles of Membrane Technology. *Zeitschrift für Physikalische Chemie* (second.). AA Dordrecht: Kluwer Academic Publishers.
- Namaghi, H. A., Asl, A. H., and Chenar, M. P. (2015). Identification and Optimization of Key Parameters in Preparation of Thin Film Composite Membrane for Water Desalination Using Multi-Step Statistical Method. *Journal of Industrial and Engineering Chemistry*, 31: 61–73.
- Nasef, M. M., and Guven, O. (2012). Radiation-grafted copolymers for separation and purification purposes: Status, challenges and future directions. *Progress in Polymer Science*, 37(12): 1597–1656.
- NREL. (1998). Chemical Analysis and Testing Laboratory Analytical Procedures.
- Ofori-Boateng, C., Lee, K. T., and Saad, B. (2014). A biorefinery concept for simultaneous recovery of cellulosic ethanol and phenolic compounds from oil palm fronds: Process optimization. *Energy Conversion and Management*, 81: 192–200.
- Park, J.-M., Kondo, A., Chang, J.-S., Perry Chou, C., and Monsan, P. (2013). Biorefineries. *Bioresource Technology*, 135: 1.
- Peinemann, K.-V., and Nunes, S. P. (Eds.). (2008). Membranes for the Life Sciences. Weinheim: WILEY-VCH Verlag GmbH & Co.
- Peinemann, K.-V., and Pereira-Nunes, S. (2010). Membranes for Water Treatment. WILEY-VCH Verlag GmbH & Co.
- Pinnau, I., and Freeman, B. D. (1999). Formation and Modification of Polymeric Membranes: Overview. *Membrane Formation and Modification*, 744: 1.
- Ramaswamy, S., Huang, H., and Ramarao, B. (2013). Separation and purification technologies in biorefineries. United Kingdom: John Wiley & Sons, Ltd.
- Rangarajan, R., Desai, N. V., Daga, S. L., Joshi, S. V., Prakash Rao, A., Shah, V. J., ... Reddy, A. V. R. (2011). Thin film composite reverse osmosis membrane development and scale up at CSMCRI, Bhavnagar. *Desalination*, 282: 68–77.
- Rao, A. P., Desai, N. V., and Rangarajan, R. (1997). Interfacially synthesized thin film

- composite RO membranes for seawater desalination. *Journal of Membrane Science*, 124(2): 263–272.
- Rao, A. P., Joshi, S. ., Trivedi, J. ., Devmurari, C. ., and Shah, V. . (2003). Structure–performance correlation of polyamide thin film composite membranes: effect of coating conditions on film formation. *Journal of Membrane Science*, 211(1): 13–24.
- Reingruber, H., Zankel, A., Mayrhofer, C., and Poelt, P. (2012). A new in situ method for the characterization of membranes in a wet state in the environmental scanning electron microscope. *Journal of Membrane Science*, 399-400: 86–94.
- Roberto, I., Mussatto, S., and Rodrigues, R. (2003). Dilute-acid hydrolysis for optimization of xylose recovery from rice straw in a semi-pilot reactor. *Industrial Crops and Products*, 17: 171–176.
- Saari, P., Heikkilä, H., and Hurme, M. (2010). Adsorption equilibria of arabinose, fructose, galactose, glucose, mannose, rhamnose, sucrose, and xylose on ion-exchange resins. *Journal of Chemical and Engineering Data*, 55(9): 3462–3467.
- Schäfer, A. I., Fane, A. G., and Waite, T. D. (2004). Nanofiltration: principles and applications. Elsevier Science.
- Shao, L., Cheng, X. Q., Liu, Y., Quan, S., Ma, J., Zhao, S. Z., and Wang, K. Y. (2013). Newly developed nanofiltration (NF) composite membranes by interfacial polymerization for Safranin O and Aniline blue removal. *Journal of Membrane Science*, 430: 96–105.
- Shih, W. (1994). Shrinkage modeling of polyester shrink film. *Polymer Engineering & Science*, 34(14): 1121–1128.
- Simon, M. J. (2003). Concrete Mixture Optimization Using Statistical Methods. Gaithersburg.
- Sjoman, E., Manttari, M., Nystrom, M., Koivikko, H., and Heikkila, H. (2007). Separation of xylose from glucose by nanofiltration from concentrated monosaccharide solutions. *Journal of Membrane Science*, 292(1-2): 106–115.
- Sjoman, E., Manttari, M., Nystrom, M., Koivikko, H., and Heikkila, H. (2008). Xylose recovery by nanofiltration from different hemicellulose hydrolyzate feeds. *Journal of Membrane Science*, 310(1-2): 268–277.
- Song, Y., Sun, P., Henry, L. L., and Sun, B. (2005). Mechanisms of structure and



- performance controlled thin film composite membrane formation via interfacial polymerization process. *Journal of Membrane Science*, 251: 67–79.
- Strathmann, H., Giorno, L., and Drioli, E. (2006). An Introduction to Membrane and Science Technology. *Institute on Membrane Technology*. Rende, Italy.
- Tan, H. T., Lee, K. T., and Mohamed, A. R. (2011). Pretreatment of lignocellulosic palm biomass using a solvent-ionic liquid [BMIM]Cl for glucose recovery: An optimisation study using response surface methodology. *Carbohydrate Polymers*, 83(4): 1862–1868.
- Tang, B., Huo, Z., and Wu, P. (2008). Study on a novel polyester composite nanofiltration membrane by interfacial polymerization of triethanolamine (TEOA) and trimesoyl chloride (TMC): I. Preparation, characterization and nanofiltration properties test of membrane. *Journal of Membrane Science*, 320(1): 198–205.
- Tang, B., Zou, C., and Wu, P. (2010). Study on a novel polyester composite nanofiltration membrane by interfacial polymerization. II. The role of lithium bromide in the performance and formation of composite membrane. *Journal of Membrane Science*, 365(1-2): 276–285.
- Tarboush, B. J. A., Arafat, H. A., Matsuura, T., and Rana, D. (2009). Recent Advances in Thin Film Composite ( TFC ) Reverse Osmosis and Nanofiltration Membranes for Desalination. *Journal of Applied Membrane Science & Technology*, 10(December): 41–50.
- Telford, J. (2007). A brief introduction to design of experiments. *Johns Hopkins Apl Technical Digest*, 27(3): 224–232.
- Van Der Bruggen, B., and Vandecasteele, C. (2002). Modelling of the retention of uncharged molecules with nanofiltration. *Water Research*, 36: 1360–1368.
- Wang, H., Zhang, Q., and Zhang, S. (2011). Positively charged nanofiltration membrane formed by interfacial polymerization of 3,3',5,5'-biphenyl tetraacyl chloride and piperazine on a poly(acrylonitrile) (PAN) support. *Journal of Membrane Science*, 378(1-2): 243–249.
- Wang, T., Dai, L., Zhang, Q., Li, A., and Zhang, S. (2013). Effects of acyl chloride monomer functionality on the properties of polyamide reverse osmosis (RO) membrane. *Journal of Membrane Science*, 440: 48–57.

- Wu, H., Tang, B., and Wu, P. (2010). Novel ultrafiltration membranes prepared from a multi-walled carbon nanotubes/polymer composite. *Journal of Membrane Science*, 362(1-2): 374–383.
- Wu, H., Tang, B., and Wu, P. (2013)a. Optimization, characterization and nanofiltration properties test of MWNTs/polyester thin film nanocomposite membrane. *Journal of Membrane Science*, 428: 425–433.
- Wu, H., Tang, B., and Wu, P. (2013)b. Preparation and characterization of anti-fouling  $\beta$ -cyclodextrin/polyester thin film nanofiltration composite membrane. *Journal of Membrane Science*, 428: 301–308.
- Xiangli, F., Wei, W., Chen, Y., Jin, W., and Xu, N. (2008). Optimization of preparation conditions for polydimethylsiloxane (PDMS)/ceramic composite pervaporation membranes using response surface methodology. *Journal of Membrane Science*, 311(1-2): 23–33.
- Xu, G. R., Wang, S. H., Zhao, H. L., Wu, S. B., Xu, J. M., Li, L., and Liu, X. Y. (2015). Layer-by-layer (LBL) assembly technology as promising strategy for tailoring pressure-driven desalination membranes. *Journal of Membrane Science*, 493: 428–443.
- Zahari, M. A. K. M., Abdullah, S. S. S., Roslan, A. M., Ariffin, H., Shirai, Y., and Hassan, M. A. (2014). Efficient utilization of oil palm frond for bio-based products and biorefinery. *Journal of Cleaner Production*, 65: 252–260.
- Zhao, J., Wang, Z., Wang, J., and Wang, S. (2006). Influence of heat-treatment on CO<sub>2</sub> separation performance of novel fixed carrier composite membranes prepared by interfacial polymerization. *Journal of Membrane Science*, 283(1-2): 346–356.
- Zhou, C., Shi, Y., Sun, C., Yu, S., Liu, M., and Gao, C. (2014). Thin-film composite membranes formed by interfacial polymerization with natural material sericin and trimesoyl chloride for nanofiltration. *Journal of Membrane Science*, 471: 381–391.