

## REFERENCES

- Abbasi, T., Tauseef, S.M., and Abbasi, S.A., 2012. Anaerobic digestion for global warming control and energy generation-An overview. *Renew. And Sustain. Energy Reviews* 16, pp. 3228-3242.
- Abouelenien, F., Fujuwara, W., Namba, Y., Kosseva, M., Nishio, and Nakashimada, Y., 2010. Improved methane fermentation of methane manure via ammonia removal by biogas recycle. *Bioresour. Technol.* 101, pp. 6368-6373.
- Abouelenien, F., Nakashimada, Y., and Nishio, N., 2009. Dry mesophilic fermentation of poultry manure for production of methane by repeated batch culture. *J. Biosc. and Bioeng.* 3, pp. 293-295.
- Adderley, A.E., Smith, I.E., and Probert, S.D., 1976. Anaerobic fermentation of poultry manure. *Appl. Energy* 2, pp. 163-173.
- Adinarayana, K., and Ellaiah, P., 2002. Response surface optimization of the critical medium components for the production of alkaline protease by a newly isolated *Bacillus* sp. *J. Pharm. Sci.*, 5, 281-287.
- AgriInfo, 2014. Soil moisture. Resource document: My Agriculture Information Bank. Retrieved May 2014. <http://www.agriinfo.in/?page=topic&superid=4&topicid=274>
- Angelidaki, I., Chen, X., Cui, J., Kaparaju, P., and Ellegaard, L., 2006. Thermophilic anaerobic digestion of source-sorted organic fraction of house municipal solid waste: start-up procedure for continuous stirred tank reactor. *Water Res.* 40, pp. 2621-2628.
- APEC, 2006. APEC energy demand and supply outlook. [http://www.ieej.or.jp/aperc/2006pdf/Outlook2006/Whole\\_Report.pdf](http://www.ieej.or.jp/aperc/2006pdf/Outlook2006/Whole_Report.pdf).

- Appels, L., Baeyens, J., Degreève, J., and Dewil, R., 2008. Principles and potential of the anaerobic digestion of waste-activated sludge. *Progress in Energy and Combustion Science*, 34(6), pp. 755-781.
- Appels, L., Lauwers, J., Degreève, J., Helsen, L., Lievens, B., Willems, K., Impe, J.V., and Dewil, R., 2011. Anaerobic digestion in global bio-energy production: Potential and research challenges. *Renew. Sust. Energy Rev.* 15, pp. 4295-4301.
- Asuero, A.G., Sayago, A., and Gonzalez, A.G., 2006. The correlation coefficient: An overview. *Critical reviews in Analytical Chemistry* 36, pp. 41-59.
- Atuanya, E.I., and Aigbirior, M., 2002. Mesophilic biometanation and treatment of poultry wastewater using pilot scale UASB reactor. *Environ. Monit. Assess.* 77, pp. 139-147.
- Azami, M., Bahram M., Nouri S., and Naseri A., 2011. A Central Composite Design for the Optimization of the Removal of the Azo Dye, Methyl Orange, from Waste Water Using the Fenton Reaction. *Journal of Serbian Chemical Society*, 77 (2), pp. 235--246.
- Barbosa, R.N., and Overstreet, C., 2011. What is soil electrical conductivity?. Resource document: LSU Ag Center. [www.LSUAgCenter.com](http://www.LSUAgCenter.com). Retrieved May 2014.
- Badariah, A.M., 2010. Renewable energy development in Malaysia. *Proceedings of the 34th Meeting of APEC Expert Group on New and Renewable Energy Technologies*, April 26-28, 2010, Kuala Lumpur, Malaysia.
- Bas, D and Boyaci, H., 2007. Modeling and optimization I: Usability of response surface methodology. *Journal of Food Engineering*, 78 (3), pp. 836--845.
- Beccari, M., Bonemazzi, F., Majone, M., and Riccardi, C., 1996. Interaction between acidogenesis and methanogenesis in anaerobic treatment of olive-oil mill effluents. *Water Res.* 30(1), pp. 183-189.

- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S. and Escaleira, L. A. 2008. Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Pure and Applied Analyt. Chem.* 76 (5), pp. 965--977.
- Borjesson and Berglund, 2005. Environmental system analysis of biogas systems-Part 1: Fuel-cycle emissions. *Biomass and Bioenergy* 30, pp. 469-485.
- Bradley, N., 2007. The Response Surface Methodology. Dissertation, Indiana University South Bend. Retrieved from website: [https://www.iusb.edu/math-compsci/\\_prior-thesis/NBradley\\_thesis.pdf](https://www.iusb.edu/math-compsci/_prior-thesis/NBradley_thesis.pdf).
- Bujoczek, G., Oleszkiewicz, J.A., Sparling, R.R., and Cenkowski, S., 2000. High solid anaerobic digestion of poultry manure. *J. Agric. Eng. Resour.* 76, pp. 51-60.
- Busman, L., Lamb, J., Randall, G., Rehm, G., and Schmitt, M., 2009. The nature of phosphorus in soils. Resource document: University of Minnesota. [http://www.extension.umn.edu/agriculture/nutrient management/phosphorus/the-nature-of-phosphorus/](http://www.extension.umn.edu/agriculture/nutrient%20management/phosphorus/the-nature-of-phosphorus/).
- Cakir, F. K., and Stenstrom, M. K. 2003. A Dynamic Model for Anaerobic Filter. *J. Environ. Sci. Health, Part A: Toxic/Hazard. Subst. Environ. Eng.*, 38 ,pp. 2069-2076.
- Callaghan, F. J., Wase, D.A.J., Thayanithy, K., and Forster, C.F., 2002. Continuous co-digestion of cattle slurry with fruit and vegetable wastes and chicken manure. *Biomass and Bioenergy* 27, pp. 71-77.
- Chamy, R., and Ramos, C., 2011. Factors in the determination of methanogenic potential of manure. *Bioresour. Technol.* 102, pp. 7673-7677.
- Chen, T.H., and Hashimoto, A.G., 1996. Effect of pH and substrate: inoculums ratio on batch methane fermentation. *Bioresour. Technol.* 56, pp. 179-186.

- Chen, X., and Louge, M., 2008. Heat transfer enhancement in dense suspensions of agitated solids. Part I: theory. *International journal of heat and mass transfer*, 51(21), pp. 5108-5118.
- Chen, Y., Cheng, J.J., and Creamer, K.S., 2008. Inhibition of anaerobic digestion process: a review. *Bioresour. Technol.* 99, pp. 4044-4064.
- Charles, W., Walker, L., and Ruwisch, R.C., 2009. Effect of pre-aeration and inoculums on the start-up of batch thermophillic anaerobic digestion of municipal solid waste. *Bioresour. Technol.* 100, pp. 5103-5108.
- Chauhan, V., Bhardwaj, N., and Chakrabarti, S., 2013. Application of response surface methodology and central composite design for the optimization of talc filler and retention aid in paper making. *Indian Journal of Chemical Technology*, 20(2), pp.121-127.
- Chynoweth, D.P., Owens, J.M., and Legrand, R., 2001. Renewable methane from anaerobic digestion of biomass. *Renew. Energy* 22, pp. 1-8.
- Cogger, C.G., 1995. *Clean Water for Washington*. Issued by Washington State Cooperative Extension, and the U.S Department of Agriculture, United State. <http://cru.cahe.wsu.edu/CEPublications/eb1475/eb1475.html>.retrieved 20/12/2012.
- Czitrom, V., 1999. One-factor-at-a-time versus designed experiments. Resource document: <http://www.amstat.org/publications/tas/czitrom.pdf>. Retrieved May 2014.
- Davies, R.M., 2006. *Anaerobic Digestion and Biogas*. [www.face-online.org.uk/resources/factsheets/discovering/pdf](http://www.face-online.org.uk/resources/factsheets/discovering/pdf). Retrieved 12/7/2011.

- Demirci, G.G., and Demirer, G.N., 2004. Effect of initial COD concentration, nutrient addition, temperature and microbial acclimation on anaerobic treatability of broiler and cattle manure. *Bioresour. Technol.* 93, pp. 109-117.
- Demirel, B., and Yenigun, O., 2002. Two-phase anaerobic digestion processes: A review. *J. Tech. Biotechnol.* 77, pp. 743-755.
- Demirer, G.N., and Othman, M., 2008 Two-phase thermophilic acidification and mesophilic methanogenesis anaerobic digestion of waste-activated sludge. *Environ. Eng. Sci.* 25, pp. 1291-1300.
- Department of Veterinary Services (DVS), 2014. Malaysia: Output of Livestock Product, 2004-2013. Retrieved from Official Portal of DVS, DVS Resources Statistics, May 2014. <http://www.dvs.gov.my/en/>.
- Deublein and Steinhauser, 2008. *Biogas from waste and renewable resources*. Wiley-VCH, Weinheim.
- Dornburg, V., Faaij, A.P.C., and Meuleman, B., 2006. Optimising waste treatment systems Part A: Methodology and technological data for optimizing energy production and economic evaluation. *Resour. Conserv. And Recycling.* 49, pp. 68-88.
- Dumas, C., Perez, S., Paul, E., and Lefebvre, X., 2010. Combined thermophilic aerobic process and conventional anaerobic digestion: Effect on sludge biodegradation and methane production. *Bioresour. Technol.* 101(8), pp. 2629-2636.
- Environmental Protection Agency (EPA), 1999. *Wastewater Technology Fact Sheet Fine Bubble Aeration*. US.EPA 832-F-99-065.

- Eppinger, T., Wehinger, G., and Kraume, M., 2014. Parameter optimization for the oxidative coupling of methane in a fixed bed reactor by combination of response surface methodology and computational fluid dynamics. Article in press: Chemical engineering research and design.p.11.
- Fernandez, B., Porrier, P., and Chamy, C., 2001. Effect of inoculums-substrate ratio on the start-up of solid waste anaerobic digesters. *Water Sci. Technol.* 44(4), pp. 103-108.
- Forster-Carneiro, T., Peres, M., and Romero, L.I., 2008. Influence of total solid and inoculums content on performance of anaerobic reactors treating food waste. *Bioresour. Technol.* 99, pp. 6994-7002.
- Gangagni, R.A., Sasi, K.R., Surya, P.S., Vanajakshi, J., Joseph, J., Jetty, A., Rajashekhara, R.A., and Sarma, P.N., 2008. Biomethanation of poultry litter leachate in UASB reactor coupled with ammonia stripper for enhancement of overall performance. *Bioresour. Technol.* 99 (18), pp. 8679-8684.
- Gershenson, A., and Barsimantov, J., and EcoShift Consulting, LLC., 2009. Accounting for carbon in soils. Resource document: Climate action reserve. <http://www.ecoshift.com>. Retrieved May 2014.
- Ghangrekar, M.M., Asolekar, S.R., and Joshi, S.R., 2005. Characteristics of sludge developed under different loading conditions during UASB reactor start-up and granulation. *Water Res.* 39, pp. 1123-1133.
- Gomez, X., Cuetos, M.J., Cara, J., Moran, A., and Garcia, A.I., 2006. Anaerobic co-digestion of primary sludge and the fruit and vegetable fraction of the municipal solid wastes – condition for mixing and evaluation of the organic loading rate. *Renew. Energy* 31, pp. 2017-2024.

- Gonzalez-Fernandez, C., Leon-Cofreces, C., and Garcia-Encina, P.A., 2008. Different pretreatments for increasing the anaerobic biodegradability in swine manure. *Bioresour Technol.* 99, pp. 8710-8714.
- Gunaseelan, V.N., 1995. Effect of inoculums/substrate ratio and pretreatments on methane yield from parthenium. *Biomass Bioenergy* 8, pp. 39-44.
- Gunst, R. F., 1996. Response surface methodology: process and product optimization using designed experiments. *Statistics*, 38 (3), pp. 284-286.
- Gustafson, A., 1987. Nitrate leaching from arable land in Sweden under four cropping systems. *Swedish Journal of Agricultural research* 17; pp. 169-177.
- Harikishan, S., and Sung, S., 2003. Cattle waste treatment and Class A biosolid production using temperature-phased anaerobic digester. *Adv. Environ. Resour.* 7, pp. 701-706.
- Hills, D.J., and Roberts, D.W., 1982. Conversion of tomato, peach and honeydew solid waste into methane gas. *Transaction of Asae* 25, pp. 820-826.
- Husted, S., 1994. Seasonal-variation in methane emission from stored slurry and solid manures. *Jour. of Envi. Quality* 23, pp. 585-592.
- Hwang, M.H., Jang, N.J., Hyum, S.H, and Kim, I.S., 2004. Anaerobic bio-hydrogen production from ethanol fermentation: the role of pH. *Jour. Biotechnol.* 111, pp. 297-309.
- Hygnstrom, J.R., Skipton, S.O., and Woldt, W., 2011. Residential onsite wastewater treatment: the role of soil. Resource document, University of Nebraska-Lincoln Extension.<http://www.ianrpubs.unl.edu/epublic/pages/publicationD.jsp?publicationId=249>. Retrieved May 2014.

- Jamaludin, M.F., and Zainol, N., 2011. Isolation and Identification of Acetic Acid Producer from Mixed Culture of Soil and Banana Stem Waste in Anaerobic Condition. *International Journal of Chemical and Environmental Engineering*.
- Joanta, H.G., 1996. *Renewable Energy Systems in Southeast Asia*. PennWell Publishing Company, Tulsa, Oklahoma, ISBN: 0878144641, Pages: 167.
- Kana, E.B.G., Oloke, J.K., Lateef, A., and Adesiyan, M.O., 2012. Modeling and optimization of biogas production on saw dust and other co-substrate using Artificial Neural network and Genetic Algorithm. *Renew. Energy* 46, pp. 276-281.
- Kaparaju, P., Buendia, I., Ellegaard, L. and Angelidaki, I., 2008. Effects of mixing on methane production during thermophilic anaerobic digestion of manure: Lab-scale and pilot-scale studies. *Bioresource Technology*, 99 (11), pp. 4919-4928.
- Kapdi, S. S., Vijay, V. K., Rajesh, S. K., and Prasad, R., 2005. Biogas scrubbing, compression and storage: Perspective and prospectus in Indian context. *Renewable Energy*, 30(8), pp. 1195-1202.
- Kelleher, B.P., Leahy, J.J., Henihan, A.M., O'Dwyer, T.F., Sutton, D., and Leahy, M.J., 2002. Advances in poultry litter disposal technology- a review. *Bioresour. Technol.* 83, pp. 27-36.
- Kleerebezem, R., and Loosdrecht, M.C.M.V., 2007. Mixed culture biotechnology for bioenergy production. *Rev. Energy Biotechnol.* 18, pp. 207-212.
- Knol, W., Vandermost, M.M., and Waart, J.D., 1978. Biogas production by anaerobic digestion of fruit and vegetable waste-preliminary study. *Journal of the Science of Food and Agriculture* 29, pp. 822-830.



- Lei, X., Sugiura, N., Feng, C., and Maekawa, T., 2007. Pretreatment of anaerobic digestion effluent with ammonia stripping and biogas prorification. *J. Hazard. Mater.* 145, pp. 391-397.
- Li, A.J., Li, X.Y., and Yu, H.Q., 2011. Effect of the food-to-microorganism (F/M) ratio on the formation and size of aerobic sludge granules. *Process Biochem.* 46, pp. 2269-2276.
- Liu, T., and Sung, S., 2002. Ammonia inhibition on thermophilic aceticlastic methanogens. *Water Sci. Technol.* 45, pp. 113–120.
- Liu, Z.G., Zhou, X.F., Zhang, Y.L., and Zhu, H.G., 2012. Enhanced anaerobic treatment of CSTR-digested effluent from poultry manure: the effect of ammonia inhibition. *Waste Manage.* 32, pp. 137-143.
- Lobos, J., Wisniewski, C., Heran, M., and Grasmick, A., 2008. Sequencing versus continuous membrane bioreactors: effect of substrate to biomass ratio (F/M) on process performance. *J. Membr. Sci.* 317, pp. 71-77.
- Lopes, W.S., Leite, V.D., and Prasad, S., 2004. Influence of inoculums on performance of anaerobic reactors for treating municipal solid waste. *Bioresour. Technol.* 94, pp. 261-266.
- Magbanua, B.S., Adams, T.T., and Johnston, P., 2001. Anaerobic co-digestion of hog and poultry waste. *Bioresour. Technol.* 76, pp. 165-168.
- Mahanty, B., Zafar, M., Han, M.J., and Park, H.S., 2014. Optimization of co-digestion of various industrial sludges for biogas production and sludge treatment: Methane production potential experiments and modeling. *Waste. Manage.* 34, pp. 1018-1024.

- Markidis, I., Komilis, D., Tsagas, F., and Petalas, A., 2013. A fractional factorial field experiment to study the decomposition of municipal solid wastes stored in wrapped bales. *J. of Envi. Manage.* 115, pp. 32-41.
- Masunaga, T., Sato, K., and Wakatsuki, T., 2012. Soil's environment purifying function- polluted water treatment by multi soil-layering system. Retrieved May 27, 2014 from [www.ec.web.ntut.edu.tw/ezfiles/31/1031/img/155/169121271.pdf](http://www.ec.web.ntut.edu.tw/ezfiles/31/1031/img/155/169121271.pdf).
- Miles, R., 2008. Soils and onsite wastewater treatment for Texas settings. University of Missouri. 16<sup>th</sup> Annual Texas On-Site Wastewater Treatment Research Council, Waco, Texas.
- Mohd Salleh, N. H., Mohamed Daud, M. Z., Arbain, D., Ahmad, M. S., and Ku Ismail, K. S. 2011. Optimization of alkaline hydrolysis of paddy straw for ferulic acid extraction. *Industrial Crops Production* 34, pp. 1635-1640.
- Molinuevo-Salces, B., Garcia-Gonzalez, M.C., Gonzalez-Fernandez, C., Cuetos, M.J., Moran, A., and Gomez, X., 2010. Anaerobic co-digestion of livestock wastes with vegetables processing wastes: A statistical analysis. *Bioresour. Technol.* 101, pp. 9479-9485.
- Montgomery, D. C. 2001. *Design and Analysis of Experiments*, 5th Ed. New York: John Wiley & Sons, Inc.
- Mussnug, J.H., Klassen, V., Schluter, A., and Kruse, O., 2010. Microalgae as substrates for fermentative biogas production in a combined biorefinery concept. *J. Biotechnol.* 150, pp. 51-56.
- Ndon, U., and Dague, R. 1997. Effects of temperature and hydraulic retention time on anaerobic sequencing batch reactor treatment of low-strength wastewater. *Water Research*, 31(10), pp. 2455-2466.

- Obaja, D., Mace, S., Costa, J., Sans, C., and Mata-Alvarez, J., 2003. Nitrification-denitrification and biological phosphorus removal in piggery waster using sequencing batch reactor. *Bioresour. Technol.* 87, pp. 103-111.
- Olayiwola, O.M., Amahia, G.N. and Adewara, A.A., 2011 Application of Response Surface Methodology for Capturing Optimum Response in a Longitudinal Survey, *International Journal of Applied Science and Technology*, 1(5). pp. 121-124.
- Othman, M.Y.H., Yatim, B., and Salleh, M.M., 1996. Chicken dung biogas power generating system in Malaysia. *WREC*, pp. 930-933.
- Peavy, H.S., Donald, R.R., and George, T., 1985. *Environmental Engineering-Engineered Systems For Wastewater Treatment And Disposal*. MC.Graw-Hill Internatinal Editions. Civil Engineering Series,1985. ISBN 0-07-100231-6.
- Poh, P.E., and Chong, M.F., 2009. Development of Anaerobic Digestion Methods For Palm Oil Mill Effluent (POME) Treatment. *Bioresource Technology* 100, pp. 1-9.
- Prajapati, S.K., Kaushik, P., Malik, A., and Vijay, V.K., 2013. Phycoremediation and biogas potential of native alga isolates from soil and wastewater. *Bioresour. Technol.* 135, pp. 232-238.
- Prasertsan, S., and Sajjakulnukit, B., 2006. Biomass and biogas energy in Thailand: Potential, opportunity and barriers. *Renew. Energy* 31, pp. 599-610.
- Rao, A.G., Reddy, T.S.K., Prakash, S.S., Vanajakshi, J., Joseph, J., Jetty, A., Reddy, A.R., and Sarma, P.N., 2008. Biomethanation of poultry litter lechate in UASB reactor coupled with ammonia stripper for enhancement of overall performance. *Bioresour. Technol.* 99, pp. 8679-8684.

- Raposo, F., Borja, R., Martin, M.A., Martin, A., de la Rubia, M.A., and Rincon, B., 2009. Influence of inoculums-substrate ratio on the anaerobic digestion of sunflower oil cake in batch mode: Process stability and kinetic evaluation. *Chem. Eng. J.* 149, pp. 70-77.
- Riano, B., Molinuevo, B., and Garcia-Gonzalez, M.C., 2011. Potential for methane production from anaerobic co-digestion of swine manure with winery wastewater. *Bioresour. Technol.* 102, pp. 4131-4136.
- Santos, L.O., Alegre, R. M., Garcia-Diego, C., and Cuellar, J., 2010. Effects of magnetic fields on biomass and glutathione production by the yeast *Saccharomyces cerevisiae*. *Process Biochem.* 45, pp. 1362-1367.
- Sakar, S., Yetilmezsoy, K. and Kocak, E., 2009. Anaerobic digestion technology in poultry and livestock waste treatment-a literature review. *Waste Management & Research*, 27 (1), pp. 3-18.
- Salminen, E., and Rintala, J., 2002. Anaerobic digestion of organic solid poultry slaughterhouse waste-a review. *Bioresour. Technol.* 83, pp. 13-26.
- Sawyer, J., 2008. Soil Fertility: Current topic: Importance of nitrogen in soils. Resource document: Agronomy Extension Soil Fertility Web Site. <http://www.agronext.iastate.edu/soilfertility/>.
- Shariffadeen, M.A., 1980. Workshop II: Short-term Development of Appropriate Solar, Biomass and Biogas Application for Malaysia, Proc Tenaga '80. The Malaysia National Committee of The World Energy Conference, pp. 137-138.
- Shiota, N., Akashi, A., and Hasegawa, S., 2002. A strategy in wastewater treatment process for significant reduction of excess sludge production. *Water Sci. Technol.* 45(12), pp. 127-134.

- Singh, J., and Gu, S., 2010. Commercialization potential of microalgae for biofuels production. *Renew. Sustain. Energy. Rev.* 14, pp. 2596-2610.
- Soil Science Society of America, 2008. What is soil?. Retrieved from Soil Science Glossary, May 2014. <https://www.soils.org/publications/soils-glossary/>.
- Stroot, P.G., McMahon, K.D., Mackie, R.I., and Raskin, L., 2001. Anaerobic codigestion of municipal solid waste and biosolids under various mixing conditions- digester performance. *Water Res.* 35, pp. 1804-1816.
- Sung, S., and Liu, T., 2003. Ammonia inhibition on thermophilic anaerobic digestion. *Chemosphere* 53, pp. 43-52.
- Taleghani, G., and Kia, A.S., 2005. Technical-economical analysis of the Saveh biogas power plant. *Renew. Energy.* 30, pp. 441-446.
- Tay, J.H., and Yan, Y.G., 1996. Influence of substrate concentration on microbial selection and granulation during start-up of upflow anaerobic sludge blanket reactors, *Water Environ. Res.* 68, pp. 1140–1150.
- Themelis, N.J., and Verma, S., 2004. The better opinion, anaerobic digestion of organic wastes in MSW. *Waste Management World.* [www.foe.co.uk](http://www.foe.co.uk). Retrieved 12/7/2011.
- Topper, K.F., T.A. Tindall and D.W. James. 1993. Field Crops. In *Utah Fertilizer Guide*, D.W. James and K.F. Topper. Extension Circular No. 431. Utah State University Cooperative Extension Service. Available online at [ext.usu.edu](http://ext.usu.edu).
- Trosvik, P., Skanseng, B., Jakobsen, K.S., Stensen, N.C., Naes, T., and Rudi, K., 2007. Multivariate analysis of complex DNA sequence electropherograms for high-throughput quantitative analysis of mixed microbial populations. *Applied and Envi. Microb.* 73(15), pp. 4975-4983.

- Turovskiy, I.S., and Mathai, P.K., 2006. Wastewater sludge processing. Publisher: Wiley. ISBN: 0471791601, 9780471791607.
- Veeken, A.H.M., Hamelers, B.V.M., 2000. Effect of substrate-seed mixing and leachate recirculation on solid state digestion of biowaste. *Water Sci. Technol.* 41, pp. 255-262.
- Vindis, P., Mursec, B., Janzekovic, M., Cus, F., 2009. The impact of mesophilic and thermophilic anaerobic digestion on biogas production. *J. Achiev. Mater. Manuf. Eng.* 25, pp. 192-198.
- Walid, A.L., Khaled, M., Ehab, R., and El-Helow, 2007. Citric acid production by a novel *Aspergillus niger* isolate: II. Optimization of process parameters through statistical experimental designs. *Bioresour. Technol.* 98, pp. 3470-3477.
- Ward, A.J., Hobbs, P.J., Holliman, P.J., and Jones, D.L., 2008. Optimisation of the anaerobic digestion of agricultural resources. *Bioresour. Technol.* 99, pp. 7928-7940.
- Water Environment Federation (WEF), 1995. Wastewater Residuals Stabilization, MOP No.FD-9. Alexandria, VA: Water Environment Federation.
- Wikandari, R., Gudipudi, S., Pandiyan, I., Millati, R., and Taherzadeh, M.J., 2013. Inhibitory effects of fruit flavors on methane production during anaerobic digestion. *Bioresour. Technol.* 145, pp. 188-192.
- Yadvika, Santosh, Sreekrishnan, T.R., Kohli, S., and Rana, V., 2004. Review paper: Enhancement of biogas production from solid substrates using different techniques-a review. *Bioresour. Technol.* 95, pp. 1-10.
- Yetilmezsoy, K., and Sakar, S., 2008. Development of empirical models for performance evaluation of UASB reactors treating poultry manure wastewater under different operational conditions. *J. Hazard. Mater.* 153, pp. 532-543

- Yetilmezsoy, K., and Sapci-Zengin, Z., 2009. Recovery of ammonium nitrogen from the effluent of UASB treating poultry manure wastewater by MAP precipitation as a slow release fertilizer. *J. Hazard. Mater.* 166, pp. 260-269.
- Yusoff, S., 2006. Renewable energy from palm oil-innovation on effective utilization of waste. *J. Cleaner Prod.*, 14, pp. 87-93.
- Zabranska, J., Dohanyos, M., Jenicek, P., and Kutil, J., 2000. Thermophilic process and enhancement of excess activated sludge degradability- two ways of intensification sludge treatment in Prague central wastewater treatment plant. *Water Science and Technology* 41, pp. 265-272.
- Zady, M.F., 2000. Correlation and simple least squares regression. Available online, October 2000, <http://www.westgard.com/lesson44.htm>.
- Zamalloa, C., Boon, N., and Verstraete, W., 2012. Anaerobic digestibility of *Scenedesmus obliquus* and *Phaeodactylum tricornutum* under mesophilic and thermophilic conditions. *Appl. Energy* 92, pp.733-738.
- Zinatizadeh, A.A.L., Mohamed, A.R., Mashitah, M.D., Abdullah, A.Z., and Isa, M.H., 2007. Optimization of pre-treated palm oil mill effluent digestion in an up-flow anaerobic sludge fixed film bioreactor: A comparative study. *Biochem. Eng. Jour.* 35, pp. 226-237.
- Zinatizadeh, A.A.L., Pirsahab, M., Bonakdari, H., and Younesi, H., 2010. Response surface analysis of effects of hydraulic retention time and influent feed concentration on performance of an UASFF bioreactor. *Waste Manage.* 30, pp. 1798-1807.