

REFERENCES

- Abadulla, E., Tzanov, T., Costa, S., Robra, K.H., Cavaco-Paulo, A. and Gubitz, G. M. (2000). Decolorization and detoxification of textile dyes with a laccase from *Trametes hirsuta*. *Applied and Environmental Microbiology*, 66, 3357-3362.
- Abbadi, A. and Van Bekkum, H. (1996). Selective chemo-catalytic routes for the preparation of β -hydroxypyruvic acid. *Applied Catalysis, A*, 148, 113 - 122.
- Ahmad, A. A., Othman, R., Yusof, F. and Wahab, M. F. A. (2011). Zinc laccase biofuel cell. *IJUM Engineering Journal*, 12, 153-160.
- Alhanash, A., Kozhevnikova, E.F. and Kozhenikov, I.V. (2010). Gas phase dehydration of glycerol to acrolein catalysed by caesium heteropoly salt. *Applied Catalysis*, 378,11-18.
- Anelli, P. L., Biffi, C., Montanari, F., and Quici, S. (1987). Fast and selective oxidation of primary alcohols to aldehydes or to carboxylic acids and of secondary alcohols to ketones mediated by oxoammonium salts under two-phase conditions. *Journal of Organic Chemistry*, 52, 2559-2562.
- Anelli, P. L., Banfi, S., Montanari, F. and Quici, S. (1989). Oxidation of Diols with Alkali Hypochlorites Catalyzed by Oxammonium Salts under Two-Phase Conditions. *Journal of Organic Chemistry*, 54, 2970-2972.
- Arends, I.W.C.E., Li, Y.X. and Sheldon, R.A. (2006). Stabilities and rates in the laccase/TEMPO-catalyzed oxidation of alcohols. *Biocatalysis and Biotransformation*, 24, 443-448.
- Assavanig, A., Amornkitticharoen, B., Ekpaisal, N., Meevootisom, V. and Flegel, T.W. (1992). Isolation, characterization and function of laccase from *Trichoderma*. *Applied Microbiology and Biotechnology*, 38, 198-202.
- Astuti, E., Supranto., R. and Prasetya, A. (2014). Kinetic Modelling of Nitration of Glycerol: Three Controlling Reactions Model. *Engineering Journal*, 18, 73-82.
- Authayanun, S., Arpornwichanop, A., Paengjuntuek, W. and Assabumrungrat, S. (2010). Thermodynamic study of hydrogen production from crude glycerol autothermal reforming for fuel cell applications. *International journal of hydrogen energy*, 35, 6617-6623.
- Ayoub, M. and Abdullah, A. Z. (2012). Critical review on the current scenario and significance of crude glycerol resulting from biodiesel industry towards more sustainable renewable energy industry. *Renewable and Sustainable Energy Reviews*, 16, 2671-2686.

- Banat, I. M., Nigam, P., Singh, D. and Marchant, R. (1996). Microbial decolorization of textile-dye-containing effluents: a review. *Bioresource Technology*, 58, 217-227.
- Behr, A., Jens, E., Ken, I., Julia, L. and Falk, L. (2008). Improved Utilisation of Renewable Resources: New Important Derivatives of Glycerol. *Green Chemistry*, 10, 13-30.
- Beltrán-Prieto, J.C., Pecha, J., Kašpárková, V. and Kolomazník, K. (2013). Development of an HPLC method for the determination of glycerol oxidation products. *Journal of Liquid Chromatography & Related Technologies*, 36, 2758-2773.
- Ben-Daniel, R., Paul Alsters, P. and Neumann, R. (2001). Selective Aerobic Oxidation of Alcohols with a Combination of a Polyoxometalate and Nitroxyl Radical as Catalysts. *The Journal of Organic Chemistry*, 66, 8650-8653.
- Benfield, G., Bocks, S.M., Bromley, K. and Brown, B.R. (1964). Studies in fungal and plant laccases. *Phytochemistry*, 3, 79-88.
- Bennett, G.N and San, K.Y. (2001). Microbial formation, biotechnological production and applications of 1,2-propanediol. *Applied Microbiology and Biotechnology*, 55, 1-9.
- Bento, I., Martins, L.O., Lopes, G.G., Carrondo, M. A. and Lindley, P.F. (2005). Dioxygen reduction by multi-copper oxidases; a structural perspective. *Dalton Transactions*. 3507–3513.
- Bernatchez, J.A., Paul, R. Tchesnokov, E.P., Ngure, M., Beilhartz, G.L., Berghuis, A.M., Lavoie, R., Li, L.H., Auger, A., Melnyk, R.A., Grobler, J.A., Miller, M.D., Hazuda, D.J, Hecht, S.M. and Gotte, M. (2015). Derivatives of Mesoxalic Acid Block Translocation of HIV-1 Reverse Transcriptase. *The Journal of Biological Chemistry*, 290, 1474-1484.
- Bewley, B.R., Berkaliev, A., Henriksen, H., Ball, D.B., & Ott, L.S. (2015). Waste glycerol from biodiesel synthesis as a component in deep eutectic solvents. *Fuel Processing Technology*, 138, 419-423.
- Biofuel Digest. (2015). Brazilian biodiesel production up 85 % in 2015. Retrieved from <http://www.biofuelsdigest.com/bdigest/2016/01/07/brazilian-biodiesel-production-up-85-in-2015> on 20 Jan 2016.
- Bobbitt, J.M. and Flores, C.L. (1988). Organic nitrosonium salts as oxidants in organic chemistry. *Heterocycles*, 27, 509-533.
- Bollag, J.M. and Leonowicz, A. (1984). Comparative studies of extracellular fungal laccases. *Applied and Environmental Microbiology*, 48, 849-854.
- Bolm, C., Magnus, A. S. and Hildebrand, J.P. (2000). Catalytic Synthesis of Aldehydes and Ketones under Mild Conditions Using TEMPO/Oxone. *Organic Letters*, 2, 1173-1175.

- Bourbonnais, R. and Paice, M.G. (1990). Oxidation of non-phenolic substrates. An expanded role for laccase in lignin biodegradation. *FEBS Letters*, 267, 99-102.
- Bourbonnais, R. and Paice, M.G. (1992). Demethylation and delignification of kraft pulp by *Trametes versicolor* laccase in the presence of 2,2-azinobis(3-ethylbenzthiazoline-6-sulphonate). *Applied Microbiology and Biotechnology*, 36, 823-827.
- Bourbonnais, R., Rochefort, D., Paice, M.G., Renaud, S. and Leech, D. (2000). Transition metal complexes: a new class of laccase mediators. *Tappi Journal*, 83, 68-78.
- Brandner, A., Lehnert, K., Bienhonz, A., Lucas, M. and Claus, P. (2009). Production of biomass derived chemicals and energy: chemocatalytic conversion of glycerol. *Catalysis*, 52, 278-287.
- Brown, D.A. (2001). Skin pigmentation enhancers. *Journal of Photochemistry and Photobiology B: Biology*, 63, 148-161.
- Bub, G., Mosler, J., Sabbach, A., Kuppinger, F., Nordhoff, S. and Stochniol, G. (2006). International Patent WO092272A2.
- Call, H.P. and Mucke, I. (1997). History, overview and applications of mediated lignolytic systems, especially laccase-mediator-systems. *Journal of Biotechnology*, 53, 163-202.
- Calvo, A.M., Copa-Patiño, J.L., Alonso, O. and González, A.E. (1998). Studies of the production and characterization of laccase activity in the basidiomycete *Corioloropsis gallica*, an efficient decolorizer of alkaline effluents. *Archieve of Microbiology*, 171, 31-36.
- Catalina, G(I). (2013). *Summary design of a new class of liposomes with potential osteotropic properties*. Phd Thesis. University of Medicine and Pharmacy of Craiova.
- Cella, J.A., Kelley, J.A. and Kenehan, E.F. (1975). Nitroxide-catalysed oxidation of alcohols using m-chloroperbenzoic acid. A new method. *Journal of Organic Chemistry*, 40, 1860-1862.
- Chavan, S. P. and Soni, P. (2004). A facile deprotection of oximes using glyoxylic acid in an aqueous medium. *Tetrahedron Letters*, 45, 3161-3162.
- Chellapandian, M. and Sastry, C.A. (1994). Immobilization of alkaline protease on nylon. *Bioprocess Engineering*, 11, 17-21.
- Chetpattananondh, P. and Tongurai, C. (2008). Synthesis of high purity monoglycerides from crude glycerol and palm stearin. *Songklanakarin Journal of Science and Technology*, 30, 515-521.

- Chi, Z., Pyle, D., Wen, Z., Frear, C. and Chen, S. (2007). A laboratory study of producing docosahexaenoic acid from biodiesel-waste glycerol by microalgal fermentation. *Process Biochemistry*, 42, 1537-1545.
- Chiu, C., Dasari, M.A. and Suppes, G.J. (2006). Dehydration of Glycerol to Acetol via Catalytic Reactive Distillation, *AIChE Journal*, 52, 3543-3548.
- D'Amico, S., Gerda, C. and Feller, G. (2003). Temperature Adaptation of Proteins: Engineering Mesophilic-like Activity and Stability in a Cold-adapted α -Amylase. *Journal of Molecular Biology*, 332, 981-988.
- D'Annibale, A., Stazi, S.R., Vinciguerra, V. and Sermanni, G.G. (2000). Oxirane-immobilized *Lentinula edodes* laccase: stability and phenolics removal efficiency in olive mill wastewater. *Journal of Biotechnology*, 77, 265-273.
- De Nooy, A.E.J., Besemer, A.C. and van Bekkum, H. (1995). Selective oxidation of primary alcohols mediated by nitroxyl radical in aqueous solution. Kinetics and mechanism. *Tetrahedron*, 51, 8023-8032.
- De Nooy, A.E.J., Besemer, A.C. and van Bekkum, H. (1996). On the use of stable organic nitroxyl radicals for the oxidation of primary and secondary alcohols. *Synthesis*, 1153-1174.
- Demirel, S., Lehnert, K., Lucas, M. and Claus, P. (2007). Use of renewables for the production of chemicals: Glycerol oxidation over carbon supported gold catalysts. *Applied Catalysis B: Environmental*, 70, 637-643.
- Díaz-álvarez, A.E., and Cadierno, V. (2013). Glycerol: A promising Green Solvent and Reducing Agent for Metal-Catalyzed Transfer Hydrogenation Reactions and Nanoparticles Formation. *Applied Science*, 3, 55-69.
- Diaz, J.A., Skrzynska, E., Girardon, J-S, Ftouni, J., Capron, M., Dumeignil, F. and Fongarland, P. (2016). Kinetic modelling of the quasi-homogeneous oxidation of glycerol over unsupported gold particles in the liquid phase. *European Journal of Lipid Science and Technology*, 118, 72-79.
- Dijksman, A., Arends, I.W.C.E. and Sheldon, R.A. (2001). A comparison of the activity of polymer immobilised TEMPO (PIPO) with MCM-41 and silica supported TEMPO as heterogeneous catalysts for the oxidation of alcohols. *Synlett*, 1, 102-104.
- Dijksman, A., Arends, I.W.C.E. and Sheldon, R.A. (2003). Cu(II)-nitroxyl radicals as catalytic galactose oxidase mimics. *Organic & Biomolecular Chemistry*, 1, 3232-3237.
- Donkin, S.S. (2008). Glycerol from Biodiesel Production: The New Corn for Dairy Cattle. *Revista Brasileira de Zootecnia*, 37, 280-286.

- Dubois, J. L., Duquenne, C. and Holderich, W. (2006). Patent WO2006087083.
- Edens, W. A., Goins, T. Q., Dooley, D. and Henson, J. M. (1999). Purification and characterization of a secreted laccase of *Gaeumannomyces graminis* var. *tritici*. *Applied and Environmental Microbiology*, *65*, 3071–3074.
- Eriksson, C.J.P., Saarenmaa, T.P.S., Bykov, I. L. and Heino, P.U. (2007). Acceleration of ethanol and acetaldehyde oxidation by d-glycerate in rats. *Metabolism: Clinical and Experimental*, *56*, 895–98.
- Fabbrini, M., Galli, C., Gentili, P. and Macchitella, D. (2001). An oxidation of alcohols by oxygen with the enzyme laccase and mediation by TEMPO. *Tetrahedron Letter*, *42*, 7551-7553.
- Fabbrini M, Galli, C. and Gentili, P. (2002). Comparing the catalytic efficiency of some mediators of laccase. *Journal of Molecular Catalysis B: Enzymatic*, *16*, 231–240.
- Fan, X., Burton, R. and Zhou, Y. (2010). Glycerol (byproduct of biodiesel production) as a source for fuels and chemicals. Mini review. *The Open Fuels & Energy Science Journal*, *3*, 17-22.
- Farnet, A.M., Criquet, S., Tagger, S., Gil, G. and Le Petit, J. (2000). Purification, partial characterization, and reactivity with aromatic compounds of two laccases from *Marasmius quercophilus* strain 17. *Canadian Journal of Microbiology*, *46*, 189–194.
- Faure, D., Bouillant, M.L. and Bally, R. (1994). Isolation of *Azospirillum lipoferum* 4T Tn5 Mutants Affected in Melanization and Laccase Activity. *Applied and Environmental Microbiology*, *60*, 3413–3415.
- Fogel, R. and Limson, J.L. (2013). Electrochemically predicting phenolic substrates suitability for detection by amperometric laccase biosensors. *Electroanalysis*, *25*, 1237–1246.
- Fordham, P., Besson, M. and Gallezot, P., (1995). Selective catalytic oxidation of glyceric acid to tartronic and hydroxypyruvic acids. *Applied Catalysis A, General*, *133*, 179-184.
- Franceschi, V. R. and Nakata, P. A. (2005). Calcium oxalate in plants: Formation and function. *Annual Review of Plant Biology*, *56*, 41–71.
- Fukuoka, T., Habe, H., Kitamoto, D. and Sakaki, K. (2011). Bioprocessing of glycerol into glyceric Acid for use in bioplastic monomer. *Journal of Oleo Science*, *60*, 69–73.
- Gallezot, P. (1997). Selective oxidation with air on metal catalysts. *Catalysis Today*, *37*, 405–418.

- Galli, C. and Gentili, P. (2004). Chemical messengers: mediated oxidations with the enzyme laccase. *Journal of Physical Organic Chemistry*, 17, 973-977.
- Ghindilis, A. L., Gavrilova, V. P. and Yaropolov, A. I. (1992). Laccase based biosensor for determination of polyphenols: determination of catechols in tea. *Biosensors and Bioelectronics*, 7(2), 127-131.
- Gianfreda, L., Xu, F. and Bollag, J.M. (1999). Laccases: A Useful Group of Oxidoreductive Enzymes. *Bioremediation Journal*, 3, 1-26.
- Giovanelli, G. and Ravasini, G. (1993). Apple juice stabilization by combined enzyme-membrane filtration process. *LWT-Food Science and Technology*, 26(1), 1-7.
- Givaudan, A., E€osse, A., Faure, D., Potier, P., Bouillant, M.-L. and Bally, R. (1993). Polyphenol oxidase in *Azospirillum lipoferum* isolated from rice rhizosphere: Evidence for laccase activity in non-motile strains of *Azospirillum lipoferum*. *FEMS Microbiology Letters*, 108, 205-210.
- Grasemann, M. and Laurency, G. (2012). Formic acid as a hydrogen source – recent developments and future trends. *Energy & Environmental Science*, 5, 8171-8181.
- Golubev, V. A., Rozantsev, E. G. and Neiman, M. B. (1965). *Izv. Akad. Nauk SSSR. Ser. Khim.*, 1927 [*Bulletin of the Academy of Sciences of the USSR. Division of chemical sciences*. (Engl. Transl.), 1898].
- Gonzalez-Pajuelo, M., Meynial-Salles, I., Mendes, F., Andrade, J.C., Vasconcelos, I. and Soucaille, P. (2005). Metabolic engineering of *Clostridium acetobutylicum* for the industrial production of 1,3-propanediol from glycerol. *Metabolic Engineering*, 7, 329-336.
- Haag, R., Sunder, A. and Stumpe, J. (2000). An approach to glycerol dendrimers and pseudo-dendritic polyglycerols. *Journal of the American Chemical Society*, 122, 2954-2955.
- Habe, H., Fukuoka, T., Sato, Shun., Kitamoto, D. and Sakaki, K. (2011). Synthesis and evaluation of dioleoyl glyceric acids showing antitrypsin activity. *Journal of Oleo Science*, 60, 327-331.
- Handa, S., Handa, A.K., Hasegawa, P.M. and Bressan, R.A. (1986). Proline accumulation and the adaptation of cultured plant cells to water stress. *Plant Physiology*, 80, 938-945.
- Hansen, C. F. A., Hernandez, A. A., Mullan, B. P. B., Moore, K. B. and King, R. H. C. (2009). A chemical analysis of samples of crude glycerol from the production of biodiesel in Australia and the effects of feeding crude glycerol to growing- finishing pigs on performance, plasma metabolites and meat quality at slaughter. *Animal Production Science*, 49, 154-161.

- Hazimah, A.H., Ooi, T.L. and Salmiah, A. (2003). Recovery of glycerol and diglycerol from glycerol pitch. *Journal of Oil Palm Research*, 15, 1–5.
- Heinzkill, M., Bech, L., Halkier, T., Schneider, P. and Anke, T. (1998). Characterization of laccases and peroxidases from wood-rotting fungi (family Coprinaceae). *Applied and Environmental Microbiology*, 64, 1601–1606.
- Hou, H., Zhou, J., Wang, J., Du, C. and Yan, B. (2004). Enhancement of laccase production by *Pleurotus ostreatus* and its use for the decolorization of anthraquinone dye. *Process Biochemistry*, 39, 1415–1419.
- Hoyt, H. E. and Manninen T. H. (1951). U. S. Patent: 2558520.
- Hu, W.B., Lowry, B. and Varma, A. (2011). Kinetic study of glycerol network over Pt-Bi/C catalyst. *Applied Catalysis B: Environmental*, 106, 123-132.
- Jacques, A. and Nadege, L-G. (1998). Hetero Diels-Alder Reaction with Aqueous Glyoxylic Acid: An Experiment in Organic Synthesis and 2-D NMR Analysis for Advanced Undergraduate Students. *Journal of Chemical Education*, 75, 1285.
- Jin, P., Zhu, H., Wang, L., Shan, T. and Zheng, Y. H. (2014). Oxalic acid alleviates chilling injury in peach fruit by regulating energy metabolism and fatty acid contents. *Food Chemistry*, 161, 87–93.
- Johannes, C. and Majcherczyk, A. (2000). Natural mediators in the oxidation of polycyclic aromatic hydrocarbons by laccase mediator systems. *Applied and Environmental Microbiology*, 66, 524-528.
- Johnson, D.T. and Taconi, K.A. (2007). The glycerine glut: options for the value-added conversion of crude glycerol resulting from biodiesel production. *Environmental Progress and Sustainable Energy*, 26, 338–48.
- Kataoka, M., Sasaki, M., Hidalgo, A.R., Nakano, M. and Shimizu, S. (2001). Glycolic acid production using ethylene glycol-oxidizing microorganisms. *Bioscience, Biotechnology, and Biochemistry*, 65, 2265–2270.
- Katryniok, B., Kimura, H., Skrzynska, E., Girardon, J-S., Fongarland, P., Capron, M., Ducoulombier, R., Mimura, N., Paul, S. and Dumeignil, F. (2011). Selective catalytic oxidation of glycerol: perspectives for high value chemicals. *Green chemistry*, 13, 1960-1979.
- Kim B.H. and Gadd GM. (2008). *Bacterial Physiology and Metabolism*. Cambridge University Press.

- Kim, S.J., Park, J.G., Kim, J.H., Heo, J.S., Choi, J.W., Jang, Y.S., Yoon, J., Lee, S.J., Kwon, I.K. (2011). Development of a biodegradable sirolimus-eluting stent coated by ultrasonic atomizing spray. *Journal of Nanoscience and Nanotechnology*, 11, 5689–5697.
- Kim, S. S., Nehru, K., Kim, S. S., Kim, D. W. and Jung, H. C. (2002). A mild and highly efficient oxidation of sulfides to sulfoxides with periodic acid catalyzed by FeCl₃. *Organic Synthesis*, 17, 2484-2486.
- Ko, E. M., Leem, Y. E., and Choi, H. T. (2001). Purification and characterisation of laccase isozymes from the white rot basidiomycete *Ganoderma lucidum*. *Applied Microbiology and Biotechnology*, 57, 98-102.
- Koivistoinen, O.M., Kuivanen, J., Barth, D, Turkia, H., Pitkanen, J.P., Penttila, M. and Richard, P. (2013). Glycolic acid production in the engineered yeasts *Saccharomyces cerevisiae* and *Kluyveromyces lactis*. *Microbial Cell Factories*, 12, 82–97.
- Koiwa, I., Okabe, Y., Matsubara, H., Osaka, T. and Goto, F. (1985). Effect of Tartronic Acid on Magnetic Properties of Electroless Plated Co-Ni-Re-P Alloy Films for a Perpendicular Recording Medium. *IEEE Translation Journal on Magnetics in Japan*, 1, 443-449.
- Korolev, Y.A., Greish, A.A., Kozlova, L.M., Kopyshchev, M.V., Litvin, E.F. and Kustov, L.M. (2010). Glycerol dehydroxylation in hydrogen on a Raney cobalt catalyst. *Catalysis in Industry*, 2, 287–289.
- Kulys, J. and Vidziunaite, R. (2005). Kinetics of laccase-catalysed TEMPO oxidation. *Journal of Molecular Catalysis B: Enzymatic*, 37, 79–83.
- Kurniawati, S. (2005). *Kinetics of the laccase-catalyzed oxidation of aqueous phenol*. PhD Thesis. McGill University, Canada.
- Kurniawati, S. and Nicell, J. A. (2008). Characterization of *Trametes versicolor* laccase for the transformation of aqueous phenol. *Bioresource Technology*, 99, 7825–7834.
- Kurosaka, T., Maruyama, H., Naribayashi, I. and Sasaki, Y. (2008). Production of 1,3-propanediol by hydrogenolysis of glycerol catalyzed by Pt/WO₃/ZrO₂. *Catalysis Communications*, 9, 1360.
- Kuznetsov, B. A., Shumakovich, G. P., Koroleva, O. V. and Yaropolov, A. I. (2001). On applicability of laccase as label in the mediated and mediatorless electroimmunoassay: effect of distance on the direct electron transfer between laccase and electrode. *Biosensors and Bioelectronics*, 16, 73–84.
- Landt, M. (2000). Glyceraldehyde Preserves Glucose Concentrations in Whole Blood Specimens. *Clinical Chemistry*, 46, 1144–1149.

- Leontievsky, A., Myasoedova, N., Pozdnyakova, N. and Golovleva, L. (1997). "Yellow" laccase of *Panus tigrinus* oxidizes non-phenolic substrates without electron-transfer mediators. *FEBS Letter*, 413, 446–448.
- Levy, S.B. (1992). Dihydroxyacetone-containing sunless or self-tanning lotions. *Journal of the American Academy of Dermatology*, 27, 989–993.
- Li, P.Y., Yin, F., Song, L. J. and Zheng, X. L. (2016). Alleviation of chilling injury in tomato fruit by exogenous application of oxalic acid. *Food Chemistry*, 202, 125–132.
- Liebmingner, S., Siebenhofer, M. and Guebitz, G. (2009). Oxidation of glycerol by 2,2,6,6-tetramethylpiperidine-N-oxyl (TEMPO) in the presence of laccase. *Bioresource Technology*, 100, 4541–4545.
- Liu, X., Li, S. S., Liu, Y. M. and Cao, Y. (2015). Formic acid: A versatile renewable reagent for green and sustainable chemical synthesis. *Chinese Journal of Catalysis*, 36, 1461-1475.
- Ma, Y., Loyns, C., Price, P. and Chechik, V. (2011). Thermal decay of TEMPO in acidic media via an N-oxoammonium salt intermediate. *Organic and Biomolecular Chemistry*, 9, 5573–5578.
- Maier, G., Dietrich, H. and Wucherpfenning, K. (1990). Winemaking without SO₂-with the aid of enzymes? *Weineirtschaft-Technik*, 126, 18–22.
- Mario, P and Michele, R. (2010). Future of glycerol. 2nd ed. Royal Society of Chemistry. London.
- Marzorati, M., Danieli, B., Haltrich, D. and Riva, S. (2005). Selective laccase-mediated oxidation of sugar derivatives. *Green Chemistry*, 7, 310-315.
- Mathiasen, T.E. (1995). Laccase and beer storage. PCT international application, WO 9521240 A2.
- Matijosyte, I. (2008). *Mechanistic studies of Laccase/TEMPO catalyzed aerobic oxidation of alcohols*. Master Thesis. Vilnius University, Lithuania.
- McKay, G. (1979). Waste color removal from textile effluents. *American Dyestuff Reporter*, 68, 29–34.
- McMorn, P., Roberts, G. and Hutchings, G.J. (1999). Oxidation of glycerol with hydrogen peroxide using silicalite and alumina phosphate catalysts. *Catalysis Letters*, 63, 193–197.
- Minussi, R.C., Pastore, G.M. and Durán, N.(2002). Potential applications of laccase in the food industry. *Trends in Food Science and Technology*, 13, 205–216.

- Miranda, R. C., Gomes, E. B., Pereira, N. J., Marin-Morales, M. A., Machado, K. M. and Gusmao, N. B. (2013). Biotreatment of textile effluent in static bioreactor by *Curvularia lunata* URM 6179 and *Phanerochaete chrysosporium* URM 6181. *Bioresource Technology*, 142, 361–367.
- Miyazawa, T., Endo, T., Shiihashi, S. and Okawara, M. (1985). Selective Oxidation of Alcohols by Oxoammonium Salts ($R_2N=O^+X^-$). *The Journal of Organic Chemistry*, 50, 1332-1334.
- Mohtar, Y., Tang, T.S. and Salmiah A. (2001). Quality of basic oleochemicals produced in Malaysia. *Informatics*, 12, 529-536.
- Morozova, O.V., Shumakovich, G.P., Gorbacheva, M.A., Shleev, S.V. and Yaropolov, A.I. (2007). “Blue” Laccases. *Journal of Biochemistry*, 72, 1136-1150.
- Mu, Y., Tend, H., Zhang, D., Wang, W. and Xiu, Z. (2006). Microbial production of 1,3-propanediol by *Klebsiella pneumoniae* using crude glycerol from biodiesel preparations. *Biotechnology Letters*, 28, 1755-1759.
- Nakagawa, Y., Shinmi, Y., Shuichi, K. and Tomishige, K. (2010). Direct hydrogenolysis of glycerol into 1,3-propanediol over rhenium-modified iridium catalyst. *Journal of Catalysis*, 272, 191–194.
- Ngo, T.A., Nguyen, T.H. and Bui B.T.V. (2012). Thermophilic fermentative hydrogen production from xylose by *Thermotoga neapolitana* DSM 4359. *Renew Energy*, 37, 174–179.
- Nguyen, B.C. and Kochevar, I.E. (2003). Factors influencing sunless tanning with dihydroxyacetone. *British Journal of Dermatology*, 149, 332–340.
- Ninomiya, R., Miura, Y., Kosaka, K., TSakao, K. and Okinaka, S. (1966). Stimulatory Effect of Chelating Agents and Mesoxalate on the In Vivo Release of Insulin in the Pancreas of the Dog. *Diabetes*, 15, 1.
- Novita, F. J., Lee, H.Y and Lee, M.Y. (2015). Self-heat recuperative dividing wall column for enhancing the energy efficiency of the reactive distillation process in the formic acid production process. *Chemical Engineering and Processing: Process Intensification*, 97, 144-152.
- OECD/FAO. (2015). *OECD-FAO Agricultural Outlook*. OECD Agriculture statistics (database).
- Osma, J.F. (2009). *Production of laccase by the white rot fungus Trametes pubescence for their potential application to synthetic dye treatment*. Phd Thesis, Universitat Rovira Virgili.

- Pachauri, N. and He, B. (2006). Value-added utilization of crude glycerol from biodiesel production: a survey of current research activities. *American Society of Agricultural and Biological Engineers*. Paper number:066223.
- Palmer, T. (1995). *Understanding Enzymes*. Prentice Hall.
- Palmieri, G., Giardina, P., Bianco, C., Scaloni, A., Capasso, A. and Sanna, G. (1997). A novel white laccase from *Pleurotus ostreatus*. *The Journal of Biological Chemistry*, 272, 31301-31307.
- Palmore, G. T. R. and Kim, H.H. (1999). Electro-enzymatic reduction of dioxygen to water in the cathode compartment of a biofuel cell. *Journal of Electroanalytical Chemistry*, 464(1), 110–117.
- Papanikolaou, S., Ruiz-Sanchez, P., Pariset, B., Blanchard, F. and Michel, F. (2000). High production of 1,3-propanediol from industrial glycerol by a newly isolated *Clostridium butyrium* strain. *Journal of Biotechnology*, 77, 191–208.
- Pawar, S.S, Dekhane, D. V., Shingare, M.S. and Thore, S. N. (2008). Glyoxylic acid as catalyst: A simple selective synthesis of 1,2-disubstituted benzimidazoles in aqueous media. *Chinese Chemical Letters*. 19, 1055–1058.
- Porta, F. and Prati, L. (2004). Selective oxidation of glycerol to sodium glycerate with gold-on-carbon catalyst: An insight into reaction selectivity. *Journal of Catalysis*, 224, 397–403.
- Raghukumar, C. (2000). Fungi from marine habitats: an application in bioremediation. *Mycological Research*, 104, 1222–1226.
- Ritter, G., Maier, G., Schoepplein, E. and Dietrich, H. (1992). The application of polyphenoloxidase in the processing of apple juice. *Bulletin de Liaison-Groupe Polyphenols*, 16, 209–212.
- Rodríguez Couto, S., Sanromán, M. and Gubitz, G.M. (2005). Influence of redox mediators and metal ions on synthetic acid dye decolourization by crude laccase from *Trametes hirsuta*. *Chemosphere*, 58, 417–422.
- Rogalski, J. and Leonowicz. Laccase. In Pandey, A. (ed), *Concise Encyclopedia of Bioresource Technology*, Food Products Press, Haworth Reference Press, New York, 533-542.
- Roscoe, H. E. (1888). *A Treatise on Chemistry*, Volume 3, Organic Chemistry, 161. D. Appleton and Co., New York.
- Rubtsov, Y.L and Kazakov, A. I. (1997). Equilibrium constants of nitration of alcohols and thermal stability of their nitrates. *Russian Chemical Bulletin*, 46, 1707-1709.

- Sayyari, M., Valero, D., Babalar, M., Kalantari, S., Zapata, P. J. and Serrano, M. (2010). Prestorage oxalic acid treatment maintained visual quality, bioactive compounds, and antioxidant potential of pomegranate after long-term storage at 2 °C. *Journal of Agricultural and Food Chemistry*, 58, 6804–6808.
- Schmid, Rolf D. and Urlacher, Vlada. (2007). *Modern Biooxidation: Enzymes, Reactions and Applications*. Germany: Wiley-VCH Verlag GmbH Weinheim.
- Segura, Enrique T. (1958): Effects of calcium mesoxalate on metalloxan diabetes in the rabbit. *Revista de la Sociedad Argentina de Biología (Rev Soc Argentina Biol)*, 8, 276-282.
- Sharma, K.K., Shrivastava, B., Sastry, V. R. B. , Sehgal, N. and Kuhad, R.C. (2013). Middle-redox potential laccase from *Ganoderma sp.*: its application in improvement of feed for monogastric animals. *Scientific Reports* 3, Article number: 1299.
- Sheldon, R.A. and Arends, I.W.C.E. (2006). Catalytic oxidations mediated by metal ions and nitroxyl radicals. *Journal of Molecular Catalysis A: Chemical*, 251, 200-214.
- Singhabhandhu, A. and Tezuka, T. (2010). A perspective on incorporation of glycerin purification process in biodiesel plants using waste cooking oil as feedstock. *Energy*, 35, 2493-2504.
- Skorobogat'ko, O.V., Gindilis, A.L., Troitskaya, E. N., Shuster, A. M., and Yaropolov, A.I. (1994). Laccase as new enzymatic label for enzyme immunoassay. *Analytical Letters*, 27, 2997-3012.
- Slinn M, Kendall K, Mallon C, Andrews J.(2008). Steam reforming of biodiesel by-product to make renewable hydrogen. *Bioresource Technology*, 99, 5851- 5858.
- Slomczynski, D., Nakas, J. P. and Tanenbaum, S.W. (1995). Production and characterization of laccase from *Botrytis cinerea* 61–34. *Applied and Environmental Microbiology*, 61, 907–912.
- Soares, G. M. B., Costa-Ferreira, M. and Pessoa de Amorim, M. T. (2001). Decolorization of an anthraquinone-type dye using a laccase formulation. *Bioresource Technology*, 79, 171–177.
- Solomon, E.I., Chen, P., Metz, M., Lee, S.K. and Palmer, A.E. (2001). Oxygen binding, activation, and reduction to water by copper proteins. *Angewandte Chemie International Edition*, 40, 4570–4590.
- Speight, J.G. (2002). *Chemical process and design handbook*. McGraw-Hill Professional. United States.

- Stanko, R.T., Robertson, R.J., Spina, R.J., Reilly Jr., J.J., Greenawalt, K.D. and Goss, F.L. (1990). Enhancement of arm exercise endurance capacity with dihydroxyacetone and pyruvate. *Journal of Applied Physiology*, 68, 119–124.
- Sun, B., Gu, C.J., Ma, J. H. and Liang, B.R. (2005). Kinetic study on TEMPO-mediated selective oxidation of regenerated cellulose. *Cellulose*, 12, 59-66.
- Tan, H. W., Abdul Aziz, A. R. and Aroua, M. K. (2013). Glycerol production and its applications as a raw material: A review. *Renewable and Sustainable Energy Reviews*, 27, 118–127.
- Taspinar, A. and Kolankaya, N. (1998). Optimization of enzymatic chlorine removal from Kraft pulp. *Bulletin of Environmental Contamination and Toxicology*, 61, 15–21.
- Thakker, G.D., Evans, C.S. and Rao, K.K. (1992). Purification and characterization of laccase from *Monocillium indicum* Saxena. *Applied Microbiology and Biotechnology*, 37, 321–323.
- The Soap and Detergent Association. (1990). *Glycerine: an overview*.
- Thompson, J.C. and He, B.B. (2006). Characterization of crude glycerol from biodiesel production from multiple feedstocks. *Applied Engineering in Agriculture*, 22, 261–265.
- Tišma, M., nidaršič-Plazl, P., Plazl, I., Zelic, B. and Vasic-Racki, D. (2008). Modelling of L-DOPA oxidation catalyzed by laccase. *Chemical & Biochemical Engineering Quarterly*, 22, 307–313.
- Tortolini, C., Rea, S., Carota, E., Cannistraro, S. and Mazzei, F. (2012). Influence of the immobilization procedures on the electroanalytical performances of *Trametes versicolor* laccase based bioelectrode. *Microchemical Journal*, 100, 8–13.
- USDA. (2014). *Malaysia Biofuel Annual Report*. Gain Report No. MY4011.
- Viikari, L., Niku-Paavola, M.L., Buchert, J., Firssell, P., Teleman, A. and Kruus, K. (1999). Method of producing oxidized starch. Patent No: WO1999023240 A1.
- Villa, A., Campione, C. and Prati, L. (2007). Bimetallic gold/palladium catalysts for the selective liquid phase oxidation of glycerol. *Catalysis Letters*, 115, 133–136.
- Villa, A., Campisi, S., Mohammed, K.M., Dimitratos, N., Vindigni, F., Manzoli, M., Jones, W., Bowker, M., Hutchingse, G.J. and Prati, L. (2015). Tailoring the selectivity of glycerol oxidation by tuning the acid–base properties of Au catalysts. *Catalysis Science & Technology*, 5, 1126-1132.

- Wang, K., Hawley, M.C. and Deaths, S.J. (2003). Conversion of glycerol to 1,3-propanediol via selective dehydroxylation. *Industrial and Engineering Chemistry Research*, 42, 2913–2923.
- Wang, F.F., Shao, S., Liu, C.L., Xu, C.L., Yang, R.Z. and Dong, W.S., 2015. Selective oxidation of glycerol over Pt supported on mesoporous carbon nitride in base-free aqueous solution. *Chemical Engineering Journal*, 264, 336–343.
- Watanabe, M., Iida, T., Aizawa, Y., Aida, T.M. and Inomata, H. (2007). Acrolein síntesis from glycerol in hot-compressed water. *Bioresource Technology*, 98, 1285–1290.
- Werpy, T., Frye, J., Zacher, A. and Miller, D. (2002) Hydrogenolysis of 6-carbon sugars and other organic compounds. US Patent : 6841085B2.
- Wolfson, A., Litvak, G., Dlugy, C., Shotland, Y. and Tavor, D. (2009). Employing crude glycerol from biodiesel production as an alternative green reaction medium. *Industrial Crops and Products*, 30, 78–81.
- Worz, N., Brandner, A. and Claus, P. (2010). Platinum-Bismuth-Catalyzed Oxidation of Glycerol: Kinetics and the Origin of Selective Deactivation. *The Journal of Physical Chemistry C*, 114, 1164–1172.
- Xu, F. (1996). Oxidation of Phenols, Anilines, and Benzenethiols by Fungal Laccases: Correlation between Activity and Redox Potentials as Well as Halide Inhibition. *Biochemistry*, 35, 7608–7614.
- Xu, F. (1997). Effects of redox potential and hydroxide inhibition on the pH activity profile of fungal laccases. *The Journal of Biological Chemistry*, 272, 924–928.
- Xu, F. (1999). Laccase. In Flickinger, M.C. and Drew, S. W. (eds.), *Encyclopedia of Bioprocess Technology: Fermentation, Biocatalysis, Bioseparation*. John Wiley & Sons Inc., New York, 1545-1554.
- Yaropolov, A.I., Skorobogatko, O.V., Vartanov, S.S. and Varfolomeyev, S.D. (1994). Laccase-properties, catalytic mechanism and applicability. *Applied Biochemistry and Biotechnology*, 49, 257-280.
- Yaver, D.S., Overjero, M.D.C., Xu, F., Nelson, B.A., Brown, K.M., Halkier, T., Bernauer, S., Brown, S.H. and Kauppinen, S.K. (1999). Molecular characterization of laccase genes from the basidiomycete *Coprinus cinereus* and heterologous expression of the laccase lcc1. *Applied and Environmental Microbiology*, 65, 4943-4948.
- Ying, G.G., Williams, B. and Kookana, R. (2002). Environmental fate of alkylphenols and alkylphenol ethoxylates- a review. *Environment International*, 28, 215–226.

- Yoon, S.J., Choi, Y-C., Son, Y-ll., Lee, S-H. and Lee, J-G. (2010). Gasification of biodiesel by-product with air or oxygen to make syngas. *Bioresource Technology*, 10, 1227–1232.
- Zander, Z., Yagloski, R., DeCoste, J., Zhang, D. and DeLacy, B. G. (2016). One-pot synthesis of high aspect ratio titanium dioxide nanorods using oxalic acid as a complexing agent. *MaterialsLetters*, 163, 39–42.
- Zhang, Z.Y., Xin, L. and Li, W.Z. (2012). Electrocatalytic oxidation of glycerol on Pt/C in anion-exchange membrane fuel cell: Cogeneration of electricity and valuable chemicals. *Applied Catalysis B: Environmental*, 119-120,40-48.