

PERPUSTAKAAN UMP

平成 :



論文

0000113706

主論文

**Ignition Mechanism Analyzed through Transient  
Species Measurements and its Correlation with 0-D  
and 3-D Simulations for PRF and Toluene/ n-Heptane  
Mixture**

理工学教育部 新エネルギー科学専攻

平成 25 年度入学

氏 名 **Mohd Adnin Bin Hamidi**

指導教員 手崎 衆 教授

平成 28 年 01 月 08 日 提出

# Contents

<b>Chapter 1 Introduction</b>	1
1.1 Research Background	2
1.1.1 Heat Engine	2
1.1.2 History of Internal Combustion Engine	2
1.1.3 HCCI Engine	5
1.2 Process of compression ignition in hydrocarbon fuels	6
1.2.1 Reaction mechanism of compression ignition	6
1.2.2 Research on Cool Flame inside HCCI Engine	9
1.2.3 Modeling Low Temperature Oxidation	12
1.3 Research Objectives	12
<b>Chapter 2 Methodologies</b>	13
2.1 Experimental Apparatus	14
2.1.1 Engine System	15
2.1.2 Intake Air System	17
2.1.3 Fuel Supply	17
2.2 Experimental Procedure	20
2.2.1 Engine system	20
2.2.2 Sample Line System	24
2.2.3 Digital pressure diagram measurements procedure	29
2.2.4 Adjusting the optical path of the gas cell	32
2.3 Maintenance and Precautions	34
2.3.1 VARICOMP Engine	34
2.3.2 FT-IR	34
2.3.3 Sample Line	34
2.4 Specific parts of the experimental apparatus	35
2.5 Initial Calculation Conditions in Engine Calculation	36
2.6 3-Dimensional Simulation Methods	41
2.6.1 FORTE Simulate	41
2.6.2 FORTE Visualizer	43

<b>Chapter 3 Measurements Principles and Theory</b>	45
3.1 Measurements Principles	46
3.2 Infrared absorption	46
3.3 FT-IR Principles	48
3.4 Resolutions	50
3.5 Quantification by the method of least squares	54
3.5.1 The principle of quantification by FT-IR	54
3.5.2 The principle of quantification by the method of least squares	54
<b>Chapter 4 0-Dimensional Reaction Simulation</b>	61
4.1 Reaction dynamics calculations with CHEMKIN	62
4.2 Calculation Principles	64
4.3 Internal Combustion Engine (IC Engine) model	69
4.4 Detailed reaction mechanism, for PRF and NTF	70
<b>Chapter 5 3-Dimensional Reaction Simulation</b>	71
5.1 3-Dimensional reaction dynamics calculations with FORTÉ	72
5.1.1 Conservation Equations for Turbulent Reacting Flow	72
5.1.2 Species Conservation Equation	73
5.1.3 Fluid Continuity Equation	73
5.1.4 Energy Conservation Equation	73
5.2 Turbulence Model	74
5.3 Boundary Condition	76
5.3.1 Wall Boundaries	76
5.3.2 Wall Conditions for the Energy Equation	77
5.3.3 Turbulence Model Wall Conditions	79
5.3.4 Initial Conditions	79
5.3.5 Initialization of the Fluid Properties	80
5.3.6 Swirl Profiles	81

<b>Chapter 6 Study on Low Temperature Oxidation of PRF / NTF</b>	83
6.1 The Importance of Low Temperature Oxidation	84
6.2 Exhaust Gas Analysis by FT-IR of Least Square Method	85
6.2.1 Detection of Special Intermediate Species in PRF (Isobutene)	85
6.2.2 Detection of Special Intermediate Product in NTF (Benzaldehyde)	87
6.3 Exhaust Analysis towards Fuel Dependency	89
6.4 0-Dimensional (CHEMKIN PRO) Simulations Data	93
6.4.1 IC Engine Model Study	93
6.5 Analysis of 3-Dimensional Simulation	97
6.5.1 Temperature and Ignition Timing Dependency	99
6.5.2 Rate of Heat Release Study in Various Dimensionalities	101
6.5.3 Temperature Distribution inside Cylinder	103
6.5.4 Species Distribution inside Low Temperature Oxidation	104
6.5.5 Flow Effect towards Low Temperature Oxidation	108
6.6 Review on LTO between LLNL and SAKAI Model	110
6.7 Model Calculation	111
6.7.1 Discussion with Simplified Model	111
6.8 Activation of H <sub>2</sub> O <sub>2</sub> Loop Reaction in LTO	119
6.8.1 Experimental and Simulation Result with Two Stage of Low Temperature Oxidation	119
6.8.2 Chemical Reaction Pathway Analysis	123
6.8.3 Formaldehyde as the Key Species in LTO	124
<b>Chapter 7 Conclusions</b>	127
<b>References</b>	130
<b>Appendix</b>	134
<b>Acknowledgement</b>	136

## **References and Literatures;**

- [1] 最新内燃機関, 河野通方, 角田敏一, 藤本元, 氏家康成, 朝倉書店
- [2] 内燃機関, 田坂英紀・佐藤忠教, 森北出版
- [3] 経済産業省 次世代自動車戦略 2010 の公表について  
<http://www.meti.go.jp/press/20100412002/20100412002.html>
- [4] 自動車工学, 村山正・常本秀幸, 山海堂
- [5] Kiyota, Y., Akishion, K., Ando, H., SAE Technical Paper 920678, (1992)
- [6] Kuwahara, K., Watanabe., Takemura, J, Omori, S., SAE Technical Paper 940986, (1996).
- [7] Zhao F, Lai M, Harrington D, Progress in energy and Combustion Science vol.25 1999 437
- [8] 自動車プロジェクト開発工学, 中村秀一・津川定之, 技報堂出版
- [9] Maiboom A, Tauzia X, Hetet J. Energy Vol33 2008 22
- [10] Zheng M, Reader GT, Hawley JG. Energy Conversion and Management Vol.45, 2004, 883
- [11] D.S. Kim, C.S. Lee, Fuel 85 (5–6) (2006) 695–704.
- [12] S. Tanaka, F. Ayala, J.C. Keck, J.B. Heywood, Combust. Flame 132 (1–2) (2003) 219–239.
- [13] X.C. Lu, W. Chen, Z. Huang, Fuel 84 (9) (2005) 1074–1083.
- [14] X.C. Lu, W. Chen, Z. Huang, Fuel 84 (9) (2005) 1084–1092.
- [15] J.P. Szybist, A.L. Boehman, D.C. Haworth, H. Koga, Combust. Flame 149 (1–2) (2007) 112–128.
- [16] K. Fieweger, R. Blumenthal, G. Adomeit, Combust. Flame 109 (4) (1997) 599–619.
- [17] B.M. Gauthier, D.F. Davidson, R.K. Hanson, Combust. Flame 139 (4) (2004) 300–311.
- [18] J. Herzler, L. Jerig, P. Roth, Proc. Combust. Inst. 30 (1) (2005) 1147–1153.
- [19] S.S. Vasu, D.F. Davidson, R.K. Hanson, Combust. Flame 156 (4) (2009) 736–749.
- [20] B. Akih-Kumgeh, J.M. Bergthorson, Energy Fuels 24 (4) (2010) 2439–2448.
- [21] D.F. Davidson, Z. Hong, G.L. Pilla, A. Farooq, R.D. Cook, R.K. Hanson, Combust. Flame 157 (10) (2010) 1899–1905.
- [22] R. Minetti, M. Carlier, M. Ribaucour, E. Therssen, L.R. Sochet, Combust. Flame 102 (3) (1995) 298–309.
- [23] E.J. Silke, H.J. Curran, J.M. Simmie, Proc. Combust. Inst. 30 (2) (2005) 2639–2647.
- [24] A. Chakir, M. Bellimam, J.C. Boettner, M. Cathonnet, Int. J. Chem. Kinet. 24 (4) (1992) 385–410.
- [25] P. Dagaut, M. Reuillon, M. Cathonnet, Combust. Sci. Technol. 95 (1994) 233–260.
- [26] P. Dagaut, M. Reuillon, M. Cathonnet, Combust. Flame 101 (1–2) (1995) 132–140.
- [27] D.B. Lenhart, D.L. Miller, N.P. Cernansky, K.G. Owens, Combust. Flame 156(2009) 549–564.
- [28] P. Berta, S.K. Aggarwal, I.K. Puri, Combust. Flame 145 (4) (2006) 740–764.
- [29] A.T. Holley, Y. Dong, M.G. Andac, F.N. Egolfopoulos, Combust. Flame 144 (3)(2006) 448–460.
- [30] W. Liu, D. Zhu, N. Wu, C.K. Law, Combust. Flame 157 (2) (2010) 259–266.

- [31] C. Yao, C. Cheng, S. Liu, Z. Tian, J. Wang, Fuel 88 (9) (2009) 1752–1757.
- [32] A.J. Smallbone, W. Liu, C.K. Law, X.Q. You, H. Wang, Proc. Combust. Inst. 32 (1)(2009) 1245–1252.
- [33] C.M. Coats, A. Williams, Symp. (Int.) Combust. 17 (1) (1979) 611–621.
- [34] C.K. Westbrook, F.L. Dryer, Prog. Energy Combust. 10 (1) (1984) 1–57.
- [35] C.K. Westbrook, J. Warnatz, W.J. Pitz, Symp. (Int.) Combust. 22 (1) (1989) 893–901.
- [36] E. Ranzi, P. Gaffuri, T. Faravelli, P. Dagaut, Combust. Flame 103 (1–2) (1995) 91–106.
- [37] R.P. Lindstedt, L.Q. Maurice, Combust. Sci. Technol. 120 (1–6) (1996) 119–167.
- [38] G.M. Come, V. Warth, P.A. Glaude, R. Fournet, F. Battin-Leclerc, G. Scacchi, Symp. (Int.) Combust. 36 (1996) 755–762.
- [39] H.J. Curran, P. Gaffuri, W.J. Pitz, C.K. Westbrook, Combust. Flame 114 (1–2)(1998) 149–177.
- [40] F. Buda, R. Bounaceur, V. Warth, P.A. Glaude, R. Fournet, F. Battin-Leclerc, Combust. Flame 142 (1–2) (2005) 170–186.
- [41] J. Biet, M.H. Hakka, V. Warth, P.A. Glaude, F. Battin-Leclerc, Energy Fuels 22 (4)(2008) 2258–2269.
- [42] C.K. Westbrook, W.J. Pitz, O. Herbinet, H.J. Curran, E.J. Silke, Combust. Flame 156 (1) (2009) 181–199.
- [43] 白金 ZSM-5 触媒のディーゼル排気中の NO<sub>x</sub> 還元特性に関する研究,
- [44] 郭建威, 金野満, 自動車技術会論文集, 941, 221 (1994)
- [45] Ryu J, Kim H, Lee K. Fuel Vol.84 2005 2341
- [46] 自動車エンジン技術がわかる本, 畑村耕一, ナツメ社
- [47] 石山拓二・塩路昌宏・田中大樹・中川秀樹・中井俊作,
- [48] 自動車技術会論文集, 34-3, 29,(2004).
- [49] Kimura, S., Aoki, O., Kitahara, Y., Aiyoshizawa, E., SAE Paper 2001-1-0200, (2000)
- [50] 燃料による HCCI エンジンの運転性能改善に関する研究(第 2 報),
- [51] 柴田元・漆原友則, 自動車技術会論文集 40(6), 1533-1538, 2009-11
- [52] Tanaka S, Ayala F, Keck J, Heywood J, Combustion and Flame vol.132 2003 219
- [53] Lu X, Chen W, Huang Z. Fuel vol.84 2005 1084
- [54] Li H,Prabhu S,Miller D,Combustion Flame vol.114 1998 149
- [55] Curran, H. J., Gaffuri, P., Pitz, W. J., and Westbrook, C. K Combust. Flame, 114, 149, (1998).
- [56] R.W. Walker, C. Morley, Basic chemistry of combustion, in: M.J. Pilling (Ed.), Comprehensive Chemical Kinetics: Gas Phase Combustion, Elsevier, Amsterdam, 1997, p. 35.
- [57] Westbrook C.K. Proceeding of the Combustion Institute vol.24 2000 1536
- [58] 安東弘光, 日本機械学会 2006 年度年次大会
- [59] Yamada H, Suzuki K, Sakanashi H, Choi N, Tezaki A, Combustion and Flame vol.140 2005 24
- [60] 阪梨英樹・稻田陽平・崔南一・山内政司・手崎衆, 機械学会論文集, 70-690 B, 503, (2004).

- [61] 鄭, 爾鎬 予混合圧縮着火機関における天然ガスおよびメタノールの着火・燃焼特性に関する研究 <http://hdl.handle.net/10069/16303>
- [62] H. Huang and W. Su, A new reduced chemical kinetic model for autoignition and oxidation of lean n-heptane /air mixtures in HCCI engines, SAE 2005-01-0118
- [63] 吉井雅貴・大友光彰・小谷学・山田裕之・手崎衆, 第 42 回燃焼シンポジウム講演集, 289, (2004).
- [64] 葛西理晴, 「筒内中間生成物直接サンプリング法を用いた圧縮自着火過程の検討」, 東京大学大学院工学系研究科機械工学修士論文, (2007)
- [65] 博之小崎, 「圧縮自着火過程における PRF 燃料とトルエン/ヘプタン混合燃料の差異についての排気分析と反応機構による解析」, 富山大学理工学教育部機械知能システム工学専攻, (2011)
- [66] Mohd Adnin Bin Hamidi, 「Comparison of PRF and Toluene/n-heptane Mixture in the Mechanism of Compression Ignition Using Transient Species Measurements and Simplified Model Analysis」, 富山大学理工学教育部機械知能システム工学専攻, (2012)
- [67] FORTÉ 40132, Reaction Design: San Diego, 2013.
- [68] [https://www-pls.llnl.gov/?url=science\\_and\\_technology-chemistry-combustion](https://www-pls.llnl.gov/?url=science_and_technology-chemistry-combustion).
- [69] G. Shibata and T. Urushihara, Dual Phase High Temperature Heat Release Combustion, SAE 2008-01-0007.
- [70] CHEMKIN-PRO, Reaction Design: San Diego, 2008.
- [71] Mehl M., W.J. Pitz, C.K. Westbrook, H.J. Curran, "Kinetic modeling of gasoline surrogate components and mixtures under engine conditions", Proceedings of the Combustion Institute, 33:193-200 (2011).
- [72] Tan, Z., "Multi-Dimensional Modeling of Ignition and Combustion in Premixed and DIS/CI (Direct Injection Spark/Compression Ignition) Engines." Ph.D. Thesis, University of Wisconsin-Madison, 2003.
- [73] H. Yamada, K. Suzuki, H. Sakanashi, N. Choi, and A. Tezaki, Kinetic Measurements in Homogeneous Charge Compression of Dimethyl Ether: Role of Intermediate Formaldehyde Controlling Chain Branching in the Low- Temperature Oxidation Mechanism, Combust. Flame 140 (2005), 24.
- [74] A. Tezaki, T. Miyashita and H. Murasawa, Transient Chemical Composition Analysis in HCCI of n-Heptane Fuel, Proc. 7th COMODIA, Sapporo, Japan (2008), 329.
- [75] W. R. Leppard, A Comparison of Olefin and Paraffin Autoignition Chemistries: A Motored-Engine Study, SAE 892081.
- [76] H. Ando, Y. Sakai and K. Kuwahara, Universal Rule of Hydrocarbon oxidation, SAE paper-2009-01-0948 (2009).
- [77] Y. Sakai, A. Miyoshi, M. Koshi and W.J.Pitz, A Kinetic modeling study on the oxidation of

- primary fuel-toluene mixtures including cross reactions between aromatics and aliphatics, Proc. Combust. Inst. 32, (2009) 411.
- [78] Mohd Adnin bin Hamidi, Hiroyuki Kosaki, Shingo Hinata, and Atsumu Tezaki, Proc. 9th COMODIA , Kyoto, Japan (2012), 140.
- [79] Kosaki, H., Yamashita, A., Adnin bin Hamidi, M., and Tezaki, A., "Chemical Kinetic Mechanism of Compression Ignition Derived from Intermediate Species for PRF and Toluene/n-Heptane Fuel Systems," SAE Int. J. Fuels Lubr. , 2011-01-1784, (2011).
- [80] 宮下岳穂, 「筒内成分評価法を用いた PRF 圧縮着火過程の検討」, 東京大学大学院工学系研究科機械工学修士論文, (2008)