*Materials Science Forum* *Online: 2015-06-10*
*ISSN: 1662-9752, Vol. 819, pp 226-231*
*doi:10.4028/www.scientific.net/MSF.819.226*


# Nanocrystal $TiO_2$ engulfed $SiO_2$-Barium Hexaferrite for Enhanced Electrons Mobility and Solar Harvesting Potential

Azrina Abd Aziz [1, a], Shaliza Ibrahim [2, b], Saravanan Pichiah [2, c]

[1]Faculty of Engineering Technology, Universiti Malaysia Pahang, 26300 Kuantan, Pahang. Malaysia.
[2]Department of Civil Engineering, Faculty of Engineering, University of Malaya, 50603 Kuala Lumpur. Malaysia.

[a]azrina15@gmail.com, [b]shaliza@um.edu.my, [c]pichiahsaravanan@gmail.com

**Keywords:** $TiO_2$; $SiO_2$-Barium hexaferrite; photocatalyst; electrons mobility; solar harvesting.

**Abstract.** Barium hexaferrite embedded-silica-titania photocatalyst ($TiO_2$-$SiO_2$-$BaFe_{12}O_{19}$) was synthesized through sol-gel, liquid catalytic phase transformation and solid reaction routes. The magnetic photocatalyst was aimed to harvest the photoenergy from the sunlight, minimize the electron-holes recombination rate, improve the long lifetime charge-carriers transfer to maximize the photocatalytic activity and enhances the separation and reusability of it. The as-synthesized photocatalyst was characterized and the photocatalytic activity was evaluated for the reduction of 2, 4-dichlorophenol (2, 4-DCP) under direct sunlight. The presence of $SiO_2$ interlayer in $TiO_2$-$SiO_2$-$BaFe_{12}O_{19}$ prevents the phase transformation of magnetic core. $TiO_2$-$SiO_2$-$BaFe_{12}O_{19}$ benefits the magnetic separation with appreciable magnitude of coercivity (5035.6 Oe) and saturation magnetization ($18.8256E^{-3}$ emu/g), respectively. The ferrite ions from the magnetic core which dispersed into $TiO_2$ matrix exhibited an evident shift of the absorption in the visible region. This was again confirmed with the reduced band gap energy of 1.90 eV. Furthermore, $TiO_2$-$SiO_2$-$BaFe_{12}O_{19}$ destructed 100% of 2, 4-DCP compound within 150 min under very bright sunlight with an average irradiance of 820.8 $W/m^2$ (results not shown). The embedding of $BaFe_{12}O_{19}$ with a $SiO_2$ layer onto $TiO_2$ nanocrystals contributed for an excellent solar-light utilization and ease magnetic separation of the nano-sized photocatalyst.