

REFERENCES

- Aaron, D., & Tsouris, C. (2005). Separation of CO₂ from Flue Gas: A Review. *Separation Science and Technology*, 40(1–3), 321–348.
- Abdul Halim, H. N., M. Shariff, A., Tan, L. S., & Bustam, M. a. (2015). Mass Transfer Performance of CO₂ Absorption from Natural Gas using Monoethanolamine (MEA) in High Pressure Operations. *Industrial & Engineering Chemistry Research*, 54(5), 1675–1680.
- Abharchaei, P. R. (2010). Kinetic study of carbon dioxide absorption by aqueous solutions of 2 (methyl)-aminoethanol in stirred tank reactor. Chalmers University of Technology.
- Accelrys. (2014). Accelrys materials studio. San Diego, California: Accelrys Inc.
- Adams, R., Williams, H., & Rory Adams, H. W. (2011). Intermolecular Forces. Retrieved from http://cnx.org/contents/da66d6a7-9cf7-46a7-ac14db65fe0126b4@2/Intermolecular_Forces
- Adcock, S. a, & McCammon, J. A. (2006). Molecular Dynamics: Survey of Methods for Simulating the Activity of Proteins. *Chemical Reviews*, 106(5), 1589–1615.
- Adeosun, A., Hadri, N. El, Goetheer, E., & Abu-, M. R. M. (2013). Absorption of CO₂ by Amine Blends Solution : An Experimental Evaluation. *International Journal Of Engineering And Science*, 3(9), 12–23.
- Allen, M. P. (2004). Introduction to Molecular Dynamics Simulation. *Computational Soft Matter: From Synthetic Polymers to Proteins*, 23, 1–28.
- AMP Properties. (2000). Retrieved from <http://www.dow.com/scripts/litorder.asp?filepath=angus/pdfs/noreg/319-00016.pdf>
- Arapatsakos, C., Karkanis, A., Strofylla, S. M., Engineering, M., & Street, V. S. (2012). The effect of temperature on gas emissions. *International Journal of Recent Research and Applied Studies*, 11(April), 89–100.
- Aroonwilas, A., & Veawab, A. (2004). Characterization and Comparison of the CO₂ Absorption Performance into Single and Blended Alkanolamines in a Packed Column. *Industrial & Engineering Chemistry Research*, 43(9), 2228–2237.

- Aroua, M. K., Ramasamy, K., Haji-Sulaiman, M. Z., & Ramasamy, K. (2002). Modelling of carbon dioxide absorption in aqueous solutions of AMP and MDEA and their blends using Aspenplus. *Separation and Purification Technology*, 29, 153–162.
- Babu, P., Kumar, R., & Linga, P. (2013). Pre-combustion capture of carbon dioxide in a fixed bed reactor using the clathrate hydrate process. *Energy*, 50(1), 364–373.
- Bajer, C. (2002). Time integration methods, 1(Theoretical Foundations of Civil Engineering), 45–54.
- Baker, R. W. (2002). Future Directions of Membrane Gas Separation Technology. *Industrial & Engineering Chemistry Research*, 41(6), 1393–1411.
- Bansal, M., & M., B. (2011). Elementary introduction to Molecular Mechanics and Dynamics. Retrieved from https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwiW343Yk7_NAhUBQI8KHR2uDQ8QFgghMAA&url=http://www.tau.ac.il/~ephraim/MM+MD.doc&usg=AFQjCNEWMb11Xpeh_xBH2enDZFlcLwTtMg&sig2=EX9h6YvCptjMQztM4kCIqQ&bvm=bv.125221236,d.c
- Barker, T. (2007). *Climate Change 2007 : Synthesis Report*. Valencia, Spain.
- Barzagli, F., Mani, F., & Peruzzini, M. (2010). Continuous cycles of CO₂ absorption and amine regeneration with aqueous alkanolamines: a comparison of the efficiency between pure and blended DEA, MDEA and AMP solutions by ¹³C NMR spectroscopy. *Energy & Environmental Science*, 3(6), 772.
- Bavbek, O. (1999). Reaction Mechanism and Kinetics of Aqueous Solutions of Primary and Secondary Alkanolamines. *Turkish Journal of Chemistry*, 23(3), 293–300.
- Berendsen, H.J.C., van Gunsteren, W.F., Egberts, E. & de Vlieg, J. (1987). Supercomputer Research in Chemistry and Chemical Engineering, Chapter 7: dynamic simulation of complex molecular system. (K. F. Jensen & D. G. Truhlar, Eds.) (Vol. 353). Washington, D.C.: American Chemical Society.
- Bishnoi, S., & Rochelle, G. T. (2000). Absorption of carbon dioxide into aqueous piperazine: reaction kinetics, mass transfer and solubility. *Chemical Engineering Science*, 55(22), 5531–5543.
- Bougie, F., & Iliuta, M. C. (2012). Sterically Hindered Amine-Based Absorbents for the Removal of CO₂ from Gas Streams. *Journal of Chemical & Engineering Data*, 57(3), 635–669.

- Brennen, G., Deutsch, I., & Jessen, P. (2000). Entangling dipole-dipole interactions for quantum logic with neutral atoms. *Physical Review A*, 61(6), 61–71.
- Brian Fisher, N. N. (2007). Issues related to mitigation in the long-term context. (M. B. (Kuwait) John Weyant (USA), Ed.). Geneva 2, Switzerland: Intergovernmental Panel on Climate Change (IPCC).
- Brittain, C. G., & G., B. C. (2007). *One Page Lesson : Intermolecular Attractive Forces*.
- Brown, T. L., & Lemay, H. E. (2001). Intermolecular Forces , Liquids , and Solids States of Matter. *Chemistry, The Central Science, Chapter 11*(10th edition), 1–107.
- C. David Sherrill, Sherrill, C. D., C. David Sherrill, & Sherrill, C. D. (2001). *Molecular Mechanics*. Georgia Institute of Technology.
- Caplow, M. (1968). Kinetics of carbamate formation and breakdown. *Journal of the American Chemical Society*, 90(24), 6795–6803.
- Charless E. Ophardt. (2003). *Intermolecular forces*. Elmhurst College.
- Charpentier, J. (2002). The triplet “molecular processes–product–process” engineering: the future of chemical engineering? *Chemical Engineering Science*, 57(22–23), 4667–4690.
- Chemspider. (2016). ChemSpider Database. Retrieved November 22, 2016, from <http://www.chemspider.com/>
- Chen, L., Yong, S. Z., & Ghoniem, A. F. (2012). Oxy-fuel combustion of pulverized coal: Characterization, fundamentals, stabilization and CFD modeling. *Progress in Energy and Combustion Science*, 38(2), 156–214.
- Choi, W. J., Seo, J. B., Jang, S. Y., Jung, J. H., & Oh, K. J. (2009). Removal characteristics of CO₂ using aqueous MEA/AMP solutions in the absorption and regeneration process. *Journal of Environmental Sciences*, 21(7), 907–913.
- Chung, J., & Hulbert, G. M. (1994). A family of single-step Houbolt time integration algorithms for structural dynamics. *Computer Methods in Applied Mechanics and Engineering*, 118(1–2), 1–11.

- Conway, W., Bruggink, S., Beyad, Y., Luo, W., Melián-Cabrera, I., Puxty, G., & Feron, P. (2015). CO₂ absorption into aqueous amine blended solutions containing monoethanolamine (MEA), N,N-dimethylethanolamine (DMEA), N,N-diethylethanolamine (DEEA) and 2-amino-2-methyl-1-propanol (AMP) for post-combustion capture processes. *Chemical Engineering Science*, 126, 446–454.
- Crooks, J. E., & Donnellan, J. P. (1989). Kinetics and mechanism of the reaction between carbon dioxide and amines in aqueous solution. *Journal of the Chemical Society, Perkin Transactions 2*, 2(4), 331.
- Cullinane, J. T., & Rochelle, G. T. (2004). Carbon dioxide absorption with aqueous potassium carbonate promoted by piperazine. *Chemical Engineering Science*, 59(17), 3619–3630.
- D'Alessandro, D. M., Smit, B., & Long, J. R. (2010). Carbon dioxide capture: Prospects for new materials. *Angewandte Chemie-International Edition*, 49(35), 6058–6082.
- da Silva, E. F., Kuznetsova, T., Kvamme, B., & Merz, K. M. (2007). Molecular dynamics study of ethanolamine as a pure liquid and in aqueous solution. *The Journal of Physical Chemistry. B*, 111(14), 3695–703.
- Damartzis, T., Papadopoulos, A. I., & Seferlis, P. (2015). Process flowsheet design optimization for various amine-based solvents in post-combustion CO₂ capture plants. *Journal of Cleaner Production*, 111, 204–216.
- Danckwerts, P. V. (1979). The reaction of CO₂ with ethanolamines. *Chemical Engineering Science*, 34(4), 443–446.
- Davis, J. D. (2009). *Thermal Degradation of Aqueous Amines Used for Carbon Dioxide Capture*. The University of Texas at Austin.
- Derks, P. W. J., & Versteeg, G. F. (2009). Kinetics of absorption of carbon dioxide in aqueous ammonia solutions. *Energy Procedia*, 1(1), 1139–1146.
- Desideri, U., & Paolucci, A. (1999). Performance modelling of a carbon dioxide removal system for power plants. *Energy Conversion and Management*, 40(18), 1899–1915.
- Dinca, C. (2015). Critical parametric study of circulating fluidized bed combustion with CO₂ chemical absorption process using different aqueous alkanolamines. *Journal of Cleaner Production*, 2, 1–14.
- Donaldson, T. L., & Nguyen, Y. N. (1980). Carbon Dioxide Reaction Kinetics and

- Transport in Aqueous Amine Membranes. *Industrial & Engineering Chemistry Fundamentals*, 19(3), 260–266.
- Dubois, L., Kahasha Mbasha, P., & Thomas, D. (2010). CO₂ Absorption into Aqueous Solutions of a Polyamine (PZEA), a Sterically Hindered Amine (AMP), and their Blends. *Chemical Engineering & Technology*, 33(3), 461–467.
- Dubois, L., & Thomas, D. (2011). Carbon dioxide absorption into aqueous amine based solvents: Modeling and absorption tests. *Energy Procedia*, 4, 1353–1360.
- Dubois, L., & Thomas, D. (2012). Screening of Aqueous Amine-Based Solvents for Postcombustion CO₂ Capture by Chemical Absorption. *Chemical Engineering and Technology*, 35(3), 513–524.
- Dugas, R., & Rochelle, G. (2009). Absorption and desorption rates of carbon dioxide with monoethanolamine and piperazine. *Energy Procedia*, 1(1), 1163–1169.
- Ebner, A. D., & Ritter, J. a. (2009). State-of-the-art Adsorption and Membrane Separation Processes for Carbon Dioxide Production from Carbon Dioxide Emitting Industries. *Separation Science and Technology* (Vol. 44).
- Edali, M., Idem, R., & Aboudheir, A. (2010). 1D and 2D absorption-rate/kinetic modeling and simulation of carbon dioxide absorption into mixed aqueous solutions of MDEA and PZ in a laminar jet apparatus. *International Journal of Greenhouse Gas Control*, 4(2), 143–151.
- Emmanuelle Masy. (2013). Predicting the Diffusivity of CO₂ in Substituted Amines. Delft University of Technology.
- Energy, T. S. (2013). Annual Report 2013. Gansu Province, China. Retrieved from http://www.trinasolar.com/HtmlData/downloads/us/TrinaSolar_Annual_Report.pdf
- Essmann, U., Perera, L., Berkowitz, M. L., Darden, T., Lee, H., & Pedersen, L. G. (1995). A smooth particle mesh Ewald method. *The Journal of Chemical Physics*, 103(19), 8577.
- Eswaran, S., Adhikari, A. V., Chowdhury, I. H., Pal, N. K., & Thomas, K. D. (2010). New quinoline derivatives: synthesis and investigation of antibacterial and antituberculosis properties. *European Journal of Medicinal Chemistry*, 45(8), 3374–83.

- Farmahini, A. H. (2010). Molecular Dynamics Simulation Studies of Piperazine Activated MDEA Absorption Solution with Methane and Carbon Dioxide. University of Bergen Norway.
- Farmahini, A. H., Kvamme, B., & Kuznetsova, T. (2011). Molecular dynamics simulation studies of absorption in piperazine activated MDEA solution. *Physical Chemistry Chemical Physics : PCCP*, 13, 13070–13081.
- Fauth, D. J., Frommell, E. a., Hoffman, J. S., Reasbeck, R. P., & Pennline, H. W. (2005). Eutectic salt promoted lithium zirconate: Novel high temperature sorbent for CO₂ capture. *Fuel Processing Technology*, 86(14–15), 1503–1521.
- Folger, P. (2013). Carbon Capture : A Technology Assessment. Congressional Research Service. United States of America.
- Fryda, L., Sobrino, C., Cieplik, M., & Van De Kamp, W. L. (2010). Study on ash deposition under oxyfuel combustion of coal/biomass blends. *Fuel*, 89(8), 1889–1902.
- Gangarapu, S., Marcelis, A. T. M., & Zuilhof, H. (2013). Carbamate Stabilities of Sterically Hindered Amines from Quantum Chemical Methods: Relevance for CO₂ Capture. *ChemPhysChem*, 14(17), 3936–3943.
- García-Abuín, A., Gómez-Díaz, D., Navaza, J. M., & Vidal-Tato, I. (2011). Kinetics of carbon dioxide chemical absorption into cyclic amines solutions. *AIChE Journal*, 57(8), 2244–2250.
- Glarborg, P., & Bentzen, L. (2007). Chemical effects of a high CO₂ concentration in oxy-fuel combustion of methane. *Energy & Fuels*, (20), 291–296.
- Goff, G. S., & Rochelle, G. T. (2004). Monoethanolamine Degradation: O₂ Mass Transfer Effects under CO₂ Capture Conditions. *Industrial & Engineering Chemistry Research*, 43, 6400–6408.
- González, M. A. (2011). Force fields and molecular dynamics simulations. *Collection SFN*, 12, 169–200.
- Griebel, M., & Hamaekers, J. (2005). Molecular Dynamics Simulations of the Mechanical Properties of Polyethylene-Carbon Nanotube Composites. Germany.
- Gutowski, K. E., & Maginn, E. J. (2008). Amine-functionalized task-specific ionic liquids: A mechanistic explanation for the dramatic increase in viscosity upon

- complexation with CO₂ from molecular simulation. *Journal of the American Chemical Society*, 130(44), 14690–14704.
- Harun, N., Nittaya, T., Douglas, P. L., Croiset, E., & Ricardez-Sandoval, L. a. (2012). Dynamic simulation of MEA absorption process for CO₂ capture from power plants. *International Journal of Greenhouse Gas Control*, 10, 295–309.
- Hehre, W. J. (2003). *A Guide to Molecular Mechanics and Quantum Chemical Calculations*. United States of America.
- Herzog, H. (1999). An Introduction to CO₂ Separation and Capture Technologies. *Second Dixy Lee Ray Memorial Symposium*, 1–8.
- Hilber, H. M., Hughes, T. J. R., & Taylor, R. L. (1977). Improved numerical dissipation for time integration algorithms in structural dynamics. *Earthquake Engineering & Structural Dynamics*, 5(3), 283–292.
- Hook, R. J. (1997). An Investigation of Some Sterically Hindered Amines as Potential Carbon Dioxide Scrubbing Compounds. *Industrial & Engineering Chemistry Research*, 36(5), 1779–1790.
- Hunt, P. A., Ashworth, C. R., & Matthews, R. P. (2015). Hydrogen bonding in ionic liquids. *Chem. Soc. Rev.*, 44(5), 1257–1288.
- Hwang, G. S., Stowe, H. M., Paek, E., & Manogaran, D. (2015). Reaction mechanisms of aqueous monoethanolamine with carbon dioxide: a combined quantum chemical and molecular dynamics study. *Phys. Chem. Chem. Phys.*, 17(2), 831–839.
- Idem, R., Edali, M., & Aboudheir, A. (2009). Kinetics, modeling, and simulation of the experimental kinetics data of carbon dioxide absorption into mixed aqueous solutions of MDEA and PZ using laminar jet apparatus with a numerically solved absorption-rate/kinetic model. *Energy Procedia*, 1(1), 1343–1350.
- Idris, Z., & Eimer, D. a. (2014). Representation of CO₂ Absorption in Sterically Hindered Amines. *Energy Procedia*, 51(1876), 247–252.
- IEA. (2015). CO₂ emissions from fuel combustion: highlights. International Energy Agency. France.
- International Transport Forum. (2010). Reducing transport greenhouse gas emissions. Leipzig, Germany.

- Istadi. (2007). Intermolecular Forces : Polarity of Molecules Types of Intermolecular Forces.
- J. Israelachvili, & J., I. (1992). Chemical Bonds and Intermolecular Interactions. *Intermolecular and Surface Forces*, 1–19.
- James T. Yeh and Henry W. Pennline. (2004). Aqua ammonia process for simultaneous removal of CO₂ , SO₂ and NO. *International Journal Environmental Technology and Management*, 4(1/2), 89–104.
- Jean M. (2015). Practical Aspects of Molecular Dynamics Simulations. *Chemistry*, (2), 1–4.
- Jim Clark. (2012). Metallic bonding.
- Jos G. J. Olivier, Greet Janssens-Maenhout, Marilena Muntean, J. A. H. W. P. (2013). Trends in global CO₂ emissions 2013 report. The Netherlands: PBL Netherlands Environmental Assessment Agency, Joint Research Centre.
- Kachko, A., van der Ham, L. V., Bakker, D. E., van de Runstraat, A., Nienoord, M., Vlugt, T. J. H., & Goetheer, E. L. V. (2016). In-Line Monitoring of the CO₂ , MDEA, and PZ Concentrations in the Liquid Phase during High Pressure CO₂ Absorption. *Industrial & Engineering Chemistry Research*, 55(13), 3804–3812.
- Kallevik, O. B. (2010). Cost estimation of CO₂ removal in HYSYS. Telemark University College.
- Kanniche, M., Gros-Bonnivard, R., Jaud, P., Valle-Marcos, J., Amann, J. M., & Bouallou, C. (2010). Pre-combustion, post-combustion and oxy-combustion in thermal power plant for CO₂ capture. *Applied Thermal Engineering*, 30(1), 53–62.
- Keskes, E., Adjiman, C., Galindo, A., & Jackson, G. (2006). A Physical Absorption Process for the Capture of CO₂ from CO₂-Rich Natural Gas Streams. *Chemical Engineering Department, Imperial College London*. Retrieved from <http://www.geos.ed.ac.uk/ccs/Publications/Keskes.pdf>
- Kim, D. Y., Lee, H. M., Min, S. K., Cho, Y., Hwang, I.-C., Han, K., Kim, K. S. (2011). CO₂ Capturing Mechanism in Aqueous Ammonia: NH₃-Driven Decomposition–Recombination Pathway. *The Journal of Physical Chemistry Letters*, 2(7), 689–694.
- Kim, S. M., Lee, J. D., Lee, H. J., Lee, E. K., & Kim, Y. (2011). Gas hydrate formation

- method to capture the carbon dioxide for pre-combustion process in IGCC plant. *International Journal of Hydrogen Energy*, 36(1), 1115–1121.
- Kim, W. K., Woo, K. K., & Kim, W. K. (2009). Accelerated Molecular Dynamics Simulations of Atomic Force Microscope Experiments. University of Michigan.
- Kim, Y. E., Lim, J. A., Jeong, S. K., Yoon, Y. Il, Bae, S. T., & Nam, S. C. (2013). Comparison of Carbon Dioxide Absorption in Aqueous MEA, DEA, TEA, and AMP Solutions. *Bulletin of the Korean Chemical Society*, 34(3), 783–787.
- Kirchner, B., Vrabec, J., & Abrol, R. (2012). Multiscale molecular methods in applied chemistry (Topics in current chemistry, 307). *Top. Curr. Chem.* (Vol. 307).
- Kohl, A. L., & Nielsen, R. B. (1997). *Gas Purification* (Firth Edit). Houston, Texas: Gulf Publishing Company, Houston, Texas.
- Kothandaraman, A. (2010). Carbon Dioxide Capture by Chemical Absorption : A Solvent Comparison Study. Carbon. Massachusetts Institute of Technology. Retrieved from http://sequestration.mit.edu/pdf/Anusha_Kothandaraman_thesis_June2010.pdf
- Lawal, M. W. A., Stephenson, P., Sidders, J., Ramshaw, C., & Yeung, H. (2011). Post-combustion CO₂ Capture with Chemical Absorption : A State-of-the-art Review. *Chemical Engineering Research and Design*, 89(9), 1609–1624.
- Lee, A. S., Eslick, J. C., Miller, D. C., & Kitchin, J. R. (2013). Comparisons of amine solvents for post-combustion CO₂ capture: A multi-objective analysis approach. *International Journal of Greenhouse Gas Control*, 18, 68–74.
- Lee, H. J., Lee, J. D., Linga, P., Englezos, P., Kim, Y. S., Lee, M. S., & Kim, Y. Do. (2010). Gas hydrate formation process for pre-combustion capture of carbon dioxide. *Energy*, 35(6), 2729–2733.
- Lee, L.-H. (1991). *Fundamentals of Adhesion*. (L.-H. Lee, Ed.), *Igarss 2014*. Boston, MA: Springer US.
- Lewars, E. G. (2010). *Computational Chemistry: Introduction to the Theory and Applications of Molecular and Quantum Mechanics (Second)*. United States of America: Springer Science & Business Media.

- Li, B., Sheng, X., Xing, W., Dong, G., Liu, Y., Zhang, C., Qin, Z. (2010). Molecular Dynamic Simulation on the Absorbing Process of Isolating and Coating of α -olefin Drag Reducing Polymer. *Chinese Journal of Chemical Physics*, 23(6), 630–636.
- Li, J.-R., Ma, Y., McCarthy, M. C., Sculley, J., Yu, J., Jeong, H.-K., Zhou, H.-C. (2011). Carbon dioxide capture-related gas adsorption and separation in metal-organic frameworks. *Coordination Chemistry Reviews*, 255(15–16), 1791–1823.
- Liang, Y. (2003). Carbon Dioxide Capture From Flue Gas Using Regenerable Sodium-Based Sorbents. Tsinghua University.
- López, a. B., La Rubia, M. D., Navaza, J. M., Pacheco, R., & Gómez-Díaz, D. (2015). Characterization of MIPA and DIPA aqueous solutions in relation to absorption, speciation and degradation. *Journal of Industrial and Engineering Chemistry*, 21, 428–435.
- Lu, J., Wang, L., Sun, X., Li, J., & Liu, X. (2005). Absorption of CO₂ into aqueous solutions of methyldiethanolamine and activated methyldiethanolamine from a gas mixture in a hollow fiber contactor. *Industrial and Engineering Chemistry Research*, 44(24), 9230–9238.
- Lucas, T. R., Bauer, B. a, & Patel, S. (2012). Charge equilibration force fields for molecular dynamics simulations of lipids, bilayers, and integral membrane protein systems. *Biochimica et Biophysica Acta*, 1818(2), 318–29.
- Lunsford, K. M., & Bullin, J. A. (2006). Optimization of Amine Sweetening Units. In *Bryan Research & Engineering, Inc*, 1996 (pp. 1–14). New York, American: AIChE Spring National Meeting.
- M. P. Allen and D. J. Tildesley. (1991). Computer Simulation of Liquids (Reprint ed). United States of America: Oxford University Press.
- M.R. Roussel. (2012). Intermolecular forces, (Chemistry 1000 Lecture 15), 1–19.
- MacDowell, N., Florin, N., Buchard, A., Hallett, J., Galindo, A., Jackson, G., Fennell, P. (2010). An overview of CO₂ capture technologies. *Energy & Environmental Science*, 3(11), 1645.
- Machado, S. P. (2012). Structural and Mechanical Properties of Metallic Nanowires: In The Border Between Crystallinity and Weird Configurations. University of Autonoma Madrid.

- Maginn, E. J., & Elliott, J. R. (2010). Historical Perspective and Current Outlook for Molecular Dynamics As a Chemical Engineering Tool. *Industrial & Engineering Chemistry Research*, 49(7), 3059–3078.
- Maiti, A., Bourcier, W. L., & Aines, R. D. (2010). CO₂ capture in primary and tertiary amines - insights from atomistic modeling. United States of America.
- Mandal, B. P., & Bandyopadhyay, S. S. (2005). Simultaneous absorption of carbon dioxide and hydrogen sulfide into aqueous blends of 2-amino-2-methyl-1-propanol and diethanolamine. *Chemical Engineering Science*, 60(22), 6438–6451.
- Mandal, B. P., & Bandyopadhyay, S. S. (2006). Absorption of carbon dioxide into aqueous blends of 2-amino-2-methyl-1-propanol and monoethanolamine. *Chemical Engineering Science*, 61(16), 5440–5447.
- Mandal, B. P., Biswas, a. K., & Bandyopadhyay, S. S. (2003). Absorption of carbon dioxide into aqueous blends of 2-amino-2-methyl-1-propanol and diethanolamine. *Chemical Engineering Science*, 58(18), 4137–4144.
- Mandal, B. P., Guha, M., Biswas, a. K., & Bandyopadhyay, S. S. (2001). Removal of carbon dioxide by absorption in mixed amines: Modelling of absorption in aqueous MDEA/MEA and AMP/MEA solutions. *Chemical Engineering Science*, 56(21–22), 6217–6224.
- Martini, A. (2009). Short Course on Molecular Dynamics Simulation: Integration Algorithms. Retrieved from https://nanohub.org/resources/7575/download/Martini_L3_IntegrationAlgorithms.pdf
- Matsuzaki, Y., Yamada, H., Chowdhury, F. a., Higashii, T., Kazama, S., & Onoda, M. (2013). Ab Initio Study of CO₂ Capture Mechanisms in Monoethanolamine Aqueous Solution: Reaction Pathways from Carbamate to Bicarbonate. *Energy Procedia*, 37, 400–406.
- Matthew F. Schlecht. (1997). *Molecular Modeling on the PC* (1st editio). Wiley-VCH.
- May, J. M. S., & Atoms, T. A. (2013). *Molecular Dynamics Simulations of Phase Transitions*. United States of America.
- Merkel, T. C., Lin, H., Wei, X., & Baker, R. (2010). Power plant post-combustion carbon dioxide capture: An opportunity for membranes. *Journal of Membrane Science*, 359(1–2), 126–139.

- Mizukami, K., Takaba, H., Kobayashi, Y., Oumi, Y., Belosludov, R. V, Takami, S., ... Miyamoto, A. (2001). Molecular dynamics calculations of CO₂/N₂ mixture through the NaY type zeolite membrane. *Journal of Membrane Science*, 188(1), 21–28.
- Mores, P., Scenna, N., & Mussati, S. (2011). Post-combustion CO₂ capture process: Equilibrium stage mathematical model of the chemical absorption of CO₂ into monoethanolamine (MEA) aqueous solution. *Chemical Engineering Research and Design*, 89(9), 1587–1599.
- Muñoz, D. M., Portugal, A. F., Lozano, A. E., de la Campa, J. G., & de Abajo, J. (2009). New liquid absorbents for the removal of CO₂ from gas mixtures. *Energy & Environmental Science*, 2(8), 883.
- Nainar, M., & Veawab, A. (2009). Corrosion in CO₂ Capture Process Using Blended Monoethanolamine and Piperazine. *Industrial & Engineering Chemistry Research*, 48(20), 9299–9306.
- Nair, P. S., & Selvi, P. P. (2014). Absorption of Carbon dioxide in Packed Column. *International Journal of Scientific and Research Publication*, 4(4), 1–11.
- Newman, S. A. (1985). *Acid and Sour Gas Treating Processes* (1st editio). Gulf Publishing Company, Houston, Texas.
- Nor Kamarudin, Khairul Sozana, Mat, H. (2009). Synthesis And Modification Of Micro And Mesoporous Materials As CO₂ Adsorbent . Skudai, Johor.
- Olajire, A. a. (2010). CO₂ capture and separation technologies for end-of-pipe applications-A review. *Energy*, 35(6), 2610–2628.
- Pinto, A. M., Rodríguez, H., Arce, A., & Soto, A. (2014). Combined physical and chemical absorption of carbon dioxide in a mixture of ionic liquids. *The Journal of Chemical Thermodynamics*, 77, 197–205.
- Powell, C. E., & Qiao, G. G. (2006). Polymeric CO₂/N₂ gas separation membranes for the capture of carbon dioxide from power plant flue gases. *Journal of Membrane Science*, 279(1–2), 1–49.
- Prakash, P., & Venkatnathan, A. (2016). Molecular mechanism of CO₂ absorption in phosphonium amino acid ionic liquid. *RSC Adv.*, 6(60), 55438–55443.
- Price, D. J., & Brooks, C. L. (2002). Modern protein force fields behave comparably in molecular dynamics simulations. *Journal of Computational Chemistry*, 23(11),

1045–57.

- Puxty, G., & Rowland, R. (2011). Modeling CO₂ Mass Transfer in Amine Mixtures: PZ-AMP and PZ-MDEA. *Environmental Science & Technology*, 45(6), 2398–2405.
- Rahman, I. a., Saad, B., Shaidan, S., & Sya Rizal, E. S. (2005). Adsorption characteristics of malachite green on activated carbon derived from rice husks produced by chemical-thermal process. *Bioresource Technology*, 96(14), 1578–1583.
- Rao, A. B., & Rubin, E. S. (2002). A Technical, Economic, and Environmental Assessment of Amine-Based CO₂ Capture Technology for Power Plant Greenhouse Gas Control. *Environmental Science & Technology*, 36(20), 4467–4475.
- Rayer, A. V., Sumon, K. Z., Henni, A., & Tontiwachwuthikul, P. (2011). Kinetics of the reaction of carbon dioxide (CO₂) with cyclic amines using the stopped-flow technique. *Energy Procedia*, 4(September 2015), 140–147.
- Rayer, A. V., & Henni, A. (2014). Heats of Absorption of CO₂ in Aqueous Solutions of Tertiary Amines: N -Methyldiethanolamine, 3-Dimethylamino-1-propanol, and 1-Dimethylamino-2-propanol. *Industrial & Engineering Chemistry Research*, 53(12), 4953–4965.
- Roberto Lopez-Rendon, J. A. (2008). Molecular Dynamics Simulations of the Solubility of H₂S and CO₂ in Water. *Journal of The Mexican Chemical Society*, 52(1), 88–92.
- Robinson, K., McCluskey, A., & Attalla, M. (2011). The effect molecular structural variations has on the CO₂ absorption characteristics of heterocyclic amines. *Energy Procedia*, 4, 224–231.
- Rochelle, G., Chen, E., Freeman, S., Van Wagener, D., Xu, Q., & Voice, A. (2011). Aqueous piperazine as the new standard for CO₂ capture technology. *Chemical Engineering Journal*, 171(3), 725–733.
- Sartori, G., & Savage, D. W. (1983). Sterically hindered amines for carbon dioxide removal from gases. *Industrial & Engineering Chemistry Fundamentals*, 22(2), 239–249.
- Scheiman, M. A. (1987). A Review of Monoethanolamine Chemistry. Washington: Defense Technical Information Center.
- Schubert, S., Grünewald, M., & Agar, D. W. (2001). Enhancement of carbon dioxide absorption into aqueous methyldiethanolamine using immobilised activators.

Chemical Engineering Science, 56(21–22), 6211–6216.

- Shakhashiri. (2011). Water. Retrieved from <http://scifun.chem.wisc.edu/chemweek/PDF/COW-Water-Jan2011.pdf>
- Shao, R., & Stangeland, A. (2009). Amines Used in CO₂ Capture - Health and Environmental Impacts. Oslo, Norway.
- Shi, H., Naami, A., Idem, R., & Tontiwachwuthikul, P. (2014). Catalytic and non catalytic solvent regeneration during absorption-based CO₂ capture with single and blended reactive amine solvents. *International Journal of Greenhouse Gas Control*, 26, 39–50.
- Singh, P. (2011, June). Amine based solvent for CO₂ absorption: from molecular structure to process. University of Twente, Enschede, The Netherlands.
- Singh, P., Niederer, J. P. M., & Versteeg, G. F. (2007). Structure and activity relationships for amine based CO₂ absorbents I. *International Journal of Greenhouse Gas Control*, 1(1), 5–10.
- Singh, P., Niederer, J. P. M., & Versteeg, G. F. (2009). Structure and activity relationships for amine-based CO₂ absorbents-II. *Chemical Engineering Research and Design*, 87(2), 135–144.
- Strazisar, B. R., Anderson, R. R., & White, C. M. (2001). Degradation of Monoethanolamine Used in Carbon Dioxide Capture from Flue Gas of a Coal-fired Electric Power Generating Station. *Journal of Energy & Environmental Research*, 1(1), 33–39. Retrieved from http://www.netl.doe.gov/publications/proceedings/01/carbon_seq/4b3.pdf
- Sumon, K. Z., Henni, A., & East, A. L. L. (2014). Molecular dynamics simulations of proposed intermediates in the CO₂ + aqueous amine reaction. *Journal of Physical Chemistry Letters*, 5(7), 1151–1156.
- Svensson, H., Hulteberg, C., & Karlsson, H. T. (2013). Heat of absorption of CO₂ in aqueous solutions of N-methyldiethanolamine and piperazine. *International Journal of Greenhouse Gas Control*, 17, 89–98.
- Tan, C.-S., & Chen, J.-E. (2006). Absorption of carbon dioxide with piperazine and its mixtures in a rotating packed bed. *Separation and Purification Technology*, 49(2), 174–180.

- Tangallapally, R. P., Yendapally, R., Lee, R. E., Lenaerts, A. J. M., & Lee, R. E. (2005). Synthesis and evaluation of cyclic secondary amine substituted phenyl and benzyl nitrofuranyl amides as novel antituberculosis agents. *Journal of Medicinal Chemistry*, 48(26), 8261–8269.
- Tobiesen, F. A., Svendsen, H. F., & Mejdell, T. (2007). Modeling of Blast Furnace CO₂ Capture Using Amine Absorbents. *Industrial & Engineering Chemistry Research*, 46(23), 7811–7819.
- Toftegaard, M. B., Brix, J., Jensen, P. a., Glarborg, P., & Jensen, A. D. (2010). Oxy-fuel combustion of solid fuels. *Progress in Energy and Combustion Science*, 36(5), 581–625.
- Toon, T. Y. (2003). Physical Chemistry for STPM. (D. Day, Ed.) (4th ed.). Malaysia: Penerbit Fajar Bakti.
- Tran, Q. H., Nguyen, V. Q., & Le, A.-T. (2013). Silver nanoparticles: synthesis, properties, toxicology, applications and perspectives. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 4(3), 1–20.
- Tu, Y. (2011). Molecular Dynamics Simulations. Royal Institute of Technology (*KTH*).
- U.S. Environmental Protection Agency. (2014). Inventory of U . S . Greenhouse Gas Emissions and Sinks : 1990-2012. Washington.
- Vaidya, P. D., & Kenig, E. Y. (2007). CO₂-Alkanolamine Reaction Kinetics: A Review of Recent Studies. *Chemical Engineering & Technology*, 30(11), 1467–1474.
- Wang, Z., & Giammar, D. E. (2013). Mass Action Expressions for Bidentate Adsorption in Surface Complexation Modeling: Theory and Practice. *Environmental Science & Technology*, 47(9), 3982–3996.
- White, C. M., Strazisar, B. R., Granite, E. J., Hoffman, J. S., Pennline, W., & Pennline, H. W. (2003). Separation and Capture of CO₂ from Large Stationary Sources and Sequestration in Geological Formations Coalbeds and Deep Saline Aquifers *Journal of the Air & Waste Management Association*, 53(6), 645–715.
- Wispelaere, I. M. de. (2014). The interaction of CO₂ with amines as molecular control factor in catalytic processes. RWTH Aachen University.
- Wongsinlatam, W., & Remsungnen, T. (2013). Molecular Dynamics Simulations of CO₂ Molecules in ZIF-11 Using Refined AMBER Force Field. *Journal of Chemistry*,

2013, 1–10.

- Xing, H., Zhao, X., Yang, Q., Su, B., Bao, Z., Yang, Y., & Ren, Q. (2013). Molecular Dynamics Simulation Study on the Absorption of Ethylene and Acetylene in Ionic Liquids. *Industrial & Engineering Chemistry Research*, 52(26), 9308–9316.
- Yamada, H., Matsuzaki, Y., Chowdhury, F., & Higashii, T. (2013). Computational investigation of carbon dioxide absorption in alkanolamine solutions. *Journal of Molecular Modeling*, 19(10), 4147–4153.
- Ye, C., Chen, G., & Yuan, Q. (2012). Process characteristics of CO₂ absorption by aqueous monoethanolamine in a microchannel reactor. *Chinese Journal of Chemical Engineering*, 20(1), 111–119.
- Yeh, J. T., Resnik, K. P., Rygle, K., & Pennline, H. W. (2005). Semi-batch absorption and regeneration studies for CO₂ capture by aqueous ammonia. *Fuel Processing Technology*, 86(14–15), 1533–1546.
- Young, P. (2014). The Leapfrog Method and Other “Symplectic” Algorithms for Integrating Newton’s Laws of Motion. Retrieved from <http://young.physics.ucsc.edu/115/leapfrog.pdf>
- Yu, C.-H. (2012). A Review of CO₂ Capture by Absorption and Adsorption. *Aerosol and Air Quality Research*, 12, 745–769.
- Zhang, P., Shi, Y., Wei, J., Zhao, W., & Ye, Q. (2008). Regeneration of 2-amino-2-methyl-1-propanol used for carbon dioxide absorption. *Journal of Environmental Sciences*, 20(1), 39–44.
- Zhang, R., Liang, Z., Liu, H., Rongwong, W., Luo, X., Idem, R., & Yang, Q. (2016). Study of Formation of Bicarbonate Ions in CO₂-Loaded Aqueous Single 1DMA2P and MDEA Tertiary Amines and Blended MEA–1DMA2P and MEA–MDEA Amines for Low Heat of Regeneration. *Industrial & Engineering Chemistry Research*, 55(12), 3710–3717.
- Zhang, X., Zhang, C.-F., Qin, S.-J., & Zheng, Z.-S. (2001). A Kinetics Study on the Absorption of Carbon Dioxide into a Mixed Aqueous Solution of Methyl-diethanolamine and Piperazine. *Industrial & Engineering Chemistry Research*, 40(17), 3785–3791.