

REFERENCES

- Adithya, V. R, V.P. and Gopalakrishnan, U. (2013). Artificial neural network based method for Indian sign language recognition. *IEEE Conference on Information and Communication Technologies (ICT 2013)* pp.1080–1085. Accessed from http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=6558259
- Admasu, Y.F. and Raimond, K. (2010). Ethiopian sign language recognition using Artificial Neural Network. *Intelligent Systems Design and Applications (ISDA)* pp.995–1000. Conference Proceedings.
- Agarwal, A. and Thakur, M.K. (2013). Sign language recognition using Microsoft Kinect. *Sixth International Conference on Contemporary Computing (IC3)* pp.181–185.
- Aggarwal, M. and Amrita. (2013). Performance Analysis Of Different Feature Selection Methods In Intrusion Detection. *International Journal Of Scientific & Technology Research*, 2(6), 225–231.
- Akmeliawati, R. Ooi, M.P.-L. and Ye Chow Kuang (2007). Real-time Malaysian sign language translation using colour segmentation and neural network. *Instrumentation and Measurement Technology Conference* pp.1–6. Conference Proceedings.
- Al-Rousan, M. Assaleh, K. and Tala'a, A. (2009). Video-based signer-independent Arabic sign language recognition using hidden Markov models. *Applied Soft Computing*, 9(3), 990–999. Journal Article.
- Asriani, F. and Susilawati, H. (2010). Static Hand Gesture Recognition of Indonesian Sign Language System Based on Backpropagation Neural Networks. *Makara Seri Teknologi*, 14(2), 150–154.
- Athavale, S. and Deshmukh, M. (2014). Dynamic Hand Gesture Recognition for Human Computer interaction ; A Comparative Study. *International Journal of Engineering Research and General Science*, 2(2), 38–55.
- Auephanwiriyaikul, S. Phitakwinai, S. Suttapak, W. Chanda, P. and Theera-Umpon, N. (2013). Thai sign language translation using scale invariant feature transform and hidden markov models. *Pattern Recognition Letters*, 34(11), 1291–1298.
- Bailador, G. Tröster, G. and Roggen, D. (2007). Real time gesture recognition using Continuous Time Recurrent Neural Networks. *International Conference on Body Area Networks*. pp.454–876. Conference Proceedings.
- Bartkowiak, A. (2004). *Neural Networks And Pattern Recognition*.
- Bellman, R. and Kalaba, R. (1959). On adaptive control processes. *IEEE Transactions on Automatic Control*, 4(2), 1–9.

- Biswas, K.K. and Basu, S.K. (2011). Gesture recognition using Microsoft Kinect. *The 5th International Conference on Automation Robotics and Applications* pp.100–103.
- Braem, P.B. (1995). *Einführung in die Gebärdensprache und ihre Erforschung*. S. Prillwitz & T. Vollhaber, Eds. Popp-Druck, Langenhagen Printed in Germany.
- Brashear, H. Starner, T. Lukowicz, P. and Junker, H. (2003). Using multiple sensors for mobile sign language recognition. *International Symposium on Wearable Computers* pp.45–52.
- Capilla, D.M. (2012). *Sign Language Translator using Microsoft Kinect XBOX 360TM*. (Thesis). University of Tennessee, Knoxville - USA.
- Celebi, S. Aydin, A.S. Temiz, T.T. and Arici, T. (2013). Gesture Recognition Using Skeleton Data with Weighted Dynamic Time Warping. *8th International Conference on Computer Vision Theory and Applications (VISAPP 2013)* p.Paper #79. Accessed from <http://www.visapp.visigrapp.org/Home.aspx?y=2013>
- Chen, Q. El-Sawah, A. Joslin, C. and Georganas, N.D. (2005). A dynamic gesture interface for virtual environments based on hidden Markov models. *IEEE International Workshop on Haptic Audio Visual Environments and Their Applications*, 1–2.
- Chen, Q. Georganas, N.D. and Petriu, E.M. (2008). Hand gesture recognition using Haar-like features and a stochastic context-free grammar. *IEEE Transactions on Instrumentation and Measurement*, 57(8), 1562–1571.
- Chen, X. (2014). *Real-time Action Recognition for RGB- D and Motion Capture Data*. Aalto University School of Science.
- Chou, T.-S. Yen, K.K. Luo, J. Pissinou, N. and Makki, K. (2007). Correlation-Based Feature Selection For Intrusion Detection Design. *Military Communications Conference* pp.1–7.
- Corporation, M. (2013). *Kinect for Windows - Human Interface Guidelines v1.7*. Microsoft Corporation. Accessed from <http://www.microsoft.com/en-us/kinectforwindows/develop/learn.aspx>
- Corporation, M. (2015). Developing with Kinect for Windows. (online). Retrieved from <http://www.microsoft.com/en-us/kinectforwindows> on June 25, 2015.
- Das, S. (2001). Filters, Wrappers and a Boosting-Based Hybrid for Feature Selection. *18th International Conference on Machine Learning* pp.74–81.
- Dash, M. and Liu, H. (1997). Feature selection for classification. *Intelligent Data Analysis*, 1(3), 131–156.
- Dash, M. and Liu, H. (2003). Consistency-based search in feature selection. *Artificial Intelligence*, 151(1–2), 155–176.
- Dinakaran, S. and Thangaiah, P.R.J. (2013). Role of Attribute Selection in Classification Algorithms. *International Journal of Scientific & Engineering Research*, 4(6), 67–

- Dogic, S. and Karli, G. (2014). Sign Language Recognition using Neural Networks. *TEM Journal*, 3(4), 296–301.
- Dymarski, P. (2011). *Hidden Markov Models, Theory and Applications*. Accessed from <http://www.intechopen.com/books/show/title/hidden-markov-models-theory-and-applications>
- Gao, W. Wu, J. Wang, C. and Jiyong Gao Jiangqin, Wu Chunli, Wang, M.W. (2000). A continuous Chinese sign language recognition system. *Proceedings. Fourth IEEE International Conference on Automatic Face and Gesture Recognition* pp.428–433. Conference Proceedings.
- Garg, P. Aggarwal, N. and Sofat, S. (2009). Vision based hand gesture recognition. *World Academy of Science, Engineering and Technology* 49, 972–977.
- Gaus, Y.F.A. and Wong, F. (2012). Hidden Markov Model-Based Gesture Recognition with Overlapping Hand-Head/Hand-Hand Estimated Using Kalman Filter. *2012 Third International Conference on Intelligent Systems Modelling and Simulation*, 262–267.
- Gaus, Y.F.A. Wong, F. Chin, R. Porle, R.R. and Chekima, A. (2013). Analysis and Performance Comparison of the Feature Vectors in Recognition of Malaysian Sign Language. *International Journal of Computer and Electrical Engineering*, 5(1), 65–68.
- Gaus, Y.F.B.A. Tze, F.W.H. and Kin, K.T.T. (2011). Feature extraction from 2D gesture trajectory in Malaysian Sign Language recognition. *4th International Conference on Mechatronics: Integrated Engineering for Industrial and Societal Development, ICOM'11* pp.17–19.
- Geer, D. (2004). Will gesture-recognition technology point the way? *Computer*, 37(10), 20–23.
- Gilorkar, N.K. and Ingle, M.M. (2014). A Review on Feature Extraction for Indian and American Sign Language. *International Journal of Computer Science and Information Technologies*, 5(1), 314–318.
- Goldberg, D.E. (1989). *Genetic Algorithms in Search, Optimization, and Machine Learning*. GEN, Addison Wesley, Reading, Massachusetts.
- Haindl, M. Somol, P. Ververidis, D. and Kotropoulos, C. (2006). Feature selection based on mutual correlation. *Progress in Pattern ...* pp.569–577. Accessed from http://link.springer.com/chapter/10.1007/11892755_59
- Hall, M. (1999). *Correlation-based feature selection for machine learning*. Waikato University.
- Hall, M. a (2000). Feature Selection for Discrete and Numeric Class Machine Learning. *Seventeenth International conference on Machine Learning* pp.1–16.

- Hall, M. and Smith, L. a (1999). Feature Selection for Machine Learning : Comparing a Correlation-based Filter Approach to the Wrapper. *The Twelfth International Florida Artificial Intelligence Research Society Conference* pp.235–239.
- Hasan, M.M. and Mishra, P.K. (2010). HSV Brightness Factor Matching for Gesture Recognition System. *International Journal of Image Processing (IJIP)*, 4(5). Journal Article.
- Hazewinkel, M. (2001). Spherical coordinates. *Encyclopedia of Mathematics*. Springer.
- Imagawa, I. Matsuo, H. Taniguchi, R. Arita, D. Lu, S.L.S. and Igi, S. (2000). Recognition of local features for camera-based sign language recognition system. *15th International Conference on Pattern Recognition. ICPR-2000* pp.849–853.
- Iqbal, M. Purnomo, M.H. and Purnama, I.K.E. (2011). Indonesian sign language recognition system based on flex sensors and accelerometer using Dynamic Time Warping. *The 12th Seminar on Intelligent Technology and ITS Applications*.
- Isabelle Guyon and Elisseeff, A. (2003). An introduction to variable and feature selection. *Journal of Machine Learning Research*, 3, 1157–1182.
- Jangyodsuk, P. and Conly, C. (2014). Sign Language Recognition using Dynamic Time Warping and Hand Shape Distance Based on Histogram of Oriented Gradient Features. *Proceedings of the 7th International Conference on Pervasive Technologies Related to Assistive Environments* pp.1–6.
- Jantawan, B. and Tsai, C. (2014). A Comparison of Filter and Wrapper Approaches with Data Mining Techniques for Categorical Variables Selection. *International Journal of Innovative Research in Computer and Communication Engineering*, 2(6), 4501–4508. Accessed from www.ijirce.com
- Jhon, G.H. Kohavi, R. and Pflieger, K. (2015). Irrelevant Features and the Subset Selection Problem. *Machine Learning: Proceedings of the Eleventh International Conference* pp.121–129.
- Karabasi, M. Bhatti, Z. and Shah, A. (2014). A model for real-time recognition and textual representation of malaysian sign language through image processing. *International Conference on Advanced Computer Science Applications and Technologies, ACSAT* pp.195–200.
- Karami, A. Zanj, B. and Sarkaleh, A.K. (2011). Persian sign language (PSL) recognition using wavelet transform and neural networks. *Expert Systems with Applications*, 38(3), 2661–2667.
- Kelly, D. (2010). *Computational Models for the Automatic Learning and Recognition of Irish Sign Language*. National University of Ireland, Maynooth.
- Khan, R.Z. and Ibraheem, N.A. (2012). aHand Gesture Recognition : A Literature. *International Journal of Artificial Intelligence & Applications (IJAI)*, 3(4), 161–174.

- Khan, R.Z. and Ibraheem, N.A. (2012). Survey on Gesture Recognition for Hand Image Postures. *Computer and Information System*, 5(3), 110–121.
- Koller, D. and Sahami, M. (1996). Toward optimal feature selection. *Proceedings of International Conference on Machine Learning*.
- Kumar, K. and Thakur, G.S.M. (2012). Advanced Applications of Neural Networks and Artificial Intelligence: A Review. *International Journal of Information Technology and Computer Science*, 4(6), 57–68.
- Kumar, S. (2004). *Neural Networks: A Classroom Approach*. 2nd ed. New Delhi: Tata McGraw Hill Education Private. Accessed from <http://cs.jnu.edu.cn/international/soft/pptchapter08.pdf>
- Lang, S. Block, M. Rojas, R. and Simon Lang Rojas Raúl, B.M. (2011). *Sign Language Recognition Using Kinect*. (CHAP) L. K. Rutkowski Marcin & R. T. Scherer Ryszard Zadeh, Lotfi Zurada, Jacek, Eds. *Artificial Intelligence and Soft Computing*. Springer Berlin / Heidelberg. Retrieved from http://dx.doi.org/10.1007/978-3-642-29347-4_46
- Lang, S. Rojas, R. and Block-Berlitz, M. (2012). *Sign Language Recognition Using Kinect*. Freie Universität Berlin. Retrieved from http://dx.doi.org/10.1007/978-3-642-29347-4_46
- Lee, Y.-H. Tsai, C.-Y. and Lee Cheng-Yueh, Y.-H.T. (2009). Taiwan sign language (TSL) recognition based on 3D data and neural networks. *Expert Systems with Applications*, 36(2, Part 1), 1123–1128. Journal Article.
- Lei, H. and Govindaraju, V. (2005). A comparative study on the consistency of features in on-line signature verification. *Pattern Recognition Letters*, 26(15), 2483–2489.
- Li, H. and Greenspan, M. (2007). *Continuous Time-Varying Gesture Segmentation by Dynamic Time Warping of Compound Gesture Models*. (Thesis) Dept. of Electrical & Computer Engineering. Queen's University, Kingston, Canada.
- Liang, W. Guixi, L. and Hongyan, D. (2015). Dynamic and combined gestures recognition based on multi-feature fusion in a complex environment. *The Journal of China Universities of Posts and Telecommunications*, 22(2), 81–88.
- Liu, H. and Setiono, R. (1996). A probabilistic approach to feature selection - A filter solution. *13th International Conference on Machine Learning* pp.319–327.
- Liu, H. and Yu, L. (2005). Toward integrating feature selection algorithms for classification and clustering. *IEEE Transactions on Knowledge and Data Engineering*, 17(4), 491–502.
- Lowe, D.G. (2004). Distinctive Image Features from Scale-Invariant Keypoints. *International Journal of Computer Vision*, 60(2), 91–110.
- Lungociu, C. (2011). Real time sign language recognition using artificial neural networks. *Studia Univ. Babeş-Bolyai, Informatica*, LVI(4), 75–84.

- Maarif, H.A.Q. Akmeliawati, R. and Bilal, S. (2012). Malaysian Sign Language Database for Research. *International Conference on Computer and Communication Engineering* pp.3–5.
- Mamat, M. Majid, M.A. and Abdullah, R. (2014). MCMSL Translator : Malaysian Text Translator For Manually Coded Malay Sign Language. *IEEE Symposium on Computers & Informatics (ISCI 2014)*.
- Maraqqa, M. Abu-Zaiter, R. and Manar Maraqqa, R.A.-Z. (2008). Recognition of Arabic Sign Language (ArSL) Using Recurrent Neural Networks. *2008 First International Conference on the Applications of Digital Information and Web Technologies (ICADIWT)*, (ICADIWT 2, 478–48. Journal Article.
- Masitry, A.K. Majid, M.A. Toh, M.Z. Sutarman and Herawan, T. (2013). An Investigation on Learning Performance among Disabled People Using Educational Multimedia Software : A Case Study for Deaf People. *International Journal of Bio-Science and Bio-Technology*, 5(6), 9–20.
- Maung, T.H.H. (2009). Real-Time Hand Tracking and Gesture Recognition System Using Neural Networks., 466–470.
- Mauridhi, M.I. Purnama, E. and Purnomo, H. (2011). Pengenalan Bahasa Isyarat Indonesia Berbasis Sensor Accelerometer dan Sensor Flex Menggunakan Dynamic Time Warping. *Teknik Elektro*. Thesis.
- McKee, C. (2014). *The Signs of Language Revisited: An Anthology to Honor Ursula Bellugi and Edward Klima (review)*. Hove, United Kingdom: Psychology Press.
- Mekala, P. Gao, Y. Fan, J. Davari, A. and Eng, C. (2011). Real-time Sign Language Recognition based on Neural Network Architecture. *Institute of Electrical and Electronics Engineers*, 197–201.
- Mitra, S. and Acharya, T. (2007). Gesture Recognition : A Survey. *IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews*, 37(3), 311–324. Journal Article.
- Mohandes, M.A. (2013). Recognition of Two-Handed Arabic Signs Using the CyberGlove. *Arabian Journal for Science and Engineering*, 38(3), 669–677.
- Monirul Kabir, M. Monirul Islam, M. and Murase, K. (2010). A new wrapper feature selection approach using neural network. *Neurocomputing*, 73(16–18), 3273–3283.
- Munib, Q. Habeeb, M. Takruri, B. and Al-Malik, H.A. (2007). American sign language (ASL) recognition based on Hough transform and neural networks. *Expert Systems with Applications*, 32(1), 24–37.
- Nasser Dardas and Georganas, N.D. (2011). Real-Time Hand Gesture Detection and Recognition Using Bag-of-Features and Support Vector Machine Techniques. *IEEE Transactions on Instrumentation and Measurement*, 60(11), 3592–3607.
- Ng, C.W. and Ranganath, S. (2002). Real-time gesture recognition system and application. *Image and Vision Computing*, 20(13–14), 993–1007. Journal Article.

- Nguyen, T. Huynh, H. and Meunier, J. (2015). Static Hand Gesture Recognition Using Principal Component Analysis Combined with Artificial Neural Network. *Journal of Automation and Control Engineering*, 3(1), 40–45.
- Oz, C. and Leu, M.C. (2011). American Sign Language word recognition with a sensory glove using artificial neural networks. *Engineering Applications of Artificial Intelligence*, 24(7), 1204–1213.
- Paulraj, M.P. Yaacob, S. Desa, H. and Majid, W.M.R.W.A. (2009). Gesture recognition system for Kod Tangan Bahasa Melayu (KTBM) using neural network. *2009 5th International Colloquium on Signal Processing & Its Applications* pp.19–22. Conference Proceedings.
- Principe, J.C. Euliano, N.R. and Lefebvre, W.C. (2000). *Neural and Adaptive Systems: Fundamentals Through Simulations*. Wiley.
- Quan, Y. and Jinye, P. (2008). Application of improved sign language recognition and synthesis technology in IB. *IEEE Conference on Industrial Electronics and Applications* pp.1629–1634.
- R. G. Gordon Jr. (2005). Ethnologue: Languages of the World. (online). Retrieved from http://www.ethnologue.com/show_language.asp?code=psg on January 3, 2014.
- Reyes, M. Domínguez, G. and Escalera, S. (2011). Feature weighting in dynamic time warping for gesture recognition in depth data. *Proceedings of the IEEE International Conference on Computer Vision* pp.1182–1188.
- Rusu, R.B. (2015). OpenNI. Open-source SDK for 3D sensors. (online). Retrieved from <http://openni.ru/openni-sdk/index.html> on June 25, 2015.
- Sakar, C.O. Kursun, O. and Gurgen, F. (2012). A feature selection method based on kernel canonical correlation analysis and the minimum Redundancy-Maximum Relevance filter method. *Expert Systems with Applications*, 39(3), 3432–3437.
- Sakhalkar, A. Sanghavi, D. Ajmera, K. Joshi, M. Patil, S. and Rawani, Y. (2014). Gesture Recognition Of American Sign Language : A Neural Network Based Approach. *International Journal Of Science, Engineering And Technology*, 2(4), 76–83.
- Sanchez-Nielsen, E. Hernandez-Tejera, M. and Anton-Canalís, L. (2003). Hand Gesture Recognition for Human- Machine Interaction. *Journal of WSCG*, 12, 1–3. Journal Article.
- Sandjaja, I.N. and Marcos, N. (2009). Sign Language Number Recognition. *Fifth International Joint Conference on INC, IMS and IDC*, 1503–1508. Conference Paper.
- Santiago-Ramírez, E. González-Fraga, J.Á. and Lázaro-Martínez, S. (2012). Face recognition and tracking using unconstrained non-linear correlation filters. *Procedia Engineering*, 35, 192–201.
- Schalkoff, R.J. (1997). *Artificial Neural Networks Hardcover*. McGraw-Hill Companies.

- Scully, P. and Jensen, R. (2011). *Investigating Rough Set Feature Selection for Gene Expression Analysis*. the Aberystwyth University.
- Sebban, M. and Nock, R. (2013). A Hybrid Filter/Wrapper Approach of Feature Selection using Information Theory. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Sharma, K. and Garg, N.K. (2014). Hand Gesture Recognition Using Back Propagation Neural Network and Support Vector Machine. *International Journal of Advances in Computer Science and Communication Engineering (IJACSCE)*, 2(2), 40–46. Accessed from www.sciencepublication.org
- Sharma, M. Pal, R. and Sahoo, A.K. (2014). Indian Sign Language Character Recognition using Neural Networks. *ARPN Journal of Engineering and Applied Sciences*, 9(8), 40–45.
- Shimada, N. Kimura, K. and Shirai, Y. (2001). Real-time 3D hand posture estimation based on 2D appearance retrieval using monocular camera. *Recognition, Analysis, and Tracking of Faces and Gestures in Real-Time Systems*. pp.23–30.
- Shotton, J. Fitzgibbon, A. Cook, M. Sharp, T. and Finocchio, M. (2011). Real-time human pose recognition in parts from single depth images. *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2, 7.
- Siang, J.J. (2012). *Artificial neural networks and programming using MATLAB*. Yogyakarta: ANDI Publisher.
- Stergiopoulou, E. and Papamarkos, N. (2009). Hand gesture recognition using a neural network shape fitting technique. *Engineering Applications of Artificial Intelligence*, 22(8), 1141–1158. Journal Article.
- Swee, T.T. Salleh, S. Ariff, A.K. Ting, C. and Seng, S.K. (2007). Malay Sign Language Gesture Recognition System. *International Conference on Intelligent and Advanced Systems* pp.982–985.
- Tan, C. LIM, K.-S. and LAI, W.-K. (1993). Multi-Dimensional Features Reduction of Consistency Subset Evaluator on Unsupervised Expectation Maximization Classifier for Imaging Surveillance Application Centre for Advanced Informatics. *International Journal of Image Processing*, 2(1), 18–26.
- Tang, A.O. Lu, K.E. Wang, Y. Huang, J.I.E. and Li, H. (2015). A Real-Time Hand Posture Recognition System Using Deep Neural Networks. *ACM Transactions on Intelligent Systems and Technology*, 6(2).
- Tanibata, N. Shimada, N. and Shirai, Y. (2002). Extraction of Hand Features for Recognition of Sign Language Words. *Computer-Controlled Mechanical Systems*. Thesis.
- Tavari, N. V and Deorankar, P.A. V (2014). Implementation of Neural Network based Hand Gesture Recognition System. *International Journal Of Engineering And Computer Science*, 3(6), 6395–6401.

- Temel, T. (2010). Neuromodeling and natural optimization of nonlinear devices and circuits. *System and Circuit Design for Biologically-Inspired Intelligent Learning* 1st ed., p.326. Hershey PA: IGI Global.
- Tin Hninn, H.M. (2009). Real-Time Hand Tracking and Gesture Recognition System Using Neural Networks . Conference Paper, World Academy of Science, Engineering and Technology.
- Tiwari, R. (2010). Correlation-based Attribute Selection using Genetic Algorithm. *International Journal*, 4(8), 28–34.
- Vogler, C. and Metaxas, D. (1999). Parallel hidden Markov models for American sign language recognition. *Proceedings of the Seventh IEEE International Conference on Computer Vision*, 116–122 vol.1.
- Vogler Dimitris, C.M. (2004). *Handshapes and Movements: Multiple-Channel American Sign Language Recognition Gesture-Based Communication in Human-Computer Interaction*. A. V. Camurri Gualtiero, Ed. Book, Springer Berlin Heidelberg.
- Wang, X. Jiang, F. and Yao, H. (2008). DTW/ISODATA algorithm and multilayer architecture in sign language recognition with large vocabulary. *Proceedings - 2008 4th International Conference on Intelligent Information Hiding and Multimedia Signal Processing, IHH-MSP 2008* pp.1399–1402.
- Wang, Y. Yang, C. Wu, X. Xu, S. Li, H. and Wang Cheng Wu, Xiaoyu Xu, Shengmiao Li, Hui Xu, Shengmiao Li, Hui, Y.Y. (2012). Kinect Based Dynamic Hand Gesture Recognition Algorithm Research. *Intelligent Human-Machine Systems and Cybernetics (IHMSC)* pp.274–279. Conference Proceedings.
- Weisstein, E.W. (2015). Spherical Coordinates. (online). Retrieved from <http://mathworld.wolfram.com/SphericalCoordinates.html> on May 23, 2015.
- Wong, F. Sainarayanan, G. Abdullah, W.M. Chekima, A. Jupirin, F.E. and Gaus, Y.F.A. (2013). Software-based Malaysian sign language recognition. *Advances in Intelligent Systems and Computing*, 182 AISC, 297–306.
- Xingyan, L. (2003). *Gesture Recognition Based On Fuzzy C-Means Clustering Algorithm*. (Thesis) Department Of Computer Science . The University Of Tennessee Knoxville.
- Xu, J. and Yang, J. (2006). Sign Language Classification Using Search Algorithms.
- Yu, L. and Liu, H. (2003). Feature Selection for High-Dimensional Data : A Fast Correlation-Based Filter Solution. *Proceedings of the Twentieth International Conference on Machine Learning (ICML-2003)*.
- Zhang, L. Hsieh, J.-C. and Wang, J. (2012). A Kinect-based golf swing classification system using HMM and Neuro-Fuzzy. *Computer Science and Information Processing (CSIP)* pp.1163–1166. Conference Proceedings.
- Zhang, T. (2011). Adaptive forward-backward greedy algorithm for learning sparse representations. *IEEE Transactions on Information Theory*, 57(7), 4689–4708.