

REFERENCES

- Abayomi, T. (2007). *Adaptive Antenna-array Processing: A DSP Implementation*. Retrieved from Eindhoven, Netherland
- Abdulrahman, O. K., Rahman, M. M., Hassnawi, L., & Ahmad, R. B. (2015). Modifying MVDR Beamformer for Reducing Direction-of-Arrival Estimation Mismatch. *Arabian Journal for Science and Engineering*, 41(9), 3321-3334.
- Adams, R. N., Horowitz, L. L., & Senne, K. D. (1980). Adaptive main-beam nulling for narrow-beam antenna arrays. *IEEE Transactions on Aerospace and Electronic Systems*, 16(4), 509-516.
- Aelterman, J., Goossens, R., Declercq, F., & Rogier, H. (2009). Ant colony optimisation-based radiation pattern manipulation algorithm for Electronically Steerable Array Radiator Antennas. *IET science, measurement & technology*, 3(4), 302-311.
- Akdagli, A., Guney, K., & Babayigit, B. (2007). Clonal selection algorithm for design of reconfigurable antenna array with discrete phase shifters. *Journal of Electromagnetic Waves and Applications*, 21(2), 215-227.
- Aldmour, I. (2017). Wireless Broadband Tools and Their Evolution Towards 5G Networks. *Wireless Personal Communications*, 1-26.
- Alexiou, A., & Haardt, M. (2004). Smart antenna technologies for future wireless systems: trends and challenges. *IEEE Communications Magazine*, 42(9), 90-97.
- Ali, R. L., Ali, A., Khan, S. A., & Malik, S. A. (2011). Adaptive Beamforming Algorithms for Anti-Jamming. *International Journal of Signal Processing, Image Processing and Pattern Recognition*, 4(1), 95-106.
- Altinoz, O. T., & Yilmaz, A. E. (2011). *Calculation of optimized parameters of rectangular patch antenna using gravitational search algorithm*. Paper presented at the International Symposium on Innovations in Intelligent Systems and Applications.
- Amin, M. G. (1992). Concurrent nulling and locations of multiple interferences in adaptive antenna arrays. *IEEE Transactions on Signal Processing*, 40(11), 2658-2668.
- Anderson, S., Hagerman, B., Dam, H., Forssen, U., Karlsson, J., Kronestedt, F., . . . Molnar, K. J. (1999). Adaptive antennas for GSM and TDMA systems. *IEEE Personal Communications*, 6(3), 74-86.
- Anderson, S., Millnert, M., Viberg, M., & Wahlberg, B. (1991). An adaptive array for mobile communication systems. *IEEE Transactions on Vehicular Technology*, 40(1), 230-236.

- Andersson, S., Carlqvist, B., Hagerholm, B., & Lagerholm, R. (1999). Enhancing cellular network capacity with adaptive antennas. *ERICSSON REV (Engled)*, 76(3), 138-141.
- Applebaum, S., & Chapman, D. (1976). Adaptive arrays with main beam constraints. *IEEE Transactions on Antennas and Propagation*, 24(5), 650-662. doi:10.1109/TAP.1976.1141416
- Aragon-Zavala, A. (2008). *Antennas and propagation for wireless communication systems* (2nd ed.). Hershey, New York, US: John Wiley & Sons.
- Aziz, A., Qureshi, M. A., Iqbal, M. J., Farooq, S. Z. A. Z., & Ahmad, U. (2010). *Performance and quality analysis of adaptive Beam forming algorithms (LMS, CMA, RLS & CGM) for smart antennas*. Paper presented at the 3rd International Conference on Computer and Electrical Engineering (ICCEE'10), Hong Kong.
- Bai, Y.-Y., Xiao, S., Liu, C., & Wang, B.-Z. (2013). A hybrid IWO/PSO algorithm for pattern synthesis of conformal phased arrays. *IEEE Transactions on Antennas and Propagation*, 61(4), 2328-2332.
- Balaban, P., & Salz, J. (1992). Optimum diversity combining and equalization in digital data transmission with applications to cellular mobile radio. I. Theoretical considerations. *IEEE Transactions on Communications*, 40(5), 885-894.
- Balanis, C. A. (2005). *Antenna theory: analysis and design* (Vol. 1). New Jersey: John Wiley & Sons.
- Balanis, C. A., & Ioannides, P. I. (2007). *Introduction to smart antennas*. Arizona, USA: Morgan and Claypool Publishers.
- Bartlett, M. S. (1948). Smoothing periodograms from time series with continuous spectra. *Nature*, 161(4096), 686-687.
- Barton, P. (1980). Digital beam forming for radar. *IEE Proceedings Communications, Radar and Signal Processing*, 127(4), 266-277.
- Bellofiore, S., Balanis, C. F. A., Foutz, J., & Spa, A. S. (2002). Smart-antenna systems for mobile communication networks. Part 1. Overview and antenna design. *IEEE Antennas and Propagation Magazine*, 44(3), 145-154.
- Bellofiore, S., Foutz, J., Balanis, C. A., & Spanias, A. S. (2002). Smart-antenna system for mobile communication networks. Part 2. Beamforming and network throughput. *IEEE Antennas and Propagation Magazine*, 44(4), 106-114.
- Bellofiore, S., Foutz, J., Govindarajula, R., Bahçeci, I., Balanis, C. A., Spanias, A. S., . . . Duman, T. M. (2002). Smart antenna system analysis, integration and performance for mobile ad-hoc networks (MANETs). *IEEE Transactions on Antennas and Propagation*, 50(5), 571-581.
- Besson, O., & Vincent, F. E. (2005). Performance analysis of beamformers using generalized loading of the covariance matrix in the presence of random steering vector errors. *Signal Processing, IEEE Transactions on*, 53(2), 452-459.

- Bevelacqua, P. J. (2008). *Antenna arrays: Performance limits and geometry optimization*. (Ph.D. dissertation), Arizona State University.
- Boeringer, D. W., Werner, D. H., & Machuga, D. W. (2005). A simultaneous parameter adaptation scheme for genetic algorithms with application to phased array synthesis. *IEEE Transactions on Antennas and Propagation*, 53(1), 356-371.
- Bottomley, G. E., & Molnar, K. J. (1997). *Interference cancellation for improved channel estimation in array processing MLSE receivers*. Paper presented at the IEEE 47th Vehicular Technology Conference, Phoenix, Arizona, US.
- Boukalov, A. O., & Haggman, S.-G. (2000). System aspects of smart-antenna technology in cellular wireless communications-an overview. *IEEE Transactions on Microwave Theory and Techniques*, 48(6), 919-929.
- Brookner, E. (1984). Trends in array radars for the 1980's and beyond. *IEEE Antennas and Propagation Society Newsletter*, 26(2), 27-30.
- Brookner, E. (1985). Phased-array radars. *Scientific American*, 252(2), 94-102.
- Brookner, E. (1991). *Practical phased-array antenna systems*. Boston, US: Artech house.
- Brunner, C., Haardt, M., & Nossek, J. (1999). *On space-time rake receiver structures for WCDMA*. Paper presented at the Conference Record of the 33th Asilomar Conference on Signals, Systems, and Computers, Pacific Grove, CA.
- Brunner, C., Haardt, M., & Nossek, J. A. (1999). *Adaptive space-frequency RAKE receivers for WCDMA*. Paper presented at the Proceedings of IEEE International Conference on Acoustics, Speech, and Signal Processing, Phoenix, Arizona, USA.
- Caorsi, S., Donelli, M., Lommi, A., & Massa, A. (2003). A real-time approach to array control based on a learned genetic algorithm. *Microwave and Optical Technology Letters*, 36(4), 235-238.
- Capon, J. (1969). High-resolution frequency-wavenumber spectrum analysis. *Proceedings of the IEEE*, 57(8), 1408-1418.
- Chatterjee, A., Mahanti, G. K., & Mahapatra, P. R. S. (2011). Design of fully digital controlled reconfigurable dual-beam concentric ring array antenna using gravitational search algorithm. *Progress In Electromagnetics Research C*, 18, 59-72.
- Chatterjee, A., Mahanti, G. K., & Pathak, N. N. (2010). Comparative performance of gravitational search algorithm and modified particle swarm optimization algorithm for synthesis of thinned scanned concentric ring array antenna. *Progress in Electromagnetics Research B*, 25, 331-348.
- Chen, T., Chen, Y., Jiao, Y., & Zhang, E. (2005). *Synthesis of antenna array using particle swarm optimization*. Paper presented at the Asia-Pacific Conference Proceedings on Microwave

- Chen, Y., Le-Ngoc, T., Champagne, B., & Xu, C. (2004). Recursive least squares constant modulus algorithm for blind adaptive array. *IEEE Transactions on Signal Processing*, 52(5), 1452-1456.
- Chen, Y. L., & Lee, J.-H. (2012). Finite data performance analysis of LCMV antenna array beamformers with and without signal blocking. *Progress In Electromagnetics Research*, 130, 281-317.
- Chen, Z., Gokeda, G., & Yu, Y. (2010). *Introduction to Direction-of-arrival Estimation*: Artech House.
- Chiti, F., Fantacci, R., Maccari, L., Marabissi, D., & Tarchi, D. (2008). A broadband wireless communications system for emergency management. *IEEE Wireless Communications*, 15(3), 8-14.
- Choi, R. L.-U., Murch, R. D., & Letaief, K. (2003). MIMO CDMA antenna system for SINR enhancement. *IEEE Transactions on Wireless Communications*, 2(2), 240-249.
- Choi, S., & Kim, D. H. (1992). *Adaptive antenna array utilizing the conjugate gradient method for compensation of multipath fading in a land mobile communication*. Paper presented at the IEEE 42nd Vehicular Technology Conference.
- Choi, S., & Shim, D. (2000). A novel adaptive beamforming algorithm for a smart antenna system in a CDMA mobile communication environment. *IEEE Transactions on Vehicular Technology*, 49(5), 1793-1806.
- Choi, S., & Yun, D. (1997). Design of an adaptive antenna array for tracking the source of maximum power and its application to CDMA mobile communications. *IEEE Transactions on Antennas and Propagation*, 45(9), 1393-1404.
- Chryssomallis, M. (2000). Smart antennas. *IEEE Antennas and Propagation Magazine*, 42(3), 129-136.
- Chung, Y. C., & Haupt, R. L. (2000). Amplitude and phase adaptive nulling with a genetic algorithm. *Journal of Electromagnetic Waves and Applications*, 14(5), 631-649.
- Compton, R. T. (1982). Effects of random steering vector errors in the applebaum array. *IEEE Aerospace and electronic Systems*, AES-18, 392-400.
- Compton, R. T. (1988). *Adaptive antennas: concepts and performance*. Englewood Cliffs, N.J.: Prentice Hall.
- Curtis, T., & Ward, R. (1980). Digital beam forming for sonar systems. *Communications, Radar and Signal Processing, IEE Proceedings F*, 127(4), 257-265.
- Darzi, S., Islam, M. T., Tiong, S. K., Kibria, S., & Singh, M. (2015). Stochastic Leader Gravitational Search Algorithm for Enhanced Adaptive Beamforming Technique. *PloS one*, 10(11), e0140526.

- Darzi, S., Tiong, S. K., Islam, M. T., Ismail, M., & Kibria, S. (2014). *Optimal null steering of minimum variance distortionless response adaptive beamforming using particle swarm optimization and gravitational search algorithm*. Paper presented at the IEEE 2nd International Symposium on Telecommunication Technologies (ISTT).
- Darzi, S., Tiong, S. K., Islam, M. T., Ismail, M., Kibria, S., & Salem, B. (2014). Null Steering of Adaptive Beamforming Using Linear Constraint Minimum Variance Assisted by Particle Swarm Optimization, Dynamic Mutated Artificial Immune System, and Gravitational Search Algorithm. *The Scientific World Journal*, 2014.
- Das, S. (2008). *Smart antenna design for wireless communication using adaptive beamforming approach*. Paper presented at the IEEE Region 10 Conference, (TENCON'08), Hyderabad, India.
- Davies, D. (1967). Independent angular steering of each zero of the directional pattern for a linear array. *Antennas and Propagation, IEEE Transactions on*, 15(2), 296-298.
- Dib, N. I., Goudos, S. K., & Muhsen, H. (2010). Application of Taguchi's optimization method and self-adaptive differential evolution to the synthesis of linear antenna arrays. *Progress In Electromagnetics Research*, 102, 159-180.
- Dick, C., Harris, F., Pajic, M., & Vuletic, D. (2006). *Real-time QRD-based beamforming on an FPGA platform*. Paper presented at the Fortieth Asilomar Conference on Signals, Systems and Computer (ACSSC' 06), Virginia, CA.
- Donelli, M., Azaro, R., De Natale, F. G., & Massa, A. (2006a). An innovative computational approach based on a particle swarm strategy for adaptive phased-arrays control. *IEEE Transactions on Antennas and Propagation*, 54(3), 888-898.
- Donelli, M., Azaro, R., De Natale, F. G., & Massa, A. (2006b). An innovative computational approach based on a particle swarm strategy for adaptive phased-arrays control. *IEEE Transactions on Antennas and Propagation*, 54(3), 888-898.
- Dong, J., Yang, J., Lei, W., Shi, R., & Guo, Y. (2012). *Antenna array design in MIMO radar using cyclic difference sets and simulated annealing*. Paper presented at the International Conference on Microwave and Millimeter Wave Technology (ICMMT'16).
- Duman, S., Yorukeren, N., & Altas, I. H. (2015). A novel modified hybrid PSO-GSA based on fuzzy logic for non-convex economic dispatch problem with valve-point effect. *International Journal of Electrical Power & Energy Systems*, 64, 121-135.
- Eberhart, R. C., & Kennedy, J. (1995). *A new optimizer using particle swarm theory*. Paper presented at the Proceedings of the sixth international symposium on micro machine and human science.

- El-Keyi, A., & Champagne, B. (2008). *Cooperative MIMO-beamforming for multiuser relay networks*. Paper presented at the IEEE International Conference on Acoustics, Speech and Signal Processing, (ICASSP'08). Las Vegas, VA, USA.
- El Zooghby, A. (2005). *Smart antenna engineering*. Norwood, MA, USA: Artech House, Inc.
- Eleftheriou, E., & Falconer, D. (1986). Tracking properties and steady-state performance of RLS adaptive filter algorithms. *IEEE transactions on acoustics, speech, and signal processing*, 34(5), 1097-1110.
- Enosawa, K., Haruki, D., & Thron, D. (2006). Normalized least mean square for a smart antenna system. *Freescale Semiconductor, Application Note, Document No. AN3351*.
- Eweda, E., & Macchi, O. (1987). Convergence of the RLS and LMS adaptive filters. *IEEE Transactions on circuits and Systems*, 34(7), 799-803.
- Feldman, D. D., & Griffiths, L. J. (1994). A projection approach for robust adaptive beamforming. *Signal Processing, IEEE Transactions on*, 42(4), 867-876.
- Filho, E. J. M. A., & Cavalcante, G. P. d. S. (1997, 11-14 Aug). *A neural adaptive array antenna to reduces interference signals in communications systems*. Paper presented at the IEEE International Microwave and Optoelectronics Conference, Linking to the Next Century (SBMO/IEEE MTT-S)
- Foutz, J., Spanias, A., & Banavar, M. K. (2008). Narrowband direction of arrival estimation for antenna arrays. *Synthesis Lectures on Antennas #8, Morgan and Claypool publishers series*, 3(1), 17-46.
- Friedlander, B., & Porat, B. (1989). Performance analysis of a null-steering algorithm based on direction-of-arrival estimation. *IEEE Transactions on Acoustics, Speech and Signal Processing*, 37(4), 461-466.
- Frost, O. L. (1972). An algorithm for linearly constrained adaptive array processing. *Proceedings of the IEEE*, 60(8), 926-935.
- Furukawa, H., Kamio, Y., & Sasaoka, H. (2001). Cochanel interference reduction and path-diversity reception technique using CMA adaptive array antenna in digital land mobile communications. *IEEE Transactions on Vehicular Technology*, 50(2), 605-616.
- Geethanjali, V., Mohan, T., & Rao, I. S. (2015). Beamforming Networks to Feed Array Antennas. *Indian Journal of Science and Technology*, 8(S2), 78-81.
- Ghadian, M., Jabbarian-Jahromi, M., & Kahaei, M. (2015). Recursive Sparsity-based MVDR Algorithm for Interference Cancellation in Sensor Arrays. *IETE Journal of Research*, 1-9.
- Godara, L. C. (1986). Error analysis of the optimal antenna array processors. *IEEE Transactions on Aerospace and Electronic Systems*(4), 395-409.

- Godara, L. C. (1996). *Limitations and capabilities of directions-of-arrival estimation techniques using an array of antennas: a mobile communications perspective*. Paper presented at the IEEE International Symposium on Phased Array Systems and Technology
- Godara, L. C. (1997a). Application of antenna arrays to mobile communications. II. Beam-forming and direction-of-arrival considerations. *Proceedings of the IEEE*, 85(8), 1195-1245.
- Godara, L. C. (1997b). Applications of antenna arrays to mobile communications. I. Performance improvement, feasibility, and system considerations. *Proceedings of the IEEE*, 85(7), 1031-1060.
- Godara, L. C. (2001). *Handbook of antennas in wireless communications (Electrical Engineering & Applied Signal Processing Series)* (1 ed.). New York: CRC press.
- Godara, L. C. (2004). *Smart antennas*. Boca Raton: CRC press.
- Goudos, S. K., Gotsis, K. A., Siakavara, K., Vafiadis, E. E., & Sahalos, J. N. (2013). A multi-objective approach to subarrayed linear antenna arrays design based on memetic differential evolution. *IEEE Transactions on Antennas and Propagation*, 61(6), 3042-3052.
- Griffiths, L. J. (1969). A simple adaptive algorithm for real-time processing in antenna arrays. *Proceedings of the IEEE*, 57(10), 1696-1704.
- Gross, F. (2005). *Smart antennas for wireless communications*. New York, US: McGraw-Hill Professional.
- Gross, F. (2007). *Smart antennas Antennas engineering handbook* (4th ed.). New York, NY: McGraw-Hill.
- Gross, F. (2015). *Smart antennas with matlab: principles and applications in wireless communication* (2nd ed.): McGraw-Hill Professional.
- Grove, B. (2011). ArrayComm Advanced Beamforming Commercial with Alvarion. Retrieved from www.arraycomm.com
- Gu, Y. J., Shi, Z.-G., Chen, K. S., & Li, Y. (2008). Robust adaptive beamforming for steering vector uncertainties based on equivalent DOAs method. *Progress In Electromagnetics Research*, 79, 277-290.
- Guney, K., & Basbug, S. (2008). Interference suppression of linear antenna arrays by amplitude-only control using a bacterial foraging algorithm. *Progress In Electromagnetics Research*, 79, 475-497.
- Guney, K., & Durmus, A. (2015). Pattern Nulling of Linear Antenna Arrays Using Backtracking Search Optimization Algorithm. *International Journal of Antennas and Propagation*, 2015.

- Guo, Q., Liao, G., Wu, Y., & Li, J. (2003). Pattern synthesis method for arbitrary arrays based on LCMV criterion. *Electronics Letters*, 39(23), 1628-1630.
- Han, J.-H., Lim, S.-H., & Myung, N.-H. (2012). Array antenna TRM failure compensation using adaptively weighted beam pattern mask based on genetic algorithm. *IEEE Antennas and Wireless Propagation Letters*, 11, 18-21.
- Han, R. (2009). Pattern Synthesis of Sparse Phased Array Antenna Using Genetic Algorithms. *Modern Applied Science*, 3(9), 91-94.
- Hansen, R. C. (2009). *Phased array antennas*: John Wiley & Sons.
- Hariyanto, H., Santoso, H., & Widiawan, A. K. (2009). *Emergency broadband access network using low altitude platform*. Paper presented at the International Conference on Instrumentation, Communications, Information Technology, and Biomedical Engineering (ICICI-BME).
- Haykin, S. (2013). *Adaptive Filter Theory* (4th ed.): Prentice Hall.
- Haykin, S., Justice, J. H., Owsley, N. L., Yen, J., & Kak, A. C. (1985). *Array signal processing* (1st ed.). United States: Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Hema, N., Kidav, J. U., & Lakshmi, B. (2015). VLSI Architecture for Broadband MVDR Beamformer. *Indian Journal of Science and Technology*, 8(19).
- Hong, Y.-W., Huang, W.-J., Chiu, F.-H., & Kuo, C.-C. J. (2007). Cooperative communications in resource-constrained wireless networks. *IEEE Signal Processing Magazine*, 24(3), 47-57.
- Hornby, G. S., Globus, A., Linden, D. S., & Lohn, J. D. (2006). Automated antenna design with evolutionary algorithms. 19-21.
- Howells, P. (1976). Explorations in fixed and adaptive resolution at GE and SURC. *IEEE Transactions on Antennas and Propagation*, 24(5), 575-584.
- Hudson, J. E. (1981). *Adaptive array principles*. London: Peter Peregrinus Ltd.,
- Hudson, J. E. (1989). *Adaptive array principles*. Peregrinus, London: IET Electromagnetic Waves series.
- Huynh, T.-T., Dinh-Duc, A.-V., Tran, C.-H., & Le, T.-A. (2015). *Balance Particle Swarm Optimization and gravitational search algorithm for energy efficient in heterogeneous wireless sensor networks*. Paper presented at the International Conference on Computing & Communication Technologies-Research, Innovation, and Vision for the Future (RIVF).
- Hyun, S., Kim, J., Choi, S., Pucker, L., & Fette, B. (2007). Standardizing smart antenna API for SDR networks. *RF DESIGN*, 30(9), 34.
- Jakes, W. C. (1971). A comparison of specific space diversity techniques for reduction of fast fading in UHF mobile radio systems. *IEEE Transactions on Vehicular Technology*, 20(4), 81-92.

- Jayaprakasam, S., Rahim, S., & Leow, C. Y. (2015). PSOGSA-explore: A new hybrid metaheuristic approach for beam pattern optimization in collaborative beamforming. *Applied Soft Computing*, 30, 229-237.
- Jayaprakasam, S., Rahim, S. K. A., Leow, C. Y., & Tiew On, T. (2015, 21-23 April 2015). *Interference reduction and capacity improvement in collaborative beamforming networks via directivity optimization*. Paper presented at the International Conference on Computer, Communications, and Control Technology (I4CT'15).
- Jayaprakasam, S., Rahim, S. K. A., Leow, C. Y., & Yusof, M. F. M. (2014). *Beam pattern optimization in distributed beamforming using multiobjective and metaheuristic method*. Paper presented at the IEEE Symposium on Wireless Technology and Applications (ISWTA).
- Jeng, S.-S., Okamoto, G. T., Xu, G., Lin, H.-P., & Vogel, W. J. (1998). Experimental evaluation of smart antenna system performance for wireless communications. *IEEE Transactions on Antennas and Propagation*, 46(6), 749-757.
- Jin, J., Wang, H., Zhu, W., & Liu, Y. (2006). Array patterns synthesizing using genetic algorithm. *PIERS Online*, 2(1), 64-68.
- Johnson, D., & DeGraaf, S. (1982). Improving the resolution of bearing in passive sonar arrays by eigenvalue analysis. *IEEE transactions on acoustics, speech, and signal processing*, 30(4), 638-647.
- Johnson, D. H., & Dudgeon, D. E. (1992). *Array signal processing: concepts and techniques*. Upper Saddle River, NJ, US: Prentice Hall Signal Processing Series.
- Johnson, D. H., & Dudgeon, D. E. (1993). *Array Signal Processing-Concepts and Techniques* (1st ed.). Englewood Cliffs: Prentice-Hall.
- Josefsson, L. (1992). *Antenna pattern synthesis*. Paper presented at the IEEE International Symposium Antennas and Propagation Society (AP-S Digest. Held in Conjunction with: URSI Radio Science Meeting and Nuclear EMP Meeting).
- Kaid Omar, O., Debbat, F., & Boudghene Stambouli, A. (2012). Null steering beamformer using hybrid algorithm based on honey bees mating optimisation and Tabu search in adaptive antenna array. *Progress In Electromagnetics Research C*, 32, 65-80.
- Kaiser, T., Bourdoux, A., Boche, H., Fonollosa, J. R., Andersen, J. B., & Utschick, W. (2005). *Smart Antennas: State of the Art. EURASIP Book Series on Signal Processing and Communications*. New York, US: Hindawi Publishing.
- Karaboga, D., Guney, K., & Akdagli, A. (2004). Antenna array pattern nulling by controlling both amplitude and phase using modified touring ant colony optimization algorithm. *International journal of electronics*, 91(4), 241-251.
- Kaur, A., & Goyal, M. S. (2013). Comparative Analysis of Side Lobe Level Reduction Optimization Algorithms of Linear Antenna Array. *International Journal of*

Advanced Research in Computer and Communication Engineering, 2(8), 3054-3057.

- Kennedy, J., & Eberhart, R. (1995). *Particle swarm optimization*. Paper presented at the Proceedings of IEEE International Conference on Neural Networks (ICNN'95). Perth, Australia.
- Kershaw, D. S. (1978). The incomplete Cholesky–conjugate gradient method for the iterative solution of systems of linear equations. *Journal of Computational Physics*, 26(1), 43-65.
- Khaldoon, A. O., Rahman, M. M., Ahmad, R. B., Ali, Z. G., & Hassnawi, L. A. (2015). Robust Model for DOA Estimation and Interference Cancellation in Multi-Signals Environment. *Journal of Theoretical and Applied Information Technology*, 77(1), 44-51.
- Khaldoon, A. O., Rahman, M. M., Ahmad, R. B., & Hassnawi, L. A. (2014). *Enhanced uniform linear array performance using modified minimum variance distortionless response beamformer algorithm*. Paper presented at the 2nd International Conference on Electronic Design (ICED).
- Khaldoon, A. O., Rahman, M. M., Hassnawi, L., Ahmad, R. B., & Balasem, S. (2014). *Behavior of modified MVDR beamformer algorithm with realistic scenario*. Paper presented at the 2nd International Conference on Electronic Design (ICED' 14).
- Kobayakawa, S., Tsutsui, M., & Tanaka, Y. (2000). *A blind calibration method for an adaptive array antenna in DS-CDMA systems using an MMSE algorithm*. Paper presented at the IEEE 51st Vehicular Technology Conference Proceedings, (VTC2000), Tokyo, Japan.
- Kohno, R., Imai, H., Hatori, M., & Pasupathy, S. (1990). Combinations of an adaptive array antenna and a canceller of interference for direct-sequence spread-spectrum multiple-access system. *IEEE journal on Selected Areas in Communications*, 8(4), 675-682.
- Koulouridis, S., Psychoudakis, D., & Volakis, J. L. (2007). Multiobjective optimal antenna design based on volumetric material optimization. *IEEE Transactions on Antennas and Propagation*, 55(3), 594-603.
- Kraus, J. D., & Marhefka, R. J. (2001). *Antenna for all applications* (3rd ed.). NJ: USA: McGraw-Hill Higher Education.
- Krim, H., & Viberg, M. (1996). Two decades of array signal processing research: the parametric approach. *IEEE Signal Processing Magazine*, 13(4), 67-94.
- Kum, D., Kang, D., & Choi, S. (2014). Novel SINR-based user selection for an MU-MIMO system with limited feedback. *ETRI journal*, 36(1), 62-68.
- Kumar, A., & Murthy, P. (1977). Synthesis of equally excited linear arrays. *IEEE Transactions on Antennas and Propagation*, 25(3), 425-428.

- Lakshmi, A. J. (2010). Phased Array Antenna and Beamforming Subsystems in Phased Array Radar. *International Journal of Engineering Science and Technology*, 1(2), 1253-1259.
- Lavate, T., Kokate, V., & Mani, G. (2010). *Non Blind & Blind Adaptive Array Smart Antenna Beam Forming Algorithms for W-Cdma Mobile Communication Systems*. Paper presented at the Second International Conference on Computer Engineering and Applications (ICCEA).
- Lazar, A. (2002). Heuristic Knowledge Discovery for Archaeological Data Using Genetic Algorithms and Rough Sets *Heuristics and Optimization for Knowledge Discovery* (pp. 263-266): Idea group Publishing.
- Lee, J.-H., & Chen, Y. L. (2011). Performance analysis of antenna array beamformers with mutual coupling effects. *Progress in Electromagnetics Research B*, 33, 291-315.
- Lee, M.-S. (2009). Wideband Capon beamforming for a planar phased radar array with antenna switching. *ETRI journal*, 31(3), 321-323.
- Lee, T.-H., & Choi, T. (2011). *Self-powered wireless communication platform for disaster relief*. Paper presented at the 13th Asia-Pacific Network Operations and Management Symposium (APNOMS'11).
- Lee, W.-c., An, K.-c., Choi, S., & Choi, J. (2003). *Adaptive Beamforming Technique with Modified Eigen-Space Method for Smart Antenna System in IS-2000 1x Signal ENVIRONMENT*. Paper presented at the CDMA International Conference (CIC'03), Seoul Korea.
- Lee, W. C. (2010). *Mobile communications design fundamentals* (Vol. 25): John Wiley & Sons.
- Lehne, P. H., & Pettersen, M. (1999). An overview of smart antenna technology for mobile communications systems. *IEEE communications surveys*, 2(4), 2-13.
- Leng, S., Ser, W., & Ko, C. (2008). *A simple constrained based adaptive null steering algorithm*. Paper presented at the 16th European Signal Processing Conference, (EUSIPCO '08).
- Li, H., Yao, Y.-D., & Yu, J. (2007). Outage probabilities of wireless systems with LCMV beamforming. *IEEE Transactions on Wireless Communications*, 6(10), 3515-3523.
- Li, W.-T., Shi, X.-W., & Hei, Y.-Q. (2008). An improved particle swarm optimization algorithm for pattern synthesis of phased arrays. *Progress In Electromagnetics Research*, 82, 319-332.
- Li, W.-T., Shi, X.-W., Xu, L., & Hei, Y.-Q. (2008). Improved GA and PSO culled hybrid algorithm for antenna array pattern synthesis. *Progress In Electromagnetics Research*, 80, 461-476.

- Liberti, J. C., & Rappaport, T. S. (1999). *Smart antennas for wireless communications: IS-95 and third generation CDMA applications*: Prentice Hall PTR.
- Lin, J.-R., Peng, Q.-c., & Shao, H.-z. (2007). On diagonal loading for robust adaptive beamforming based on worst-case performance optimization. *ETRI journal*, 29(1), 50-58.
- Litva, J., & Lo, T. K. (1996). *Digital beamforming in wireless communications*: Artech House, Inc.
- Liu, F., Wang, J., Sun, C., & Du, R. (2011). Robust MVDR beamformer for nulling level control via multi-parametric quadratic programming. *Progress In Electromagnetics Research C*, 20, 239-254.
- Liu, J., Li, H., & Himed, B. (2014). Joint optimization of transmit and receive beamforming in active arrays. *Signal Processing Letters, IEEE*, 21(1), 39-42.
- Lorenz, R. G., & Boyd, S. P. (2005). Robust minimum variance beamforming. *IEEE Transactions on Signal Processing*, 53(5), 1684-1696.
- Lu, Z., Li, Y., Gao, M.-L., & Zhang, Y. (2013). Interference covariance matrix reconstruction via steering vectors estimation for robust adaptive beamforming. *Electronics Letters*, 49(22), 1373-1374.
- Ma, M. T. (1974). *Theory and application of antenna arrays*: John Wiley & Sons.
- Magdy, A., El-Ghandour, O. M., & Hamed, H. F. (2015a). *Adaptive Beam-forming Optimization Based Hybrid PSO-GSA Algorithm for Smart Antennas Systems*. Paper presented at the Progress In Electromagnetics Research Symposium, Prague, Czech Republic.
- Magdy, A., EL-Ghandour, O. M., & Hamed, H. F. (2015b). Performance Enhancement for Adaptive Beam-Forming Application Based Hybrid PSO-GSA Algorithm. *Journal of Electromagnetic Analysis and Applications*, 7(4), 126-133.
- Magdy, A., Mahmoud, K., Abdel-Gawad, S., & Ibrahim, I. (2013). Direction of Arrival Estimation Based on Maximum Likelihood Criteria Using Gravitational Search Algorithm. *PIERS Proceedings*, 1162-1167.
- Mahmoud, K. R., & Hamad, S. (2014). Parallel implementation of hybrid GSA-NM algorithm for adaptive beam-forming applications. *Progress in Electromagnetics Research B*, 58, 47-57.
- Mailloux, R. J. (2005). *Phased array antenna handbook* (2nd Ed. Vol. 2): Artech House Boston, MA.
- Malaysian Communications and Multimedia Commission. (2011). SKMM-MCMC Annual Report. Retrieved from <http://www.skmm.gov.my/skmmgovmy/media/General/pdf/>
- Mallipeddi, R., Lie, J. P., Suganthan, P., Razul, S. G., & See, C. M. S. (2011a). A differential evolution approach for robust adaptive beamforming based on joint

- estimation of look direction and array geometry. *Progress In Electromagnetics Research*, 119, 381-394.
- Mallipeddi, R., Lie, J. P., Suganthan, P., Razul, S. G., & See, C. M. S. (2011b). Near optimal robust adaptive beamforming approach based on evolutionary algorithm. *Progress in Electromagnetics Research B*, 29, 157-174.
- Mangoud, M. A.-A., & Elragal, H. (2009). Antenna array pattern synthesis and wide null control using enhanced particle swarm optimization. *Progress in Electromagnetics Research B*, 17, 1-14.
- Manolakis, D. G., Ingle, V. K., & Kogon, S. M. (2005a). *Statistical and adaptive signal processing: spectral estimation, signal modeling, adaptive filtering, and array processing* (Vol. 46): Artech House Norwood.
- Manolakis, D. G., Ingle, V. K., & Kogon, S. M. (2005b). *Statistical and adaptive signal processing: spectral estimation, signal modeling, adaptive filtering, and array processing*. Norwood, MA, USA: Artech House, Inc.
- Manteghi, M., & Blanco, R. (2013). A novel technique for a low-cost digital phased array design. *IEEE Transactions on Antennas and Propagation*, 61(7), 3495-3501.
- Mirjalili, S., & Hashim, S. Z. M. (2010). *A new hybrid PSO-GSA algorithm for function optimization*. Paper presented at the international conference on Computer and information application (ICCIA'10),.
- Mirjalili, S., Hashim, S. Z. M., & Sardroudi, H. M. (2012). Training feedforward neural networks using hybrid particle swarm optimization and gravitational search algorithm. *Applied Mathematics and Computation*, 218(22), 11125-11137.
- Mirjalili, S., & Lewis, A. (2014). Adaptive gbest-guided gravitational search algorithm. *Neural Computing and Applications*, 25(7-8), 1569-1584.
- Mohamadi, F. (2005). A proposed completely electronically controlled beamforming technology for coverage enhancement. *IEEE Press*, 15.
- Monzingo, R. A., & Miller, T. W. (1980). *Introduction to adaptive arrays*. New York: John Wiley & Sons Inc.,
- Mouhamadou, M., Vaudon, P., & Rammal, M. (2006). Smart antenna array patterns synthesis: Null steering and multi-user beamforming by phase control. *Progress In Electromagnetics Research*, 60, 95-106.
- Mu, P., Li, D., Yin, Q., & Guo, W. (2013). Robust MVDR beamforming based on covariance matrix reconstruction. *Science China Information Sciences*, 56(4), 1-12.
- Naguib, A. F., & Paulraj, A. (1994). *Performance of CDMA cellular networks with base-station antenna arrays*. Paper presented at the International Zurich seminar on digital communications, Zurich, Switzerland.

- O' Hara, B., & Petrick, A. (1999). *The IEEE 802.11 Handbook: A Designer's Companion*. The Institute of Electrical and Electronics Engineers. *IEEE Press*.
- Okamoto, G. (2006). *Smart antenna systems and wireless LANs* (Vol. 474): Springer Science & Business Media.
- Okamoto, G., & Chen, C.-W. (2000). *Capacity improvement of smart antenna system via the maximum SINR beamforming algorithm*. Paper presented at the International Conference on Signal Processing Applications and Technology {ICSPAT}.
- Okamoto, G., Jeng, S.-S., Tseng, S., & Xu, G. (1998). *Evaluation of beamforming algorithm effectiveness for the smart wireless lan system*. Paper presented at the IEEE 48th Conference Vehicular Technology (VTC'98).
- Oliner, A. A., & Knittel, G. H. (1972). *Phased array antennas*. Boston, US: Artech House Publishers.
- Ong, L. T. (2015). Adaptive Beamforming Algorithms for Cancellation of Multiple Interference Signals. *Progress In Electromagnetics Research M*, 43, 109-118.
- Oppenheim, A. V. (1978). *Applications of Digital Signal Processing*. New Jersey, US: Prentice-Hall.
- Oraizi, H., & Fallahpour, M. (2008). Nonuniformly spaced linear array design for the specified beamwidth/sidelobe level or specified directivity/sidelobe level with coupling consideration. *Progress In Electromagnetics Research M*, 4, 185-209.
- Padgett, J. E., Gunther, C. G., & Hattori, T. (1995). Overview of wireless personal communications. *IEEE Communications Magazine (Special Issue on Wireless Personal Communications)*, 33(1), 28-41.
- Pan, C., Chen, J., & Benesty, J. (2014). Performance study of the MVDR beamformer as a function of the source incidence angle. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 22(1), 67-79.
- Panduro, M. A., & del Rio-Bocio, C. (2009). Design of beam-forming networks using CORPS and evolutionary optimization. *AEU-International Journal of Electronics and Communications*, 63(5), 353-365.
- Parks, T. W., & Burrus, C. S. (1987). *Digital filter design*: Wiley-Interscience.
- Parsons, J., Henze, M., Ratliff, P., & Withers, M. (1976). Diversity techniques for mobile radio reception. *IEEE Transactions on Vehicular Technology*, 25(3), 75-84.
- Paulraj, A. J., & Papadias, C. B. (1997). Space-time processing for wireless communications. *IEEE Signal Processing Magazine*, 14(6), 49-83.
- Pavani, T., Das, R. P., Jyothi, A. N., & Murthy, A. S. D. (2016). Investigations on Array Pattern Synthesis using Nature Inspired Metaheuristic Algorithms. *Indian Journal of Science and Technology*, 9(2).

- Peel, C. B., Hochwald, B. M., & Swindlehurst, A. L. (2005). A vector-perturbation technique for near-capacity multiantenna multiuser communication-part I: channel inversion and regularization. *IEEE Transactions on Communications*, 53(1), 195-202.
- Poli, L., Rocca, P., Oliveri, G., & Massa, A. (2011). Adaptive nulling in time-modulated linear arrays with minimum power losses. *IET Microwaves, Antennas & Propagation*, 5(2), 157-166.
- Qamar, R. A., & Khan, N. M. (2009). *Null steering, a comparative analysis*. Paper presented at the IEEE 13th International Multitopic Conference (INMIC'09).
- R. Saunders, S., & A. Zavala, A. (2007). *Antennas and propagation for wireless communication systems* (2nd Ed.). Hershey, New York, USA: John Wiley & Sons, Ltd.
- Ram, G., Mandal, D., Kar, R., & Ghoshal, S. P. (2013). Optimized hyper beamforming of linear antenna arrays using collective animal behaviour. *The Scientific World Journal*, 2013.
- Rao, A. P., & Sarma, N. (2014). Performance Analysis of Differential Evolution Algorithm based Beamforming for Smart Antenna Systems. *International Journal of Wireless and Microwave Technologies (IJWMT)*, 4(1), 1-9.
- Rappaport, T. S. (1996). *Wireless communications: principles and practice* (Vol. 2): Prentice Hall PTR New Jersey.
- Rappaport, T. S. (1998). *Antennas, Smart: Adaptive Arrays, Algorithms, & Wireless Position Location*. New York, US: IEEE Press.
- Rashedi, E., Nezamabadi-Pour, H., & Saryazdi, S. (2009). GSA: a gravitational search algorithm. *Information sciences*, 179(13), 2232-2248.
- Reed, I. S., Mallett, J. D., & Brennan, L. E. (1974). Rapid convergence rate in adaptive arrays. *IEEE Transactions on Aerospace and Electronic Systems*, 10(6), 853-863.
- Ridenour, L. (1965). *Radar System Engineering*. New York, US: McGraw-Hill.
- Roy, R., & Kailath, T. (1989). ESPRIT-estimation of signal parameters via rotational invariance techniques. *IEEE transactions on acoustics, speech, and signal processing*, 37(7), 984-995.
- Russell, S. J., Norvig, P., Canny, J. F., Malik, J. M., & Edwards, D. D. (2003). *Artificial intelligence: a modern approach* (Vol. 2): Prentice hall Upper Saddle River.
- Sacchi, C., De Natale, F., Donelli, M., Lommi, A., & Massa, A. (2004). Adaptive antenna array control in the presence of interfering signals with stochastic arrivals: assessment of a GA-based procedure. *IEEE Transactions on Wireless Communications*, 3(4), 1031-1036.

- Saleeb, A. A. (1999). *Design of a smart antenna for reducing co-channel interference in cellular mobile communications*. Paper presented at the IEEE International Symposium on Antennas and Propagation Society.
- Salem, B., Tiong, S., & Koh, S. (2012). Beamforming algorithms technique by using MVDR and LCMV. *World Applied Programming*, 2(5), 315-324.
- Salem, S., Kiong, T. S., Paw, J. K. S., & Hock, G. C. (2013). *Artificial immune system assisted Minimum Variance Distortionless Response beamforming technique for adaptive antenna system*. Paper presented at the International Conference on ICT Convergence (ICTC'13).
- Salz, J., & Winters, J. H. (1994). Effect of fading correlation on adaptive arrays in digital mobile radio. *IEEE Transactions on Vehicular Technology*, 43(4), 1049-1057.
- Saxena, P., & Kothari, A. (2014). Performance analysis of adaptive beamforming algorithms for smart antennas. *IERI Procedia, Elsevier*, 10, 131-137.
- Schmidt, R. (1986). Multiple emitter location and signal parameter estimation. *IEEE Transactions on Antennas and Propagation*, 34(3), 276-280.
- Shad, F., Todd, T. D., Kezys, V., & Litva, J. (1997). *Indoor SDMA capacity using a smart antenna base station*. Paper presented at the IEEE 6th International Conference on Universal Personal Communications Record.
- Shanhui, Q., & Chengtao, G. (2007). *Smart antenna beam forming based on a new method*. Paper presented at the IET Conference on Wireless, Mobile and Sensor Networks (CCWMSN07), Shanghai, China.
- Sharma, M., & Sarma, K. K. (2014). *GA-aided MVDR beamforming in wide band MISO wireless channel*. Paper presented at the International Conference on Signal Processing and Integrated Networks (SPIN).
- Shiu, D.-S., Foschini, G. J., Gans, M. J., & Kahn, J. M. (2000). Fading correlation and its effect on the capacity of multielement antenna systems. *IEEE Transactions on Communications*, 48(3), 502-513.
- Shynk, J. J., & Chan, C. K. (1993). Performance surfaces of the constant modulus algorithm based on a conditional Gaussian model. *IEEE Transactions on Signal Processing*, 41(5), 1965-1969.
- Singh, M., & Prasanna, V. K. (2004). A hierarchical model for distributed collaborative computation in wireless sensor networks. *International Journal of Foundations of Computer Science*, 15(03), 485-506.
- Sinha, R., Todd, T., Shad, F., Kezys, V., & Litva, J. (1997). *Smart Antenna Basestations in Indoor SDMA Networks*. Paper presented at the Proc. of WIRELESS.
- Skolnik, M. (2002). *Systems aspects of digital beam forming ubiquitous radar* (NRL/MR/5007-02-8625). Retrieved from

- Souden, M., Benesty, J., & Affes, S. (2010). A study of the LCMV and MVDR noise reduction filters. *IEEE Transactions on Signal Processing*, 58(9), 4925-4935.
- Southworth, G. C. (1962). *Forty Years of Radio Research: A Reportorial Account*. New York, US: Gordon and Breach.
- Stevanovic, I., Skrivervik, A., & Mosig, J. R. (2003). *Smart antenna systems for mobile communications*. Retrieved from Lausanne, Switzerland: <http://lemawww.epfl.ch>
- Steyskal, H. (1982). Synthesis of antenna patterns with prescribed nulls. *IEEE Transactions on Antennas and Propagation*, 30(2), 273-279.
- Steyskal, H. (1987). Digital beamforming antennas-An introduction. *Microwave Journal*, 30, 107-124.
- Sun, B., Liu, C., Liu, Y., Wu, X., Li, Y., & Wang, X. (2015). Conformal array pattern synthesis and activated elements selection strategy based on PSO-GSA algorithm. *International Journal of Antennas and Propagation*, 2015.
- Sun, C., Hirata, A., Ohira, T., & Karmakar, N. C. (2004). Fast beamforming of electronically steerable parasitic array radiator antennas: theory and experiment. *IEEE Transactions on Antennas and Propagation*, 52(7), 1819-1832.
- Swales, S. C., Beach, M. A., Edwards, D. J., & McGeehan, J. P. (1990). The performance enhancement of multibeam adaptive base-station antennas for cellular land mobile radio systems. *IEEE Transactions on Vehicular Technology*, 39(1), 56-67.
- Tamer, Ö. (2007). *FPGA based smart antenna implementation*. (PhD dissertation), Dokuz Eylül University, Turkey.
- Tan, W. S., Hassan, M. Y., Rahman, H. A., Abdullah, M. P., & Hussin, F. (2013). Multi-distributed generation planning using hybrid particle swarm optimisation-gravitational search algorithm including voltage rise issue. *IET Generation, Transmission & Distribution*, 7(9), 929-942.
- Thompson, J. S., Grant, P. M., & Mulgrew, B. (1996). Smart antenna arrays for CDMA systems. *IEEE Personal Communications*, 3(5), 16-25.
- Tiong, S. K., Salem, B., Koh, S. P., Sankar, K. P., & Darzi, S. (2014). Minimum variance distortionless response (MVDR) beamformer with enhanced nulling level control via dynamic mutated artificial immune system. *The Scientific World Journal*, 2014.
- Tolstoy, I., & Clay, C. S. (1987). *Ocean acoustics: theory and experiment in underwater sound*. New York, US: Acoustical Society of America.
- Treichler, J., & Agee, B. (1983). A new approach to multipath correction of constant modulus signals. *IEEE transactions on acoustics, speech, and signal processing*, 31(2), 459-472.

- Tsoulos, G. V. (1999). Smart antennas for mobile communication systems: benefits and challenges. *Electronics & Communication engineering journal*, 11(2), 84-94.
- UNICEF. (2008). Bee system prototypes represent the future of connectivity in emergencies. Retrieved from http://www.unicef.org/emerg/index_45259.html
- Van, A. L. C. (1959). U.S. Patent 2908002 Patent No.
- Van Laarhoven, P. J., & Aarts, E. H. (1987). Simulated annealing *Simulated Annealing: Theory and Applications* (pp. 7-15). Norwell, MA: Kluwer Academic Publishers, Springer.
- Van Trees, H. L. (2002). *Optimum array processing: part IV of detection, estimation, and modulation theory* (1st ed.). New York: Wiley.
- Van Veen, B. D., & Buckley, K. M. (1988). Beamforming: A versatile approach to spatial filtering. *IEEE assp magazine*, 5(2), 4-24.
- Vaughan, R., & Andersen, J. B. (2003). *Channels, propagation and antennas for mobile communications* (Vol. 50). UK: The Institute of Electrical Engineers.
- Viani, F., Lizzi, L., Donelli, M., Pregnolato, D., Oliveri, G., & Massa, A. (2010). Exploitation of parasitic smart antennas in wireless sensor networks. *Journal of Electromagnetic Waves and Applications*, 24(7), 993-1003.
- Viberg, M., Ottersten, B., & Kailath, T. (1991). Detection and estimation in sensor arrays using weighted subspace fitting. *IEEE Transactions on Signal Processing*, 39(11), 2436-2449.
- Vincent, G. (2001). Learning from i-mode [Packet-based Mobile Network]. *IEE review*, 47(6), 13-18.
- Wang, H., & Glesner, M. (2006). Hardware implementation of smart antenna systems. *Advances in Radio Science*, 4(C. 2), 185-188.
- Wang, L., & Song, Z. (2010). *Broadband MVDR beamformer applying PSO*. Paper presented at the International Conference in Swarm Intelligence.
- Wax, M. (1992). Detection and localization of multiple sources in noise with unknown covariance. *IEEE Transactions on Signal Processing*, 40(1), 245-249.
- Wax, M., & Anu, Y. (1996). Performance analysis of the minimum variance beamformer in the presence of steering vector errors. *Signal Processing, IEEE Transactions on*, 44(4), 938-947.
- Widrow, B., & Stearns, S. D. (1985). Adaptive signal processing. *Englewood Cliffs, NJ, Prentice-Hall, Inc., 1*.
- Winters, J. H. (1998). Smart antennas for wireless systems. *IEEE Personal Communications*, 5(1), 23-27.

- Wu, W. C., & Wang, Y.-J. (2005). A study of beam pattern generation methods for antenna array system. *Journal of Science and Engineering Technology*, 1(2), 7-12.
- Yang, X.-S. (2014). *Nature-inspired optimization algorithms*: Elsevier.
- Yang, X.-S., & Koziel, S. (2011). *Computational optimization and applications in engineering and industry* (Vol. 359): Springer Science & Business Media.
- Yang, Y., Tan, Y., Liang, R., Wang, Q., & Yuan, N. (2010). *A calibration algorithm of millimeter-wave sparse arrays based on simulated annealing*. Paper presented at the International Conference on Microwave and Millimeter Wave Technology (ICMMT'16).
- Yasin, M., Akhtar, P., & Khan, M. J. (2010). CMA an optimum beamformer for a smart antenna system. *International Journal of Computer Applications*, 5(7), 33-40.
- Zaharis, Z. D., & Yioultsis, T. V. (2011). A novel adaptive beamforming technique applied on linear antenna arrays using adaptive mutated boolean PSO. *Progress In Electromagnetics Research*, 117, 165-179.
- Zaharis, Z. D., Yioultsis, T. V., Skeberis, C., Xenos, T. D., Lazaridis, P. I., Mastorakis, G., & Mavromoustakis, C. X. (2016). *Implementation of antenna array beamforming by using a novel neural network structure*. Paper presented at the International Conference on Telecommunications and Multimedia (TEMU'16).
- Zeng, M., Annamalai, A., & Bhargava, V. K. (1999). Recent advances in cellular wireless communications. *IEEE Communications Magazine (Special Issue on Wideband (CDMA))*, 37(9), 128-138.
- Zeng, Y. (2006). Array pattern nulling by amplitude-only perturbations. *Journal of Electronics & Information Technology*, 28(11), 2073-2076.
- Zhang, Q. (1995). A statistical resolution theory of the beamformer-based spatial spectrum for determining the directions of signals in white noise. *IEEE Transactions on Signal Processing*, 43(8), 1867-1873.
- Zoltowski, M. D., Kautz, G. M., & Silverstein, S. D. (1993). Beam-space root-MUSIC. *IEEE Transactions on Signal Processing*, 41(1), 344-364.