

REFERENCES

- Abdel-Hameed, E.S.S. (2009). Total phenolic contents and free radical scavenging activity of certain Egyptian *Ficus* species leaf samples. *Food Chemistry*. 114, 1271-1277.
- Abdul Hamid, M., Oh, M.J., Ngadiran, S., Seo, Y.K., Sarmidi, M.R. and Park, C.S. (2011). *Ficus deltoidea* (Mas Cotek) extract exerted anti-melanogenic activity by preventing tyrosinase activity in vitro and by suppressing tyrosinase gene expression in B16F1 melanoma cells. *Archives of Dermatological Research*. 303, 161-170.
- Abdulla, M.A., Ahmed, K.A.A., Abu-Luhoom, F.M. and Muhanid, M. (2010). Role of *Ficus deltoidea* extract in the enhancement of wound healing in experimental rats. *Biomedical Research*. 21(3), 241-245.
- Abdullah, Z., Hussain, K., Ismail, Z. and Ali, R.M. (2009). Anti-inflammatory activity of standardized extracts of leaves of three varieties of *Ficus deltoidea*. *International Journal of Pharmaceutical and Clinical Research*. 1(3), 100-105.
- Abdullah, Z., Ismail, Z. and Mat Ali, R. (2010, 10 to 12 December). Stability studies on the leaf extracts of *Ficus deltoidea* (Jack). Abstract. International Conference on Natural Products 2010. Malaysian Journal of Pharmaceutical Sciences. pp. 102-103.
- Actis-Goretta, L., Romaczyk, L.J., Rodriguez, C.A., Catherine, K.U. and Keen, C.L. (2008). Cytotoxic effects of digalloyl dimer procyanidins in human cancer cell lines. *Journal of Nutritional Biochemistry*. 19, 797-808.
- Adam, Z., Hamid, M., Ismail, A. and Khamis, S. (2007). Effect of *Ficus deltoidea* aqueous extract on blood glucose level in normal and mid diabetic rats. *Jurnal Sains Kesihatan Malaysia*. 5(2), 9-16.
- Agati, G., Azzarello, E., Pollastri, S. and Tattini, M. (2012). Flavonoids as antioxidants in plants: Location and functional significance. *Plant Science*. 196, 67-76.
- Ahmad, A., Alkarkhi, A.F.M., Hena, S., Siddique, B.M. and Dur, K.W. (2010). Optimization of soxhlet extraction of herbal Leonuri using factorial design of experiment. *International Journal of Chemistry*. 2(1), 198-205.
- Al-Fatimi, M., Wurster, M., Schroder, G. and Lindequist, U. (2007). Antioxidant, antimicrobial and cytotoxic activities of selected medicinal plants from Yemen. *Journal of Ethnopharmacology*. 111, 657-666.
- Aliyu, M. and Hephher, M.J. (2000). Effects of ultrasound on degradation of cellulose material. *Ultrasonics Sonochemistry*. 7, 265-268.
- Altemimi, A., Choudhary, R., Watson, D.G. and Lightfoot, D.A. (2015). Effects of ultrasonic treatments on the polyphenol and antioxidant content of spinach extracts. *Ultrasonics Sonochemistry*. 24, 247-255.
- Alyamani, A. and Lemine, O.M. (2012). FE-SEM characterization of some nanomaterial. Scanning electron microscopy. 463-472 (online). Retrieved from <http://www.intechopen.com/books/scanning-electron-microscopy/fe-sem-characterization-of-somenanomaterials> on 12 June 2016.

- Ao, C., Li, A., Elzaawely, A.A., Xuan, T.D. and Tawata, S. (2008). Evaluation of antioxidant and antibacterial activities of *Ficus microcarpa* L. Fil. extract. *Food Control*. 19, 940-948.
- Arun, P.K., Rajesh, S.S., Sundaram, S.M., Sivaraman, T. and Brindha, P. (2014). Structural characterizations of lead anticancer compounds from the methanolic extract of *Jatropha tanjorensis*. *Journal of bangladesh Pharmacological Society*. 9, 452-465.
- Aspé, E. and Fernández, K. (2011). The effect of different extraction techniques on extraction yield, total phenolics and anti-radical capacity of extracts from *Pinus radiata* bark. *Industrial Crops and Products*. 34, 838-844.
- Awang, N.A., Hasan, S.M.Z. and Shafie, M.S. (2011). Evaluation on morphological variability of Mas Cotek (*Ficus deltoidea* Jack) collected in Malaysia. *Proceedings of Universiti Malaysia Terengganu 10th Annual Symposium UMTAS*, pp. 11-13.
- Azwanida, N.N. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Medicinal and Aromatic Plants*. 4(3), 1-6.
- Badr, F.H. and Sitohy, M.Z. (1992). Optimizing conditions for enzymatic extraction of sunflower oil. *Federation of African Societies of Chemistry*. 43(5), 281-283.
- Bahramian, S., Azin, M., Chamani, M. and Gerami, A. (2011). Optimization of enzymatic extraction of sugars from kabkab date fruit. *Middle-East Journal of Scientific Research*. 7(2), 211-216.
- Ballard, T.S., Mallikarjunan, P., Zhou, K. and O'Keefe, S. (2010). Microwave-assisted extraction of phenolic antioxidant compounds from peanut skins. *Food Chemistry*. 120, 1185-1192.
- Bamikole, M.A., Ikhatua, U.J., Arigbede, O.M., Babayemi, O.J. and Etela, I. (2004). An evaluation of the acceptability as forage of some nutritive and antinutritive components and of the dry matter degradation profiles of five species of *Ficus*. *Tropical Animal Health and Production*. 36, 157-167.
- Barati, A.H., Mokhtari-Dizaji, M., Mozdarani, H., Bathaie, Z. and Hassan, Z.M. (2007). Effect of exposure parameters on cavitation induced by low-level dual-frequency ultrasound. *Ultrasonics Sonochemistry*. 14, 783-789.
- Battista, O.A. (1950). Hydrolysis and crystallization of cellulose. *Industrial and Engineering Chemistry*. 42(3), 502-507.
- Bhaumik, P. and Dhepe, P.L. 2015. Biomass sugars for non-fuel applications. *RSC Green Chemistry* 44: 1-53 (online). <http://pubs.rsc.org/en/content/ebook/978-1-78262-113-3#!divbookcontent> (9 January 2017).
- Binod, P., Janu, K.U., Sindhu, R. and Pandey, A. (2011). *Chapter 10: Hydrolysis of lignocellulosic biomass for bioethanol production*. India: Elsevier Inc.
- Brunetti, C., Ferdinando, M.D., Fini, A., Pollastri, S. and Tattini, M. (2013). Flavonoids as antioxidants and developmental regulators: Relative significance in plants and humans. *International Journal of Molecular Sciences*. 14, 3540-3555.

- Bucíc-Kojíc, A., Planinic, M., Tomas, S., Jokic, S., Mujic, I., Bilic, M. and Velic, D. (2011). Effect of extraction conditions on the extractability of phenolic compounds from lyophilized fig frutis (*Ficus carica* L.). *Polish Journal of Food and Nutrition Sciences*. 61, 195-199.
- Bunawan, H., Amin, N.M., Bunawan, S.N., Baharum, S.N. and Noor, N.M. (2014). *Ficus deloidea* jack: A review on its phytochemical and pharmacological importance. *Evidence-Based Complementary and Alternative Medicine*. 1-9.
- Bunea, A., Lujerdean, A., Pinte, A., Andrei, S., Bunea, C. and Bele, C. (2010). Using cellulases and pectinases to improve better extraction of carotenoids from the marigold flowers (*Tagetes erecta* L.). *Bulletin UASVM Animal Sciences and Biotechnologies*. 67(1-2), 369-373.
- Burkill, I.H. (1935). Dictionary of the economic products of the Malay Peninsula. Crown Agents, London.
- Burkill, I.H. (1966). A dictionary of the economic products of the Malay Peninsula. Kuala Lumpur: Ministry of Agriculture and Co-operatives.
- Cao, Y., Zhang, H. and Xiong, P. (2014). Application of Cellulase-assisted Method to Extract Flavonoids from Plants. *Agricultural Science and Technology*. 15(5), 729-732, 737.
- Carpita, N.C. and Gibeau, D.M. (1993). Structural models of primary cell walls in flowering plants: Consistency of molecular structure with the physical properties of the walls during growth. *Plant Journal*. 3(1), 1-30.
- Cayman Chemicals. (2013). Product Information: Vitexin. Cayman Chemical Company, 1180 E. Ellsworth Road Ann Arbor, USA.
- Chan, K.C., Ho, H.H., Huang, C.N., Lin, M.C., Chen, H.M. and Wang, C.J. (2009). Mulberry leaf extract inhibits vascular smooth muscle cell migration involving a block of small GTPase and Akt/NF-kappaB signals. *Journal of Agricultural and Food Chemistry*. 57, 9147-9153.
- Che Man, Y.B., Suhardiyono, Asbi, A.B., Azudin, M.N. and Wei, L.S. (1996). Aqueous enzymatic extraction of coconut oil. *Journal of the American Oil Chemists' Society (JAACS)*. 73(6), 683-686.
- Chemat, F., Huma, Z. and Khan, M.K. (2011). Applications of ultrasound in food technology: Processing, preservation and extraction. *Ultrasonics Sonochemistry*. 18, 813-835.
- Chemat, F., Rombaut, N., Sicaire, A.-G., Meullemiestre, A., Fabiano-Tixier, A.-S. and Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*. 34, 540-560.
- ChemicalBook. (2010). Vitexin and Isovitexin (online). Retrieved from http://www.chemicalbook.com/ProductChemicalPropertiesCB3119208_EN.htm#MSDSA on 2 September 2015.
- Chen, Q., Fung, K.Y., Lau, Y.T., Ng, K.M. and Lau, D.T.W. (2016). Relationship between maceration and extraction yield in the production of Chinese herbal medicine. *Food and Bioproducts Processing*. 98, 236-243.

- Chen, S., Xing, X.-H., Huang, J.-J. and Xu, M.-S. (2011). Enzyme-assisted extraction of flavonoids from *Ginkgo biloba* leaves: Improvement effect of flavonol transglycosylation catalyzed by *Penicillium decumbens* cellulase. *Enzyme and Microbial Technology*. 48, 100-105.
- Chen, W.-H., Lu, K.-M., Lee, W.-J., Liu, S.-H. and Lin, T.-C. (2014). Non-oxidative and oxidative torrefaction characterization and SEM observations of fibrous and ligneous biomass. *Applied Energy*. 114, 104-113.
- Chew, K.K., Khoo, M.Z., Ng, S.Y., Thoo, Y.Y., Wan Aida, W.M. and Ho, C.W. (2011). Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic compounds and antioxidant capacity of *Orthosiphon stamineus* extracts. *International Food Research Journal*. 18(4), 1427-1435.
- Chiang, Y.M. and Kuo, Y.H. (2002). Novel triterpenoids from the aerial roots of *Ficus microcarpa*. *Journal of Organic Chemistry*. 67, 7656-7661.
- Chirinos, R., Rogez, H., Campos, D., Pedreschi, R. and Larondelle, Y. (2007). Optimization of extraction conditions of antioxidant phenolic compounds from mashua (*tropaelum tuberosum* Ruiz & pavon) tubers. *Separation and Purification Technology*. 55(2), 217-225.
- Choo, C.Y., Sulong, N.Y., Man, F. and Wong, T.W. (2012). Vitexin and isovitexin from the leaves of *Ficus deltoidea* with in-vivo α -glucosidase inhibition. *Journal of Ethnopharmacology*. 142, 776-781.
- Cordell, G.A. (2004). *Novel compounds from natural products in the new millennium: Potential and challenges*. Singapore: World Scientific Publishing Co. Pte. Ltd.
- Corner, E.J.H. (1969). The complex of *Ficus deltoidea*: A recent invasion of the Sunda Shelf. *Philosophical Transactions of the Royal Society*. 256, 281-317.
- Corrales, M., Garcia, A.F., Butz, P. and Tauscher, B. (2009). Extraction of anthocyanins from grape skins assisted by high hydrostatic pressure. *Journal of Food Engineering*. 90, 415-421.
- Cseke, L.J., Setzer, W.N., Vogler, B., Kirakosyan, A. and Kaufman, P.B. (2006). *Natural products from plants*. Boca Raton: Taylor & Francis Group, LLC.
- Cynthia, S.J. and John, D.B.S. (2013). Process Optimization for *Tamarindus Indica*. L. Pulp Extraction Using Response Surface Methodology. *Food Science*. 2(4), 183-184.
- Czechowska-Biskup, R., Rokita, B., Lotfy, S., Ulanski, P. and Rosiak, J.M. (2005). Degradation of chitosan and starch by 360-kHz ultrasound. *Carbohydrate Polymers*. 60, 175-184.
- Dai, C., Ma, H., Gu, X. and Tang, J. (2011). Ultrasound-Accelerated Enzymatic Hydrolysis of Defatted Larva Flour of *Tenebrio molitor* (L.). *Journal of Food, Agriculture and Environment*. 9(3-4), 101-106.
- Dalgeish, D.G., Spagnuolo, P.A. and Goff, H.D. (2004). A possible structure of the casein micelle based on high-resolution field-emission scanning electron microscopy. *International dairy Journal*. 14, 1025-1031.

- Dashtban, M., Schraff, H. and Qin, W. (2009). Fungal bioconversion of lignocellulosic residues: Opportunities and perspectives. *International Journal of Biological Sciences*. 5(6), 578-595.
- DeKelana Wellness. (2014). Wisdorm Whitening Rejuvenating Serum (online). Retrieved from <http://dekelana.com/?project=whitening-serum> on 21 October 2015.
- Dent, M., Dragović-Uzelac, I., Elez Garofulić, Bosiljkov, T., Ježek, D. and Brnčić, M. (2015). Comparison of conventional and ultrasound-assisted extraction techniques on mass fraction of phenolic compounds from Sage (*Salvia officinalis* L.). *Chemical and Biochemical Engineering Quarterly*. 29(3), 475-484.
- Dent, M., Verica, D.-U., Penić, M., Brnčić, M., Bosiljkov, T. and Levaj, B. (2013). The Effect of Extraction Solvents, Temperature and Time on the Composition and Mass Fraction of Polyphenols in Dalmatian Wild Sage (*Salvia officinalis* L.) Extracts. *Food Technology and Biotechnology*. 51(1), 84-91.
- Ding, L., Luo, X.B., Tang, F., Yuan, J.B., Gou, M. and Yao, S.Z. (2008). Quality control of medicinal herbs *Fructus gardenia*, Common Andrographis Herb and their preparations for their active constituents by high-performance liquid chromatography—photodiode array detection-electrospray mass spectrometry. *Talanta*. 74, 1344-1349.
- Dominguez, H., Nunez, M.J. and Lema, J.M. (1993). Enzymatic treatment of soybean simultaneous with the hexane extraction. *Sixth European Congress on Biotechnology Proceedings*, pp. 103-108.
- Duan, J., Yu, Y. and Liu, X. (2015). Cellulase-assisted Extraction of Total Flavonoids from Peanut Hull. *Scholars Academic Journal of Biosciences (SAJB)*. 3(5), 497-500.
- Dzolin, S., Ahmad, R., Mat Zain, M. and Ismail, M.I. (2015). Flavonoid distribution in four varieties of *Ficus deltoidea* (Jack). *Journal of Medicinal Plant and herbal Therapy Research*. 3, 1-9.
- Dzolin, S., Ahmad, R., Mat Zain, M. and Syed Aris, S.R. (2012). Inhibition of free radical and neuroprotective effect of four varieties of *Ficus deltoidea*. *Advanced Materials Research*. 554-556, 1371-1380.
- Dzolin, S., Syed Aris, S.R., Ahmad, R. and Mat Zain, M. (2010, 5 to 7 December). Radical scavenging and neurotoxicity of four varieties of *Ficus deltoidea*. *Working Paper. 2010 International Conference on Science and Social Research*. Kuala Lumpur.
- Ebringerová, A. and Hromádková, Z. (2010). An overview on the application of ultrasound in extraction, separation, and purification of plant polysaccharides. *Central European Journal of Chemistry*. 8(2), 243-257.
- Elswijk, D.A. and Irth, H. (2003). Analytical tools for the detection and characterization of biologically active compounds from nature. *Phytochemistry Reviews I*. 427-439.

- Empikul, N.V., Wiboonsirikul, J., Kobayashi, T. and Adachi, S. (2012). Effects of Temperature and Flow Rate on Subcritical-water Extraction from Defatted Rice Bran. *Food Science Technology Resources*. 18, 333-340.
- Escribano-Bailon, T., Fernandez, Y.G., Gonzalo, J.C.R. and Buelga, C.S. (1992). Characterization of procyanidins of vitis vinifera variety tinta del pais grape seeds. *Journal of Agriculture Food Chemical*. 40, 1794-1799.
- Ettre, L.S. (1980). *High-performance liquid chromatography, advances and perspectives*. New York: Horvath, Academic Press.
- Farsi, E., Ahmad, M., Hor, S.Y., Ahamed, M.B., Yam, M.F. and Asmawi, M.Z. (2014). Standardized extract of *Ficus deltoidea* stimulates insulin secretion and blocks hepatic glucose production by regulating the expression of glucose-metabolic genes in streptozitocin-induced diabetic rats. *BMC Complementary and Alternative Medicine*. 14(220), 1-13.
- Farsi, E., Shafaei, A., Hor, S.Y., Ahamed, M.K., Fei, M., Yam, Attitalla, I.H., Asmawi, M.Z. and Ismail, Z. (2011). Correlation between enzymes inhibitory effects and antioxidant activities of standardized fractions of methanolic extract obtained from *Ficus deltoidea* leaves. *African Journal of Biotechnology*. 10(67), 15184-15194.
- Ferreres, F., Andrade, P.B., Valentao, P. and Gil-Izquierdo, A. (2008). Further knowledge on barley (*Hodeum vulgare* L.) leaves *O*-glycosyl-*C*-glycosyl flavones by liquid chromatography-UV diode array detection-electron spray ionization mass spectrometry. *Journal of Chromatography A*. 1182, 341-352.
- Filgueiras, A.V., Capelo, J.L., Lavilla, I. and Bendicho, C. (2000). Comparison of ultrasound-assisted extraction and microwave-assisted digestion for determination of magnesium, manganese and zinc in plant samples by flame atomic absorption spectrometry. *Talanta*. 53, 433-441.
- Fornari, T., Vicente, G., Vazquez, E., Risco, M.R.G., Reglero, G. (2012). Isolation of essential oil from different plants and herbs by supercritical fluid extraction. *Journal of Chromatography A*. 1250, 34-48.
- Frank, T.C., Downey, J.R. and Gupta, S.K. (1999). Quickly screen solvent for organic solids. *Chemical Engineering Progress*. 12, 41-61.
- Fu, Y., Zu, Y., Liu, W., Hou, C., Chen, L., Li, S., Shi, X. and Tong, M. (2006). Preparative separation of vitexin and isovitexin from pigeonpea extracts with macroporous resins. *Journal of Chromatography A*. 1139, 206-213.
- Fu, Y., Zu, Y., Liu, W., Zhang, L., Tong, M., Efferth, T., Kong, Y., Hou, C. and Chen, L. (2008). Determination of vitexin and isovitexin in pigeonpea using ultrasonic extraction followed by LC-MS. *Journal of Separation Science*. 31, 268-275.
- Fulzele, D.P. and Satdive, R.K. (2005). Comparison of techniques for the extraction of the anti-cancer drug camptothecin from *Nothapodytes foetida*. *Journal of Chromatography A*. 1063, 9-13.
- Gardossi, L. and Halling, P.J. (2010). Guidelines for reporting of biocatalytic reactions. *Experimental Standard Conditions of Enzyme Characterizations*. 187-203.

- Gay, M., Goh, M. and Ritchie, M. (2012). Flavonoids identification in complex plant extracts using ion mobility TOF MS and MS^E. *Waters: Application Note*. 1-6.
- Gębicka, L. and Gębicki, J.L. (1997). The Effect of Ultrasound on Heme Enzymes in Aqueous Solution. *Journal of Enzyme Inhibition*. 12(2), 133-141.
- Ghose, T.K. (1987). Measurement of cellulase activities. *Pure & Applied Chemistry* 59(2), 257-268.
- Global Information Hub on Integrated Medicine (GLOBinMED). (2015). Consumption of medicinal plants in Malaysia (online). Retrieved from http://www.globinmed.com/index.php?option=com_content&view=article&id=56:consumption-of-medicinal-plants-in-malaysia&Itemid=179 on 4 October 2015).
- Gujjeti, R.P. and Mamidala, E. (2013). Phytochemical screening and thin layer chromatographic studies of *Aerva lanata* root extract. *International Journal of Innovative Research in Science, Engineering and Technology*. 2(10), 5725-5730.
- Gupta, M., Banerjee, D. and Mukherjee, A. (2013). Evaluation of analgesic, antipyretic and anti-inflammatory effects of methanol extract of traditional herbal medicine using rodents. *Journal of Pharmacognosy and Phytotherapy*. 5(6), 106-113.
- Hadijah, H., Normah, A., Ahmad Tarmizi, S. and Aida, M. (2007, 5 to 7 December). Cholesterol lowering effect of Mas cotek tea in hypercholesterolemic rats. Abstract. The 2nd International Conference of East-West Perspective of Functional Food Science. Kuala Lumpur.
- Hakiman, M. and Maziah, M. (2009). Non enzymatic and enzymatic antioxidant activities in aqueous extract of different *Ficus deltoidea* accessions. *Journal of Medicinal Plants Research*. 3(3), 120-131.
- Hansson, A., Zelada, J.C. and Noriega, H.P. (2005). Reevaluation of risks with the use of *Ficus insipida* latex as a traditional anthelmintic remedy in the Amazon. *Journal of Ethnopharmacology*. 98, 251-257.
- Hasham, R., Choi, H.K., Sarmidi, M.R. and Park, C.S. (2013). Protective effects of a *Ficus deltoidea* (Mas Cotek) extract against UVB-induced photoaging in skin cells. *Biotechnology and Bioprocess Engineering*. 18, 185-193.
- Hayat, K., Hussain, S., Abbas, S., Farooq, U., Ding, B., Xia, S., Jia, C., Zhang, X. and Xia, W. (2009). Optimized microwave-assisted extraction of phenolic acids from citrus mandarin peels and evaluation of antioxidant activity in vitro. *Separation and Purification Technology*. 70, 63-70.
- Hielscher – Ultrasonic Technology. (1999). Ultrasonic lysis: Cell disruption and extraction (online). Retrieved from <https://www.hielscher.com/ultrasonic-lysis-cell-disruption-extraction.htm> on 7 September 2016.
- Ho, S.K., Tan, C.P., Thoo, Y.Y., Abas, F. and Ho, C.W. (2014). Ultrasound-Assisted Extraction of Antioxidants in Misai Kucing. *Molecules*. 19, 12640-12659.
- Högnadóttir, A. and Rouseff, R.L. (2003). Identification of aroma active compounds in orange essence oil using gas chromatography-olfactometry and gas chromatography-mass spectrometry. *Journal of Chromatography A*. 998, 201-211.

- Hossain, M.A., Al-Toubi, W.A.S., Weli, A.M., Al-Riyami, Q.A. and Al-Sabahi, J.N. (2013). Identification and characterization of chemical compounds in different crude extracts from leaves of Omani neem. *Journal of Taibah University for Science*. 7, 181-188.
- Hostettmann, K., Hostettmann, M. and Marston, A. (1985). *Preparative chromatography techniques*. Berlin: Springer.
- Hromadkova, Z.A., Ebringerova, A. and Valachovic, P. (1999). Comparison of classical and ultrasound-assisted extraction of polysaccharides from *Salvia officinalis* L. *Ultrasonics sonochemistry*. 5, 163-168.
- Huang, C.X., Canny, M.J., Oates, K. and McCully, M.E. (1994). Planning frozen hydrated plant specimens for SEM observation and EDX microanalysis. *Microscopy Research and Techniques*. 28, 67-74.
- Huang, W., Xue, A., Niu, H., Jia, Z. and Wang, J. (2009). Optimized ultrasonic-assisted extraction of flavonoids from *Folium eucommiae* and evaluation of antioxidant activity in multi-test systems in vitro. *Food Chemistry*. 114, 1147-1154.
- Ikeda, Y., Fujii, Y., Nakaya, I. and Yamazaki, M. (1995). Quantitative HPLC analysis of cardiac glycosides in *Digitalis purpurea* leaves. *Journal of Natural Products*. 58, 897-901.
- Imai, M., Ikari, K. and Suzuki, I. (2004). High-performance hydrolysis of cellulose using mixed cellulase species and ultrasonication pretreatment. *Biochemical Engineering Journal*. 17, 79-83.
- Ince, A.E., Sahin, S. and Sumnu, G. (2014). Comparison of microwave and ultrasound-assisted extraction techniques for leaching of phenolic compounds from nettle. *Journal of Food Science and Technology*. 51(10), 2276-2782.
- Jamal, J.A. (2006). Malay traditional medicine. *Tech monitor (Special feature: Traditional medicine: S&T Advancement)*. 37-49.
- Jambrak, A.R. (2013). Application of high power ultrasound and microwave in food processing: Extraction. *Food Processing Technology*. 4(1), 1-2.
- Jenama Halal. (2015). Herba Mas Cotek (online). Retrieved from <http://www.jenamahalal.com/herba/MasCotek.php> on 5 April 2016.
- Jia, W., Wang, C., Wang, Y., Pan, G., Jiang, M., Li, Z. and Zhu, Y. (2015). Qualitative and quantitative analysis of the major constituents in Chinese medical preparation Lianhua-Qingwen capsule by UPLC-DAD-QTOF-MS. *Hindawi Publishing Corporation: The Scientific World Journal*. 1-19.
- Jiang, L., Hua, D., Wang, Z. and Xu, S. (2010). Aqueous enzymatic extraction of peanut oil and protein hydrolysates. *Food and Bioproducts Processing*. 88, 233-238.
- Jiang, L.-F. (2014). Cellulase-assisted extraction and antioxidant activity of polysaccharides from *Rhizoma imperata*. *Carbohydrate Polymers*. 108, 99-102.
- Jun, X. (2009). Caffeine extraction from green tea leaves assisted by high pressure processing. *Journal of Food Engineering*. 94, 105-109.

- Juntachote, T., Berghofer, E., Bauer, F. and Siebenhandl., S. (2006). The application of response surface methodology to the production of phenolic extracts of lemon grass, galangal, holy basil and rosemary. *International Journal of Food Science and Technology*. 41(2), 121-133.
- Justine, I.B. (2008). *Total phenolic content and scavenging activity of water and methanol extracts from the stems of Mas Cotek (Ficus deltoidea)*. Bachelor Thesis. Universiti Teknologi MARA, Malaysia.
- Kamal R.J., Wadood A.W.M.R. and Silva K.D.R.R. (2008). Total antioxidant capacity of selected grades of black tea grown in different geographical elevations in Sri Lanka. *Tropical Agricultural Research*. 20, 155-161.
- Kamiloglu, S. and Capanoglu, E. (2013). Investigating the in vitro bioaccessibility of polyphenols in fresh and sun-dried figs (*Ficus carica* L.). *International Journal of Food Science and Technology*. 48, 2621-2629.
- Kanthal, L.K., Dey, A., Satyayathi, K. and Bhoiaraiu, P. (2014). GC-MS analysis of bioactive compounds in methanolic extract of *Lactuca runcinata* DC. *Pharmacognosy Research*. 6(1), 58-61.
- Khatun, M.A., Harun-Or-Rashid, M. and Rahmatullah, M. (2011). Scientific validation of eight medicinal plants used in traditional medicinal systems of Malaysia: A review. *American-Eurasian Journal of Sustainable Agriculture*. 5(1), 67-75.
- Kone, W.M., Atindehou, K.K., Terreaux, C., Hostettmann, K., Traore, D. and Dosso, M. (2004). Traditional medicine in North Cote-d'Ivoire: Screening of 50 medicinal plants for antibacterial activity. *Journal of Ethnopharmacology*. 93, 43-49.
- Kumar, R., Singh, S. And Singh, O.V. (2008). Bioconversion of Lignocellulosic Biomass: Biochemical and Molecular Perspectives. *Journal of Industrial Microbiology and Biotechnology*. 35, 377.
- Kumar, S., Jyotirmayee, K. and Sarangi, M. (2013). Thin layer chromatography: A tool of biotechnology for isolation of bioactive compounds from medicinal plants. *International Journal of Pharmaceutical Sciences Review and Research*. 18(1), 126-132.
- Kupiec, T. (2004). Quality-control analytical methods: High-performance liquid chromatography. *International Journal of Pharmaceutical Compounding*. 8(3), 223-227.
- Li, G., Zeng, X., Xie, Y., Cai, Z., Moore, J.C., Yuan, X., Cheng, Z. and Ji, G. (2012). Pharmacokinetic properties of isorhamnetin, kaempferol and quercetin after oral gavage of total flavones of *Hippophae rhamnoides* L. in rats using a UPLC-MS method. *Fitoterapia*. 83, 182-191.
- Liang, Y.Z., Xie, P. and Chan, K. (2004). Quality control of herbal medicines. *Journal of Chromatography B*. 812, 53-70.
- Lip, J.M., Hisham, D.N., Zaidi, J.A., Musa, Y., Ahmad, A.W., Normah, A. and Sharizan, A. (2009). Isolation and identification of moretenol from *Ficus deltoidea* leaves. *Journal of Tropical Agriculture and Fundamental Science*. 37(2), 195-201.
- Liu, Q., Jiang, L., Li, Y., Wang, S. and Wang, M. (2011). Study on aqueous enzymatic extraction of red bean protein. *Procedia Engineering*. 15, 5035-5045.

- Liu, Y.-S., Lou, Y., Baker, J.O., Zeng, Y., Himmel, M.E., Smith, S. and Ding, S.-Y. (2010, 23 to 28 January). Abstract. Single Molecule Study of Cellulase Hydrolysis of Crystalline Cellulose. Society of Photo-Optical Instrumentation Engineers (SPIE) Photonics West. National Renewable Energy Laboratory.
- Lucchesi, M.E., Chemat, F. and Smadja, J. (2004). Solvent-free microwave extraction of essential oil from aromatic herbs: Comparison with conventional hydro-distillation. *Journal of Chromatography A*. 1043, 323-327.
- Luque-García, J.L. and Luque de Castro M.D. (2003). Ultrasound: A powerful tool for leaching. *Trends in Analytical Chemistry*. 22, 41-47.
- Ma, Y., Ye, X., Hao, Y., Xu, G., Xu, G., Liu, D. (2008). Ultrasound-assisted extraction of hesperidin from Penggan (*Citrus reticulata*) peel. *Ultrasonics Sonochemistry*. 15, 227-232.
- Manian, R., Anusuya, N., Siddhuraju, P. and Manian, S. (2008). The antioxidant activity and free radical scavenging potential of two different solvent extracts of *Camellia sinensis* (L.) O. Kuntz, *Ficus bengalensis* L. and *Ficus racemosa* L. *Food Chemistry*. 107, 1000-1007.
- Markowski, W. and Hajnos, M.W. (2010). *High performance liquid chromatography in phytochemical analysis*. Boca Raton: CRC Press, Taylor & Francis Group.
- Mason, T.J. and Lorimer, J.P. (2002). *Applied Sonochemistry: The uses of power ultrasound in chemistry and processing*. Weinheim: Wiley-VCH Verlag GmbH.
- Mazvimba, M.T., Ying, Y., Qin, C.Z. and Ying, Z. (2012). Optimization and orthogonal design of an ultra-sonic-assisted aqueous extraction process for extracting chlorogenic acid from dry tobacco leaves. *Chinese Journal of Natural Medicines*. 10(4), 0311-0320.
- McCallum, J.A. and Walker, J.R.L. (1990). Proanthocyanidins in wheat bran. *Cereal Chemistry*. 67(3), 282-285.
- McCullagh, M., Neeson, K., Pereira, C.A. and Yarikawe, J.H. (2012). Utilizing the increased peak capacity of UPLC ion mobility TOF MS and MS^E to overcome sample complexity. *Waters: Application Note*. 1-7.
- McCullagh, M., Pereira, C.A. and Yarikawe, J.H. (2002). High throughput characterization of C-glycosidic flavonoids from Brazilian *Passiflora* species using LC-MS exact mass measurement and in-source CID. *Waters: Poster Reprint*. 1-7.
- Miller, A.L. (1996). Antioxidant flavonoids: Structure, function and clinical usage. *Alternative Medicine Review*. 1(2), 103-111.
- Miller, G.L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*. 31(3), 426-428.
- Ming, P., Kuan, W.S., Ling, Y.X., Renyou, X., Yucheng, H. and Huijie, L. (2013). Process study on the ultrasonic assisted enzymatic extraction of flavonoids from shepherd's purse. *Advanced Materials Research*. 634-638, 1281-1286.

- Misbah, H., Abdul Aziz, A. and Aminudin, N. (2013). Antidiabetic and antioxidant properties of *Ficus deltoidea* fruits extracts and fractions. *BMC Complementary and Alternative Medicine*. 13, 118-123.
- Mohammad, N., Wei, Y.K. and Abu Bakar, N.F. (2012). Determination of mineral content in the *Ficus deltoidea* leaves. *Jurnal Sains Kesihatan Malaysia*. 10(2), 25-29.
- Mohd, K.S., Azemin, A., Hamil, M.S.R., Bakar, A.R.A., Dharmaraj, S., Hamdan, M.R., Mohamad, H., Nashriyah, M. and Ismail, Z. (2014). Application of high performance thin layer chromatography and fourier transform infrared profiling coupled with chemometrics for the differentiation of the varieties of *Ficus deltoidea* Jack. *Asian Journal of Pharmaceutical and Clinical Research*. 7(5), 110-116.
- Mohd, K.S., Azemin, A., Rosli, A.S., Zakaria, A.J. and Ismail, Z. (2015). Comparison of chemical profile and biological activities of different plant parts of *Ficus deltoidea* Jack var. *Trengganuensis*. *International Journal of Pharmacognosy and Phytochemical Research*. 7(2), 1-8.
- Mooza, O., Al-Hadiwi, N. and Khan, S.A. (2014). GC-MS analysis, determination of total phenolics, flavonoid content and free radical scavenging activities of various crude extracts of *Moringa peregrine* (Forssk.) Fiori leaves. *Asian Pacific Journal of Tropical Biomedicine*. 4(12), 964-970.
- Mullen, W., Marks, S.C. and Crozier, A. (2007). Evaluation of phenolic compounds in commercial fruit juices and fruit drinks. *Journal of Agricultural and Food Chemistry*. 29, 1-10.
- Murashima, K., Kosugi, A. and Doi, R.H. (2003). Synergistic effects of cellulosomal xylanase and cellulases from *Clostridium cellulovorans* on plant cell wall degradation. *Journal of Bacteriology*. 185(5), 1518-1524.
- Nahrstedt, A. and Butterweck, V. (1997). Biologically active and other chemical constituents of the herb of *Hypericum perforatum* L. *Pharmacopsychiatry*. 30, 129-134.
- Nashriyah, M., Nurrul Akmar, R., Nor Zaimah, A.R., Norhaslinda, H., Zanariah, M.N., Nur Fatimah, H.N., Yunus, A.G. and Ali, A.M. (2012). Leaf morphological variations and heterophylly in *Ficus deltoidea* Jack (Moraceae). *Sains Malaysiana* 41, 527-538.
- Nasir, A.F.A., Rahman, M.N.A., Nashriyah, M. and Mamat, A.R. (2014). Automatic identification of *Ficus deltoidea* Jack (Moraceae) varieties based on leaf. *Modern Applied Science*. 8(5), 121-131.
- Naveena, B., Armshaw, P. and Pembroke, J.T. (2015). Ultrasonic intensification as a tool for enhanced microbial biofuel yields. *Biotechnology for Biofuels*. 8(140), 1-13.
- Nguyen, V.P.T., Le, T.T. and Le, V.V.M. (2013). Application of combined ultrasound and cellulase preparation to guava (*Psidium guajava*) mash treatment in juice processing: Optimization of biocatalytic conditions by response surface methodology. *International Food Research Journal*. 20(1), 377-381.

- Nur Fatimah, H.N., Nashriyah, M., Nor Zaimah, A.R., Khairil, M. And Ali, A.M. (2014). Leaf morphology and anatomy of 7 varieties of *Ficus deltoidea* (Moraceae). *Turkish Journal of Botany*. 38, 677-685.
- O'Donnell, C.P., Tiwari, B.K., Bourke, P. and Cullen, P.J. (2010). Effect of Ultrasonic Processing on Food Enzymes of Industrial Importance. *Trends in Food Science and Technology*. 21(7), 358-367.
- Odey, M.O., Iwara, I.A., Udiba, U.U., Johnson, J.T., Inekwe, U.V., Asenye, M.E. and Victor, O. (2012). Preparation of plant extracts from indigenous medicinal plants. *International Journal of Science and Technology*. 1(12), 688-692.
- Omar, M.H., Mullen, W. and Crozier, A. (2011). Identification of proanthocyanidins dimers and trimmers, flavone C-glycosides, and antioxidants in *Ficus deltoidea*, a Malaysian herbal tea. *Journal of Agricultural and Food Chemistry*. 59, 1333-1369.
- Pan, S. and Wu, S. (2014). Cellulase-assisted extraction and antioxidant activity of the polysaccharides from garlic. *Carbohydrate Polymers*. 111, 606-609.
- Pathy, S.K., Murthy, Y.L.N., Sunithasarma, Ramaiah, A. (2013). Basic skills training guide-HPLC method development and validation-an overview (online). Retrieved from <http://www.researchgate.net/publication/256561891> on 15 October 2015.
- Patindol, J., Wang, L. and Wang, Y.-J. (2007). Cellulase-assisted extraction of oligosaccharides from defatted rice bran. *Food Chemistry and Toxicology*. 72(9), 516-521.
- Patist, A. and Bates, D. (2008). Ultrasonic innovations in the food industry: From the laboratory to commercial production. *Innovative Food Science and Emerging Technologies*. 9, 147-154.
- Paulo, A.C. and Almeida, L. (1994). Cellulase hydrolysis of cotton cellulose: The effects of mechanical action, enzyme concentration and dyed substrates. *Biocatalysis*. 10, 353-360.
- Pawley, J. (1997). The development of field-emission scanning electron microscopy for imaging biological surfaces. *Scanning*. 19(5), 324-336.
- Pereira, C.A.M., Yariwake, J.H. and McCullagh, M. (2005). Distinction of the C-glycosylflavone isomer pairs orientin/isoorientin and vitexin/isovitexin using HPLC-MS exact mass measurement and in-source CID. *Phytochemical Analysis*. 16(5), 295-301.
- Pietta, P.G. (2000). Flavonoids as antioxidants. *Journal of Natural Products*. 63(7), 1035-1042.
- Pinelo, M., Arnous, A. and Meyer, A.S. (2006). Upgrading of grape skins: Significance of plant cell-wall structural components and extraction techniques for phenol release. *Trends in Food Science & Technology*. 17(11), 579-590.
- Porto, C.D., Porretto, E. and Decorti, D. (2013). Comparison of ultrasound-assisted extraction with conventional extraction methods of oil and polyphenols from grape (*Vitis vinifera* L.) seeds. *Ultrasonics Sonochemistry*. 20, 1076-1080.

- Price, M.L., Scoyoc, S.V. and Butler, L.G. (1978). A critical evaluation of the vanillin reaction as an assay for tannin in sorghum grain. *Journal of Agricultural Food Chemistry*. 26(5), 1214-1218.
- Puri, M., Sharma, D. and Barrow, C.J. (2011). Enzyme-assisted extraction of bioactives from plants. *Trends in Biotechnology*. 30(1), 37-44.
- Qian, Z.-G. (2014). Cellulase-assisted extraction of polysaccharides from *Cucurbita moschata* and their antibacterial activity. *Carbohydrate Polymers*. 101, 432-434.
- Qiao, Y., Xie, B.J., Zhang, Y., Zhang, Y., Fan, G., Yao, X.L. and Pan, S.Y. (2008). Characterization of aroma active compounds in fruit juice and peel oil of Jincheng sweet orange fruit (*Citrus sinensis* (L.) Osbeck) by GC-MS and GC-O. *Molecules*. 13, 1333-1344.
- Qsonica Sonicators. (2015). Q700 Sonicator (online). Retrieved from <http://www.sonicator.com/18-q700-sonicator.html> on 7 October 2015.
- Quercia, V., Turchetto, L., Pierini, N., Cuozzo, V. and Percaccio, G. (1978). Identification and determination of vitexin and isovitexin in *Passiflora incarnata* extracts. *Journal of Chromatography*. 161, 396-402.
- Ramamurthy, S., Kumarappan, C., Dharmalingam, S.R. and Sangeh, J.K. (2014). Phytochemical, pharmacological and toxicological properties of *Ficus deltoidea*: A review of a recent research. *Annual Research & Review in Biology*. 4(14), 2357-2371.
- Ranveer, R.C., Patil, S.N. and Sahoo, A.K. (2013). Effect of different parameters on enzyme-assisted extraction of lycopene from tomato processing waste. *Food and Bioproducts Processing*. 91, 370-375.
- Ravichandiran, V., Nirmala, S. and Ahamed, K.F.H.N. (2012). Protective effect of tannins from *Ficus racemosa* in hypercholesterolemia and diabetes induced vascular tissue damage in rats. *Asian Pacific Journal of Tropical Medicine*. 367-373.
- Redfern, J., Kinninmonth, M., Burdass, D. and Verran, J. (2014). Using soxhlet ethanol extraction to produce and test plant material (essential oils) for their antimicrobial properties. *Journal of Microbiology and Biology Education*. 15(1), 45-46.
- Reese, E.T., Siu, R.G. and Levinson, H.S. (1950). The biological degradation of soluble cellulose derivatives and its relationship to the mechanism of cellulose hydrolysis. *Journal of Bacteriology*. 59(4), 485-497.
- Reverchon, E. and Marco, I.D. (2006). Supercritical fluid extraction and fractionation of natural matter. *Journal of Supercritical Fluids*. 38, 146-166.
- Rezaei, S., Rezaei, K., Haghghi, M. and Labbafi, M. (2013). Solvent and solvent to sample ratio as main parameters in the microwave-assisted extraction of polyphenolic compounds from apple pomace. *Food Science and Biotechnology*. 22(5), 1269-1274.
- Rhee, I.K., Meent, M., Ingkaninan, K. and Verpoote, R. (2001). Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer

- chromatography in combination with bioactivity staining. *Journal of Chromatography A*. 915, 217-223.
- Rokhina, E.V., Lens, P. and Virkutyte, J. (2009). Low-Frequency Ultrasound in Biotechnology: State of the Art. *Trends in Biotechnology*. 27(5), 298-306.
- Romdhane, M. and Gourdon, C. (2002). Investigation in solid-liquid extraction: Influence of ultrasound. *Chemical Engineering Journal*. 87, 11-19.
- Rosenthal, A., Pyle, D.L. and Niranjana, K. (1996). Aqueous and enzymatic processes for edible oil extraction. *Enzyme and Microbial Technology*. 19, 402-420.
- Rosenthal, A., Pyle, D.L., Niranjana, K., Gilmour, S. and Trinca, L. (2001). Combined effect of operational variables and enzyme activity on aqueous enzymatic extraction of oil and protein from soybean. *Enzyme and Microbial Technology*. 28, 499-509.
- Rostagno, A., Palma, M. and Barroso, C. (2003). Ultrasound-assisted extraction of soy isoflavones. *Journal of Chromatography A*. 1012, 119-128.
- Rostagno, M.A., Villares, A., Guillamón, E., García-Lafuente, A. and Martínez, J.A. (2009). Sample preparation for the analysis of isoflavones from soybeans and soy foods. *Journal of Chromatography A*. 1216, 2-29.
- Rouessac, F. and Rouessac, A. (2007). *Chemical analysis: Modern instrumentation methods and techniques*. Hoboken: Wiley.
- Ruiz-Jiménez, J., Luque-García, J.L. and Luque de Castro, M.D. (2003). Dynamic ultrasound-assisted extraction of cadmium and lead from plants prior to electrothermal atomic absorption spectrometry. *Analytica Chimica Acta*. 231-237.
- Ruzaina, S., Mustafa, S., Ahmat, N., Jaafar, F.M. and Ahmad, R. (2009). Phenolic content and antioxidant activity of fruits of *Ficus deltoidea* var. *angustifolia* sp. *The Malaysian Journal of Analytical Sciences*. 13, 146-150.
- Saleh, I.A., Vinatoru, M., Mason, T.J., Abdel-Azim, N.S., Aboutabi, E.A. and Hammouda, F.M. (2016). A possible general mechanism for ultrasound-assisted extraction (UAE) suggested from the results of UAE of chlorogenic acid from *Cynara scolymus* L. (artichoke) leaves. *Ultrasonics Sonochemistry*. 1-25 (online). Retrieved from <http://dx.doi.org/10.1016/j.ultsonch.2016.01.002> on 28 August 2016.
- Salina, H.F., Shima, A.R.R., Masniza, M. and Faeizah, H.N. (2013). Enzyme assisted aqueous extraction and phenolic antioxidants of onion oil. *International Journal of Science, Environment*. 2(5), 949-955.
- Salisova, M., Toma, S. and Mason, T.J. (1997). Comparison of conventional and ultrasonically assisted extractions of pharmaceutically active compounds from *Salvia officinalis*. *Ultrasonics Sonochemistry*. 4, 131-134.
- Samaram, S., Mirhosseini, H., Tan, C.P. and Ghazali, H.M. (2013). Ultrasound-assisted extraction (UAE) and solvent extraction of papaya seed oil: Yield, fatty acid composition and triacylglycerol profile. *Molecules*. 18, 12474-12478.

- Sánchez-Rabaneda, F., Jáurequi, O., Lamuela-Raventós, R.M., Bastida, J., Viladomat, F. and Codina, C. (2003). Identification of phenolic compounds in artichoke waste by high-performance liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*. 1008(1), 57-72.
- Sandabe U.K., Onyeyili, P.A. and Chibuzo, G.A. (2006). Phytochemical screening and effect of aqueous extract of *Ficus sycomorus* L. (Moraceae) stem bark on muscular activity in laboratory animals. *Journal of Ethnopharmacology*. 104, 283-285.
- Sener, N., Killç Apar, D. and Özbek, B. (2006). A modelling study on milk lactose hydrolysis and [beta]-galactosidase stability under sonication. *Process Biochemistry*. 41, 1493-1500.
- Sharma, A. and Gupta, M.N. (2006). Ultrasound pre-irradiation effect upon aqueous enzymatic oil extraction from almond and apricot seeds. *Ultrasonics Sonochemistry*. 13, 529-534.
- Shirsath, S.R., Sonawane, S.H. and Gogate, P.R. (2012). Intensification of extraction of natural products using ultrasonic irradiations-a review of current status. *Chemical Engineering and Processing*. 53, 10-23.
- Shop Hirts: House Plant. (2013). Mistletoe Fig Tree-Mas Cotek-Ficus-Bonsai or house plant-6'-Pot (online). Retrieved from http://www.amazon.com/Hirts-House-Plant/b/ref=bl_dp_s_web_3067280011?ie=UTF8&node=3067280011&fieldlbr_brands_browse-bin=Hirts%3A+House+Plant on 5 April 2016.
- Shotipruk, A., Kaufman, P.B. and Wang, H.Y. (2001). Feasibility study of repeated non-lethal ultrasonic extraction of menthol from *Mentha X piperata*. *Biotechnology Progress*. 17, 924-928.
- Shu, G., Yang, H., Chen, H. and Yang, Z. (2013). Research on extraction and characterization of cellulase from commercial enzyme preparation. *Advance Journal of Food Science and Technology*. 5(7), 839-842.
- Shukla, R., Gupta, S., Gambhir, J.K., Prabhu, K.M. and Murthy, P.S. (2004). Antioxidant effect of aqueous extract of the bark of *Ficus bengalensis* in hypercholesterolaemic rabbits. *Journal of Ethnopharmacology*. 92, 47-51.
- Silva, E.M., Rogez, H. and Larondelle, Y. (2007). Optimization of extraction of phenolics from *Inga edulis* leaves using response surface methodology. *Separation and Purification Technology*. 55(3), 381-387.
- Silveira, M.H.L., Aguiar, R.S., Siika-aho, M. and Ramos, L.P. (2014). Assessment of the enzymatic hydrolysis profile of cellulosic substrates based on reducing sugar release. *Bioresource Technology*. 151, 392-396.
- Sirisha, N., Sreenivasulu, M., Sangeeta, K. and Chetty, C.M. (2010). Antioxidant properties of *Ficus* species - A review. *International Journal of PharmTech Research*. 2(4), 2174-2182.
- Snyder, L.H. (1997). Modern practice of liquid chromatography: Before and after 1971. *Journal of Chemical Education*. 74(1), 37-42.
- Spigno, G., Tramelli, L. and Faveri, D.M. (2007). Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of Food Engineering*. 81(1), 200-208.

- Srivastava, S. and Tyagi, S.K. (2013). Effect of enzymatic hydrolysis on the juice yield from apple fruit (*Malus domestica*). *International Journal of Biotechnology and Bioengineering Research*. 4, 299-306.
- Starr, F., Starr, K. and Loope, L. (2003). *Ficus deltoidea*. United States Geological Survey – Biological Resources Division, Haleakala Field Station, Maui, Hawaii.
- Subhedar, P.B. and Gogate, P.R. (2014). Enhancing the activity of cellulase enzyme using ultrasonic irradiations. *Journal of Molecular Catalysis B: Enzymatic*. 101, 108-114.
- Sui, X., Jiang, L., Li, Y. and Liu, S. (2011). The research on extracting oil from watermelon seeds by aqueous enzymatic extraction method. *Procedia Engineering*. 15, 4673-4680.
- Sulaiman, A.Z. and Ajit, A. (2013). Ultrasound mediated enzymatic hydrolysis of cellulose and carboxymethyl cellulose. *Biotechnology Progress*. 29, 1448-1457.
- Sulaiman, A.Z., Ajit, A., Yunus, R.M. and Chisti, Y. (2011). Ultrasound-assisted fermentation enhances bioethanol productivity. *Biochemical Engineering Journal*. 54, 141-150.
- Sulaiman, M.R., Hussain, M.K., Zakaria, Z.A., Somchit, M.N., Moin, S., Mohamad, A.S. and Israf, D.A. (2008). Evaluation of the antinociceptive activity of *Ficus deltoidea* aqueous extract. *Fitoterapia*. 79, 557-561.
- Sun, Y. and Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: A review. *Bioresource Technology*. 83, 1-11.
- Suryati, Nurdin, H., Dachriyanus and Lajis, M.N. (2011). Structure elucidation of antibacterial compound from *Ficus deltoidea* jack leaves. *Indonesian journal of Chemistry*. 11(1), 67-70.
- Sutha, S., Kalpana Devi, V. and Mohan. V.R. (2011). GC-MS determination of bioactive components of *Erythralum scandens* Bl., *Bijdr. Journal of Applied Pharmaceutical Science*. 1(9), 170-173.
- Szabó, O.E. and Csiszár, E. (2013). The Effect of Low-Frequency Ultrasound on the Activity and Efficiency of a Commercial Cellulase Enzyme. *Carbohydrate Polymers*. 98(2), 1483-1489.
- Tabtabaei, S. and Diosady, L.I. (2013). Aqueous and enzymatic extraction processes for the production of food-grade proteins and industrial oil from dehulled yellow mustard flour. *Food and Research International*. 52, 547-556.
- Takeuchi, T.M., Pereira, C.G., Braga, M.E., Maróstica, M.R., Leal, P.F. and Meireles, M.A.A. (2009). *Extracting bioactive compounds for food products*. Boca Raton: Taylor & Francis Group, LLC.
- Tan, M.C., Tan, C.P. and Ho, C.W. (2013). Effects of extraction solvent system, time and temperature on total phenolic content of henna (*Lawsonia inermis*) stems. *International Food Research Journal*. 20(6), 3117-3123.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G. And Kaur, H. (2011). Phytochemical screening and extraction: A review. *Internationale Pharmaceutica Scientia*. 1(1), 98-106.

- Tsutsui, O., Sakamoto, R., Obayashi, M., Yamakawa, S., Handa, T., Nishio-Hamane, D. and Matsuda, I. (2016). Light and SEM observation of opal phytoliths in the mulberry leaf. *Flora*. 218, 44-50.
- Tuyen, N.V., Kim, D.S.H.L., Fong, H.S., Soejarto, D.D., Khanh, T.C., Tri, M.V. and Xuan, L.T. (1998). Structure elucidation of two triterpenoids from *Ficus fistulosa*. *Phytochemistry*. 50, 467-469.
- Tyihak, E., Mincsovcics, E. and Kalasz, H. (1979). New planar liquid chromatography technique: Overpressured thin layer chromatography. *Journal of Chromatography A*. 174(1), 75-81.
- Vale, G., Otero, R.R., Mota, A., Fonseca, L. and Capelo, J.L. (2008). Ultrasonic-assisted enzymatic digestion (USAED) for total elemental determination and elemental speciation: A tutorial. *Talanta*. 75, 872-884.
- Vardanega, R., Santos, D.T. and Meireles, M.A.M. (2014). Intensification of bioactive compounds extraction from medicinal plants using ultrasonic irradiation. *Pharmacognosy Review*. 8(16), 88-95.
- Vázquez, M.F.B., Comini, L.R., Martini, R.E., Montoya, S.C.N., Bottini, S. and Cabera, J.L. (2013). Comparisons between conventional, ultrasound-assisted and microwave-assisted methods for extraction of anthraquinones from *Heterophyllaea pustulata* Hook f. (Rubiaceae). *Ultrasonics Sonochemistry*. 21(2), 478-484.
- Viikari, L., Alapuranen, M., Puranen, T., Vehmaanpera, J. And Siika-Aho, M. (2007). Thermostable enzymes in lignocellulose hydrolysis. *Advances in Biochemical Engineering/Biotechnology*. 108, 121-145.
- Vinatoru, M. (2001). An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *Ultrasonics Sonochemistry*. 8, 303-313.
- Vinatoru, M., Toma, M., Radu, O., Filip, P.I., Lazucra, D. and Mason, T.J. (1997). The use of ultrasound for the extraction of bioactive principles from plant materials. *Ultrasonics Sonochemistry*. 4, 135-139.
- Vogler, B. and Setzer, W.N. (2006). *Natural products from plants*. Boca Raton: Taylor & Francis Group, LLC.
- Wahid, S., Mahmud, T.M.M., Maziah, M., Yahya, A. and Rahim, M.Ab. (2010). Total phenolics content and antioxidant activity of hot water extracts from dried *Ficus deltoidea* leaves. *Journal of Agriculture and Fundamental Science*. 38(1), 115-122.
- Waliszewski, K.N., Ovando, S.L. and Pardio, V.T. (2010). Effect of Hydration and Enzymatic Pretreatment of Vanilla Beans on the Kinetics of Vanillin Extraction. *Journal of Food Engineering*. 78(4), 1267-1273.
- Wang, C.-H., Wang, Y.-X. and Liu, H.-J. (2011b). Validation and application by HPLC for simultaneous determination of vitexin-2''-O-glucoside, vitexin-2''-O-rhamnoside, rutin, vitexin and hyperoside. *Journal of Pharmaceutical Analysis*. 1(4), 291-296.

- Wang, H.-B. (2014). Cellulase-assisted extraction and antibacterial activity of polysaccharides from dandelion *Taraxacum officinale*. *Carbohydrate Polymers*. 103, 140-142.
- Wang, H.-W., Liu, Y.-Q., Wei, S.-L., Yan, Z.-J. and Lu, K. (2010). Comparison of microwave-assisted and conventional hydrodistillation in the extraction of essential oils from mango (*Mangifera indica* L.) flowers. *Molecules*. 15, 7715-7723.
- Wang, J., Sun, B.G., Cao, Y., Tian, Y. and Li, X.H. (2008). Optimization of ultrasound-assisted extraction of phenolic compounds from wheat bran. *Food Chemistry*. 106, 804-810.
- Wang, L. and Weller, C.L. (2006). Recent advances in extraction of nutraceuticals from plants. *Trends in Food Science & Technology*. 17, 300-312.
- Wang, S., Jiang, L., Li, Y., Li, D. and Sui, X. (2011a). Optimization on aqueous enzymatic extraction conditions of pine seed protein by response surface method. *Procedia Engineering*. 15, 4956-4966.
- Wang, Z., Lin, X., Li, P., Zhang, J., Wang, S. and Ma, H. (2012). Effects of low intensity ultrasound on cellulase pretreatment. *Bioresource Technology*. 117, 222-227.
- Wang, Z.L. (2000). Transmission electron microscopy of shape-controlled nanocrystals and their assemblies. *Journal of physical Chemistry B*. 104(6), 1153-1175.
- Wertz, J.-L., Bedue, O. And Mercier, J.P. 2010. *Celulose Science and Technology*. CRC Press: Taylor & Francis Group, London.
- WHO. (2013). *Traditional medicine strategy 2014-2023*. Geneva: World Health Organization.
- Wilkins, M.R., Widmer, W.W., Grohmann, K. and Cameron, R.G. (2007). Hydrolysis of grapefruit peel waste with cellulase and pectinase enzymes. *Bioresource Technology*. 98, 1596-1601.
- Wong, C.C., Li, H.B., Cheng, K.W. and Chen, F. (2006). A systematic survey of antioxidant activity of 30 Chinese medicinal plants using the ferric reducing antioxidant power assay. *Food Chemistry*. 97(4), 705-711.
- Woon, S.M., Seng, Y.W., Ling, A.P.K., Chye, S.M. and Koh, R.Y. (2013). Anti-adipogenic effects of *Ficus deltoidea* var. *deltoidea* and var. *angustifolia* on 3T3-L1 adipocytes. *Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology)*. 15(3), 295-302.
- Xiao, Y.M., Wu, Q., Cai, Y. and Lin, X.F. (2005). Ultrasound-accelerated enzymatic synthesis of sugar esters in nonaqueous solvents. *Carbohydrate Research*. 340, 2097-2103.
- Xie, G., Bruce, D.C., Challacombe, J.F., Chertkov, O., Detter, J.C., Gilna, P., Han, C.S., Lucas, S., Misra, M., Myers, G.L., Richardson, P., Tapia, R., Thayer, N., Thompson, L.S., Brettin, T.S., Henrissat, B., Wilson, D.B. and McBride, M.J. (2007). Genome sequence of the cellulolytic gliding bacterium *Cytophaga hutchinsonii*. *Applied and Environmental Microbiology*. 73(11), 3536-3546.

- Yan, C., Liu, H. and Lin, L. (2012). Simultaneous determination of vitexin and isovitexin in rat plasma after oral administration of *Santalum album* L. leaves extract by liquid chromatography tandem mass spectrometry. *Biomedical Chromatography*. 27(2), 228-232.
- Yao, H. and Kimura, K. (2007). Field emission scanning electron microscopy for structural characterization of 3D gold nanoparticle super lattices. *Modern Research and Educational Topics in Microscopy*. 568-575.
- Yao, Y., Cheng, X., Wang, L., Wang, S. and Ren, G. (2011). A determination of potential α -glucosidase inhibitors from Azuki beans (*Vigna angularis*). *International Journal of Molecular Sciences*. 12, 6445-6451.
- ZBM Perfect World (M) Sdn Bhd. (2013). Komuniti Anjung Rusila-Produk ZBM (online). Retrieved from <http://www.khasiatherba.com/produk-herba/jual-dan-promosi-produk-herba.html> on 21 October 2015.
- Zeng, M., Mosier, N.S., Huang, C.P., Sherman, D.M. and Ladisch, M.R. (2007). Microscopic examination of changes of plant cell structure in corn stover due to hot water pre-treatment and enzymatic hydrolysis. *Biotechnology Bioengineering*. 1(97), 265-278.
- Zhang, A., Sun, H., Wang, Z., Sun, W., Wang, P. and Wang, X. (2010). Metabolomics: Towards understanding traditional Chinese medicine. *Planta Medica*. 76, 2026-2035.
- Zhang, G., He, L. and Hu, M. (2011). Optimized ultrasonic-assisted extraction of flavonoids from *Prunella vulgaris* L. and evaluation of antioxidant activities in vitro. *Innovative Food Science and Emerging Technologies*. 12, 18-25.
- Zhang, S.B., Wang, Z. and Xu, S.Y. (2007). Optimization of the aqueous enzymatic extraction of rapeseed oil and protein hydrolysates. *Journal of the American Oil Chemists' Society*. 84, 97-105.
- Zhang, Y., Jiao, J., Liu, C., Wu, X. and Zhang, Y. (2008b). Isolation and purification of four flavone C-glycosides from antioxidant of bamboo leaves by macroporous resin column chromatography and preparative high-performance liquid chromatography. *Food Chemistry*. 107, 1326-1336.
- Zhang, Y.H.P., Hong, J. and Ye, X. (2009). Cellulase Assays. *Biofuels: Methods and Protocols, Methods in Molecular Biology*. 591, 213-231.
- Zhang, Z.S., Wang, L.J., Li, D., Jiao, S.S., Chen, X.D. and Mao, Z.H. (2008a). Ultrasound-assisted extraction of oil from flaxseed. *Separation and Purification Technology*. 62, 192-198.
- Zhao, Y.-M., Song, J.-H., Yang, J.-M., Wang, Z.-B. and Liu, Y.-H. (2016). Optimization of cellulase-assisted extraction process and antioxidant activities of polysaccharides from *Tricholoma mongolicum* Imai. *Society of Chemical Industry*. (Wiley Online Library) (online). Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jsfa.7662/abstract> on 20 June 2016.
- Zheng, W. and Wang, S.Y. (2001). Antioxidant activity and phenolic compounds in selected herbs. *Journal of Agricultural and Food Chemistry*. 49, 5165-5170.

- Zucolotto, S.M., Fagundes, C., Reginatto, F.H., Ramos, F.A., Castellanos, L., Duque, C. and Schenkel, E.P. (2011). Analysis of C-glycosyl flavonoids from South American *Passiflora* Species by HPLC-DAD and HPLC-MS. *Phytochemical Analysis*. 23(3), 232-239.
- Zuniga, M.E., Soto, C., Mora, A., Chamy, R. And Lema, J.M. (2003). Enzymatic pretreatment of *Gevuina avellana* mol oil extraction by pressing. *Process Biochemistry*. 39(1), 51-57.
- Zuorro, A., Fidaleo, M. and Lavecchia, R. (2011). Enzyme-assisted extraction of lycopene from tomato processing waste. *Enzyme and Microbial Technology*. 49, 567-573.
- Zurina. (2011). Khasiat Mas Cotek (online). Retrieved from <http://aurajutawan2u.blogspot.my/2011/02/khasiat-mas-cotek.html> on 23 January 2015.

LIST OF PUBLICATIONS AND CONFERENCES

Published paper and abstract:

1. **Nur Aimi Syairah Mohd Abdul Alim**, A.Z. Sulaiman and Azilah Ajit. (2016). Application of Ultrasound on the Extraction of Vitexin from *Ficus deltoidea* leaves. ARPN Journal of Engineering and Applied Sciences. 11(4), 2199-2204. http://www.arpnjournals.org/jeas/research_papers/rp_2016/jeas_0216_3626.pdf
2. **Nur Aimi Syairah Mohd Abdul Alim**, Azilah Ajit and A.Z. Sulaiman. (2015). Abstract. The Effects of Ultrasound on the Extraction of *Ficus deltoidea* leaves. <https://waset.org/abstracts/28134>

Attended conferences:

1. 5th International Conference on Biotechnology for the Wellness Industry (ICBWI 2014), 10-11 June 2014, Universiti Teknologi Malaysia, Kuala Lumpur, Malaysia. (Poster presentation)
2. ICCSE 2015: 18th International Conference on Chemical Science and Engineering, 21-22 April 2015, Istanbul, Turkey.
3. International Conference on Fluids and Chemical Engineering (FluidsChE 2015), 25-27 November 2015, Adya Hotel, Langkawi Island, Malaysia.

In-progress submission in Innovative Food Science and Emerging Tehnologies:

Nur Aimi Syairah Mohd Abdul Alim, Sulaiman, A.Z. and Ajit, A. (2016). Effect of unified system of ultrasound and enzyme on the extraction of vitexin and isovitexin compounds from *Ficus deltoidea* var. *deltoidea* leaves extracts.

LIST OF GRANTS

This research was supported by the following research grant schemes:

1. NKEA Herbs Research Grant Scheme (NRGS) RDU130703 by the Ministry of Agriculture Malaysia.
2. NKEA Herbs Research Grant Scheme (NRGS) RDU161601 by the Ministry of Agriculture Malaysia.
3. Universiti Malaysia Pahang Postgraduate Research Grant Scheme (UMP-PRGS) GRS1403168.