

FAULT DETECTION IN THREE PHASE INDUCTION MOTOR USING
ARTIFICIAL INTELLIGENCE

AHMAD FARID BIN ABU BAKAR

UNIVERSITY MALAYSIA PAHANG

“I hereby declare that I have read this thesis and in my opinion this thesis is sufficient in terms of scope and quality for the award of the degree of Bachelor of Electrical Engineering (Hons.) (Power system)

Signature :
Name of Supervisor : DR AHMED N ABD ALLA
Date : 23 NOVEMBER 2009

Fault Detection In Three Phase Induction Motor Using Artificial Intelligence

Ahmad Farid Bin Abu Bakar

This thesis is submitted as partial fulfillment of the requirements for the award of the
Bachelor of Electrical Engineering (Power System)

Faculty of Electrical & Electronics Engineering

University Malaysia Pahang

NOVEMBER 2009

“All the trademark and copyrights use in here are property of their respective owner. References of information from other sources are quoted accordingly, otherwise the information presented in this report is solely work of the author”.

Signature :
Author : AHMAD FARID BIN ABU BAKAR
Date : 23 NOVEMBER 2009

TABLES OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGMENTS	iv
	ABSTRACT	v
	TABLE OF CONTENTS	vii
	LIST OF FIGURES	x
	LIST OF TABLES	xii
1	INTRODUCTION	
	1.1 Thesis Overview	1
	1.2 Background	2
	1.3 Problem Statement	2
	1.4 Objectives	3
	1.5 Scopes of the Project	3
	1.6 Thesis Outline	4

2

LITERATURE REVIEW AND THEORY

2.1	Chapter Overview	5
2.2	Literature Review	7
2.2.1	Artificial Intelligence	7
2.2.2	Induction Motor	8
2.2.3	Parameters	8
2.3	Theory	13
2.3.1	Faults in Induction Motor Overview	13
2.3.1.1	Stator Faults	13
2.3.1.2	Voltage Unbalanced	14
2.3.1.3	Bearing Faults	16
2.3.1.4	Rotor Faults	18
2.3.2	MATLAB Overview	19
2.3.3	Radial Basis Function Network Overview	20
2.3.3.1	Normalized Architecture	23
2.3.3.2	Theoretical Motivation for Normalization	23
2.3.3.3	Local Linear Models	25
2.3.3.4	Training the Network	27
2.3.3.5	Interpolation	28
2.3.3.6	Function Approximation	28
2.3.3.7	Training the Basis Function Centres	29
2.3.3.8	Pseudo Inverse Solution for the Linear Weights	29
2.3.3.9	Gradient Descent Training of the Linear Weights	30
2.3.3.10	Projection Operator Training of the Linear Weights	30

3**METHODOLOGY**

3.1	Chapter Overview	32
3.2	Data Extraction	34
3.3	Fault Severity Evaluation	46
3.3.1	Stator Inter Turn Fault	47
3.3.2	Unbalance Voltage	49
3.4	Develop ANN	52
3.4.1	Building RBFNN	55
3.4.2	Constructing the GUI for the Neural Network	59
3.4.2.1	Interfacing the GUI	59
3.4.2.2	Coding the GUI	65

4**RESULT AND DISCUSSION**

4.1	Main GUI	70
4.2	No Load GUI	71
4.3	Discussions	78

5**CONCLUSION AND RECOMMENDATION**

5.1	Conclusion	79
5.2	Recommendation	80

REFERENCE

List of references

86

86-90

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1	Overall project flow	6
2.2	Description of the turn-to-turn short circuit implemented in the simulations	13
2.3	Artificially created bearing fault	16
2.4	Description of the rotor cage-related faults implemented in simulations (left figure) and artificially created in measurements (right figure)	18
2.5	Radial Basis Function Neural Network	20
3.1	Project flow chart	33
3.2	Three-Phase Asynchronous Motor model from Simulink	35
3.3	AC voltage source block	36
3.4	Block Parameters of AC voltage Source	36
3.5	AC Voltage source connection	37
3.6	Block Parameters of 1.5HP – 450V 50Hz – 1475rpm	38
3.7	RMS converter	41
3.8	Bus Selector block	41
3.9	Block Parameters for Bus Selector	42
3.10	Current Measurement block	42
3.11	Simulation model for healthy state condition	43
3.12	Step block	44
3.13	Block Parameters of Step	45
3.14	Block Parameters of motor to obtain stator resistance	47
3.15	Simulation model of stator inter turn fault	48
3.16	Manipulating voltage unbalance simulation model	50

3.17	Output simulation model of unbalance voltage	51
3.18	Basic coding for Radial Basis Function Network in MATLAB	55
3.19	M-file for Radial Basis Function coding of no load	55
3.20	The input data for no load condition	56
3.21	Overall coding	56
3.22	Output data	57
3.23	Approximate input data value with unbalance voltage fault	58
3.24	Output of manipulated data	58
3.25	GUIDE Quick Start	60
3.26	The Layout Editor	60
3.27	Main window of the Fault Detection in Three-Phase Induction Motor Using Artificial Intelligence	61
3.28	No load windows	62
3.29	Half load windows	63
3.30	Full Load windows	64
3.31	Property Inspector for pushbutton1	65
3.32	The coding of Main GUI	66
3.33	Coding for RUN pushbutton	67
3.34	Extra function for RUN button	68
3.35	Coding for RESET pushbutton	69
4.1	Main windows	71
4.2	No Load windows	72
4.3	No input data message box	73
4.4	Healthy condition message box	74
4.5	Stator fault message box	75
4.6	Unbalance voltage message box	76
4.7	Half load GUI	77
4.8	Full load GUI	78

LIST OF TABLES

TABLE NO.	TITLE	PAGE
3.1	Description of the motor Block Parameters	39
3.2	Tabulated data from Workspace	40
3.3	Output simulation data of healthy state in RMS value	46
3.4	Availability of motor condition in this project	46
3.5	Output simulation of stator inter turn fault in RMS value	49
3.6	Output simulation of unbalance voltage fault in RMS value	52
3.7	Description of elements in ANN coding	53