

## REFERENCES

- Abbas, K.A., Mohamed, A., Abdulmir, A.S. and Abas, H.A. 2008. A review on supercritical fluid extraction as new analytical method. *American Journal of Biochemistry and Biotechnology*. 4: 345-353.
- Adams, R.P. 1995. *Identification of essential oil components by gas chromatography/mass spectrometry*. Carol Stream, IL, USA: Allured.
- Anon. 2001. Review of Significant Trade *Aquilaria malaccensis*. *CITES Identification Manual*. Switzerland: CITES Secretariat Geneva.
- Arsat, S. 2008. *Enzymatic-enhanced production of gaharu oil: Effect of shaking speed and water/gaharu ratio*. Ms.D. Thesis University of Malaysia Pahang, Malaysia.
- Barden, A., Anak, N.A., Mulliken, T. and Song, M. 2000. *Heart of the matter: Agarwood use and trade and CITES Implementation for Aquilaria Malaccensis*. Kuala Lumpur, Malaysia: TRAFFIC SE Asia.
- Belkacemi, K., Turtotte, G., de Halleux, D. and Savoie, P. 1998. Ethanol production from AFEX-treated forages and agricultural residues. *Applied Biochemistry and Biotechnology*. (70-72):441-462.
- Behrend, O. and Schubert, H. 2001. Influence of hydrostatic pressure and gas content on continuous ultrasound emulsification. *Ultrasonics Sonochemistry*. 8(3): 271-276.
- Bhuiyan, M.N.I., Begum, J. and Bhuiyan, M.N.H. 2009. Analysis of essential oil of eaglewood tree (*Aquililaria agallocha* Roxb) by gas chromatography mass spectrometry. *Bangladesh Journal Pharmacology*. 4: 24-28.
- Biology Online Editable Wiki Dictionary. 2007. [http://www.biology-online.com/dictionary/Enzymatic\\_hydrolysis](http://www.biology-online.com/dictionary/Enzymatic_hydrolysis) (14 February 2014).
- Blanchette, A.R. 2015. Agarwood Production in Aquilaria. Retrieved from *Sustainable Agarwood Production in Aquilaria Trees*.
- Blanchette, A.R. 2006. The genus Gyrinops, is closely related to Aquilaria and in the past all species were considered to belong to Aquilaria. *Cultivated Agarwood - Training programs and Research in Papua New Guinea*. Forest Pathology and Wood Microbiology Research Laboratory, Department of Plant Pathology, University of Minnesota.
- Broad, S. 1995. Agarwood harvesting in Vietnam. *TRAFFIC Bulletin*. 15 Febuary: 96.
- Burdsall, H. 1974. *Mycotaxon*. 1: 124.

- Chang, Y.S., Nor Azah, M.A., Abu Said, A., Lok, E.H., Reader, S. and Spiers, A. 2002. Gaharu. *FRIM Technical Information*. 69: 1-7.
- Chakrabarty, K., Kumar, A. and Menon, V. 1994. Trade in agarwood. *New Delhi: TRAFFIC India and WWF-India*. 7 March: 51.
- Chetpattananondh, P. 2012. Overview of the Agarwood oil industry. *Paper presented at the IFEAT International Conference in Singapore*. 13: 1-138.
- Compton, J. and Ishihara, A. 2003. The Use and Trade of Agarwood in Japan. *Southeast Asia: TRAFFIC*.
- Coughlan, M.P. 1992. Enzymatic hydrolysis of cellulose on overview. *Biochemical technology*. 39: 107-115.
- Crous, P. W., Gams, Walter, Wingfield, Michael, J. and Van Wyk, P. S. 1996. Formerly *Phialophora parasitica*: *Phaeoacremonium* gen. nov. associated with wilt and decline diseases of woody hosts and human infections. *Mycologia*. 88 (5): 786-796.
- Dashban, M., Schraft, H., Syed, T.A. and Qin, W. 2010. Fungal biodegradation and enzymatic modification of lignin. *International Journal of Biochemistry and Molecular Biology*. 1(1): 36-50.
- Esterbauer, H., Steiner, J., Labudova, I., Hermann, A. and Hayn, M. 1991. Production of *Trichoderma* cellulase in laboratory and pilot scale. *Bioresource Technology*. 36(1): 51-65.
- Esclapez, M.D., Garcia-Perez, J.V., Mulet, A. and Carcel, J.A. 2011. Ultrasound-assisted extraction of natural products. *Food Engineering*. 3: 108-120.
- Faridah, A.R. 2009. Analysis of agarwood oil composition via preparative thin layer chromatography. MSc. Thesis. University of Malaysia Pahang, Malaysia.
- Fakhriya, S.T. and Minar, M.H. 2007. Pretreatment of cottonseed flakes with proteases and an amylase for higher oil yields. *GRASAS Y ACEITES*. 58 (3): 297-306.
- Ferhat, M.A., Meklati, B.Y., Smadja, J. and Chemat, F. 2006. An improved microwave clavenger apparatus for distillation of essential oils from orange peel. *Journal of Chromatography*. 1112: 121-126.
- Fullbrook, P.D. 1983. The use of enzymes in the processing of oil seeds. *Journal of the American Oil Chemists Society*. 60: 476-478.

- Ganzler, K., Salgo, A. and Valko, K. 1986. Microwave extraction: A novel sample preparation method for chromatography. *Journal of Chromatography A*. 371: 299-306.
- Geneva.1994. ISO NWI N-1784. Determination of individual components and groups of components in gasoline by high efficiency open tubular column gas chromatography (detailed hydro- carbon analysis) International Organization for Standards.
- Gianno, R. 1986. The exploitation of Resinous Products in a lowland Malayan forest. *Wallaceana*. 43: 3-6.
- Gimlette, J.D. and Burkill, I.H. 1930. The Medicinal Book of Malayan Medicine. *The Gardens' Bulletin, Straits Settlements*. 6(3): 333-497.
- Hamid, K.H. K. 2011. *The world of fragrance through malaysian bio-gaharu; professor lecture enhancing*. University Publication Centre (UPENA), Universiti Teknologi MARA, Shah Alam.
- Hazwan, M.H., Hasfalina, C.M., Hisyamuddin, J. and Zurina, Z.A. 2012. Optimization and kinetics of essential oil extraction from *Citnorea Grass* by ohmic heated hydrodistillation. *International Journal of Chemical Engineering and Applications*. 3(2): 173-177.
- Hecht, E. 2002. *Optics*. Wesley: Addison.
- Hilary, C. 2005. Brewing gold. All Malaysia Info. *The Star Online*. 9 August.
- Hitze, W., Stute, R., Woelk, H.U., Gillaue, R. and Walson, P. 1972. Enzyme aided extraction of corn germ oil. *British Patent*. 1: 402-769.
- Huey, H.S. 2008. *Enzymatic-enhancement production of gaharu oil: Effect of enzyme loading and duration time*. MSc. Thesis. University of Malaysia Pahang, Malaysia.
- Ingesson, H., Zacchi, G., Yang, B., Ali, R., Esteghlalian, John, N. and Saddler. 2001. The effect of shaking regime on the rate and extent of enzymatic hydrolysis of cellulose. *Journal of Biotechnology*. 88: 177-182.
- Ishihara, M., Tsuneya, T. and Uneyama, K. 1993(a). Fragrant sesquiterpenes from agarwood. *Phytochemistry*. 33: 1147-1155.
- Ishihara, M. and Tsuneya, T. 1993(b). Components of volatile concentrate of agarwood. *Journal of essential oil research*. 5:283-289.
- Ishihara, M., Tsuneya, T. and K. Uneyama. 1993(c). Components of the Agarwood Smoke on Heating. *Journal of Essential Oil Research*. 5: 419 - 423.

- Jaapar, A.J. 2008. *Extraction of gaharu essential oil using ultrasonic assisted steam distillation*. MSc. Thesis. University of Malaysia Pahang, Malaysia.
- Jeanne, R. 1999. *Essential Oils and Hydrosols*. Berkeley, CA: Frog Ltd.
- Jok, V.A., Radzi, N.C. and Halim, K. 2014. Effect of Soaking on The Temperature and Ph Profiles in Agarwood Extraction. *International Journal of Latest Research in Science and Technology*. 3(6): Page No.111-113.
- Joulain, D. and König, W.A. 1998. *The atlas of spectral data of sesquiterpene Hydrocarbons*. E.B.-Verlag.
- Kahfi, M.K. 2008. *Extraction of Gaharu Essential Oil Using Enzymatic Hydrodistillation*. MSc. Thesis. University of Malaysia Pahang, Malaysia
- Klayman, D.L. and Qinghaosu. 1985. (Artemisinin): an antimalarial drug from China. *Science*. 228: 1049-1055.
- Konig, W.A., Bulow, N. and Saritas, Y. 1999. Identification of sesquiterpene hydrocarbons by gas phase analytical methods. *Flavour and Fragrance Journal*. 14: 367-378.
- Kumeta, Y. and Ito, M. 2010. Characterization of d-guaiene synthases from cultured cells of aquilaria, responsible for the formation of the sesquiterpenes in agarwood. *Plant Physiology*. 154: 1998-2007.
- La Frankie, J. 1994. Population dynamics of some tropical trees that yield non-timber forest products. *Economic Botany*. 48(3): 301-309.
- Lian, L.S. 2008. Agarwood (*Aquilaria Malaccensis*) In Malaysia. *Ndf Workshop Case Studies*. Forest Research Institute Malaysia (*Frim*). (1-12).
- Liu, J., Wu, J., Zhao, Y.X., Deng, Y.Y., Mei, W.L. and Dai, H.F. 2008. A new cytotoxic 2-(2-phenylethyl) chromone from Chinese eaglewood. *Chinise Chem Lett*. 19: 934-936.
- Mabberley, D.J. 1997. *The Plant Book*. UK: The Press Syndicate of the University of Cambridge. 858pp.
- Mamata, M. 2000. *Natural Extracts Using Supercritical Carbon Dioxide*. New York: CRC Press.
- Marek, E., Weigelt, E., Mieth, E., Kerns, G. and Kude, J. 1990. On the application of enzymes in the production of vegetable oil. *Journal Progr. Biotechnol*. 6: 471-474.

- Mat Isa, Z. 2008. *Extraction of gaharu essential oil using ultrasonic assisted hydro distillation*. MSc. Thesis. University of Malaysia Pahang, Malay
- McMullan, D. 2006. Scanning electron microscopy. *Scanning*. 17(3): 175.
- McMullan, D. 1988. Von Ardenne and the scanning electron microscope. *Proc Roy Microsc Soc*. 23: 283-288.
- Meng Ling, H., Shuyan, Q. and Lanjuan, H. 2005. Rapid in vitro propagation of medicinally important *Aquilaria agallocha*. *Journal of Zhejiang University Science*. 6B (8): 849-852.
- Mendiola, J.A., Herrero, M., Castro-Puyana, M. and Ibáñez, E. 2013. Natural product extraction: principles and applications. *The Royal Society Chemistry*. Pp 196-230.
- Mohd, R. 2006. *Extraction of Gaharu Essential Oil using Microwave Assisted Extraction (MAE)*. MSc. Thesis. University of Malaysia Pahang, Malaysia.
- Moreau, B.A., Johnston, D.B., Powell, M.J. and Hicks, K.B. 2004. A comparison of commercial enzymes for the aqueous enzymatic extraction of corn oil from corn germ. *Journal of American and Oil Chemistry Society*. 81: 1071 -1075.
- Mukataka, S., Tada, M. and Takahashi, J. 1983. Effect of agitation on enzymatic hydrolysis of castor oil: Process intensification studies. *Journal of Biochemical Engineering*. 31(1):31-41.
- Murmanis, L., Highley, T.L. and Palmer, J.G. 1987. Cytochemical localization of cellulases in decayed and nondecayed wood. *Wood Science and Technology*. 2:101-109.
- Naef, R. 2011. The volatile and semi-volatile constituents of agarwood, the infected heartwood of *Aquilaria* species: *A review*. *Journal of Flavour and fragrance*. 26:73-87.
- Nakanishi, T., Yamagata, E., Yoneda, K., Nagashima, T., Kawasaki, I., Yoshida, T., Mori, H. and Miura, I. 1984. Three fragrant sesquiterpenes of agarwood. *Phytochemistry*. 22: 2066-2067.
- Ng, L.T., Chang, Y.S. and Kadir, A.A. 1997. A review on agar (gaharu) producing *Aquilaria* species. *Journal of Tropical Forest Products*. 2(2):272-285.
- Nor Fazila, K., and Ku Halim. K.H. 2012. Effect of soaking on yield and quality of agarwood oil. *Journal of Tropical Forest Science*. 24(4):557-564.
- Nor Azah, M.A., Chang, Y.S., Mailina, J., Abu Said, A., Abd Majid, J., Saidatul Husni, S., Nor Hasnida, H. and Nik Yasmin, Y. 2008. Comparison of chemical profiles

- of selected gaharu oils from peninsular malaysia. *The Malaysian Journal of Analytical Sciences*. 12 (2): 338-340.
- Nurlaila, I., Nor Azah, M.A, Mailina, J., Mohd Hezri, F.R, Saiful Nizam, T. and Mohd Nasir, T. 2014. A review study of agarwood oil and its quality analysis. *Journal Teknologi (Sciences & Engineering)*. 68(1): 37-42.
- Nwabanne, J. T. 2012. Kinetics and thermodynamics study of oil extraction from fluted pumpkin seed. *International Journal of Multidisciplinary Sciences and Engineering*. 3(6):11-15.
- Oashima, H., Burns, D.S. and Converse, A.O. 1990. Adsorption of cellulase from *T. reesei* on cellulose and lignaceous residue in wood pretreated by dil. H<sub>2</sub>SO<sub>4</sub> with explosive decomposition. *Biotechnology Bioengineering*. 36:446-452.
- Oldfield, S., Lusty, C. and MacKinven, A. 1998. *The Word List of Threatened Trees*. Cambridge: World Conservation Press.
- Okugawa, H. Ueda, R., Matsumoto, K. and Kawanishi, K. 1996. Effect of jinkoh-eremol and agarospirol from agarwood on the central nervous system in mice. *Planta Medica*. 62 (1): 2-6.
- Orth, A.A., Deny, M. and Tien, M. 1991. Overproduction of lignin-degrading enzymes by an isolate of *Phanerochaete chrysosporium*. *Application of Environmental Microbiology*. 57(9): 2591-2596.
- Pare, J.R.J., Sigomin, M. and Lapointe, J. 1991. *Microwave-assisted natural products extraction*. US patent 5:002/784.
- Persoon, G. 2007. Agarwood : the life of a wounded tree. *IIAS newsletter*. 45: 24-25.
- Pingret, D., Fabiano-Tixier, A.S. and Chemat, F. 2013. Natural product extraction principles and applications. *The Royal Society Chemistry*. Pp 89-112.
- Pornpunyapat, J., Chetpattananondh, P. and Tongurai, C. 2010. Extraction Kinetic Model and Chemical Compounds of Agarwood Oil. *Proceedings of 2010 International Conference on Chemical Engineering and Applications (CCEA 2010)*, pp: 1-5.
- Pornpunyapat, J., Chetpattananondh, P. and Tongurai, C. 2011. Mathematical modeling for extraction of essential oil from *Aquilaria crassna* by hydrodistillation and quality of agarwood oil. *Bangladesh Journal Pharmacol.* 6:18-24.
- Reese, E.T. and Maguire, A. 1969. Surfactants as stimulants of enzyme production by microorganisms. *Application of Microbiology*. 17: 242-245.
- Rubiolo, P., Sgorbini, B., Liberto, E., Cordero, C. and Bicchi, C. 2010. Essential oils and volatiles: sample preparation and analysis: A review. *Journal of Flavour and Fragrant*. 25: 282-290.

- Saha, B.C. 2003. Hemicellulose bioconversion. *Journal of Ind Microbiol Biotechnol.* 30: 279-291.
- Satish K.K. 2010. *Extraction of essential oil using steam distillation.* Rourkela: Department of chemical engineering national of institute technology. Pp1-33.
- Sengupta, S., and Bhattacharyya, N.P. 1996. Oxidative stress induced resistance in Chinese hamster V79 cells. *Biochemical and Biophysical Research Communications.* 228(2): 267-271.
- Silva, E.M., Rogez, H. and Larondelle, Y. 2007. Optimization of extraction of phenolics from *Inga edulis* leaves using response surface methodology. *Separation and Purification Technology.* 55: 381-387.
- Sjöström, E. 1993. *Wood Chemistry Fundamentals and Applications.* 2 ed. London: Academic Press Inc.
- Sovová, H., Aleksovski, S.A. 2006. Mathematical model for hydrodistillation of essential oils. *Journal of Flavour Fragrance.* 21(6): 881-889.
- Tajuddin, S.N., and Yusoff, M.M. 2010. Chemical composition of volatile oils of *Aquilaria malaccensis* (Thymelaeaceae) from Malaysia. *Natural Product Communications.* 5(12): 1965-1968.
- Tajuddin, S. N. 2011. *Resolution of complex sesquiterpene mixture in aqualaria malaccensis (gaharu) volatile oils using gas chromatography methods.* Ph.D. Thesis. Faculty of Industry and Science Technology (FIST), Universiti Malaysia Pahang, Malaysia.
- Tamuli, P., Boruah, P. and Nath, S.C. 2005. Essential of eaglewood tree: A product of Pathogenesis. *Journal of Essential oil Resources.* 17: 601-604.
- Tano-Debrah, Yoshimura, K., and Ohta Y. 1996. Enzyme-assisted extraction of shea fat: evidence from light microscopy on the degradative effects of the enzyme treatment on cells of the Shea kernel. *Journal of American Oil Chemistry Society.* 73: 449-453.
- Takemoto, H., Yagura, T. and Ito, M. 2009. Evaluation of volatile component from spikenard: Valerena-4,7(11)-diene is a highly active sedative compound. *National Medicine.* 63(4): 5-380.
- Takuro, W., Kenji, K.N.M. and Tsuneaki, M. 2006. *Development of a precise method for the quantitative analysis of hydrocarbons using post-column reaction capillary gas chromatography with flame ionization detection chromatography.* 27(2).

- Toledo, R.T. 2007. *Fundamentals of food process engineering*. 3rd ed. Athens, GA. USA: Springer, pp 516-517.
- Wetwitayaklung, P., Thavanapong, N. and Charoenteeraboon, J. 2009. Chemical constituents and antimicrobial activity of essential oil and extracts of heartwood of *Aquilaria crassna* obtained from water distillation and supercritical fluid carbon dioxide extraction. *Silpakorn University Science and Technology Journal*. 3: 25-33.
- Yaacob, S. 1999. Agarwood: Trade and CITES Implementation in Malaysia, *Unpublished report prepared for TRAFFIC Southeast Asia, Malaysia*.
- Yangyang, L., Huaiqiong, C., Yun, Y., Zheng, Z., Jianhe, W., Hui, M., Weiping, C., Jindong, F., Bingchun, G., Xuyu, C., Zhihui, G., Junqin, H., Bo, C. and Hongjiang, C. 2013. Whole-tree agarwood-inducing technique: an efficient novel technique for producing high-quality agarwood in cultivated *aquilaria sinensis* trees. *Molecules*.18: 3086-3106.
- Yoswathana, N., Eshlaghi, M.N. and Jaturapornpanich, K. 2012. Enhancement of essential oil from agarwood by subcritical water extraction and a pre-treatment on hydrodistillation. *World Academy of Science, Engineering and Technology*. 65: 869-875.
- Yoswathana, N. 2013. Extraction of Agarwood (*aquilaria crassna*) oil by using supercritical carbon dioxide extraction and enzyme pre-treatment on hydrodistillation. *Journal of Food, Agriculture and Environment*. 11(2): 1055-1059
- Zheng, Y., Pan, Z. and Zhang, R. 2008. Overview of Biomass Pretreatment for Cellulosic Ethanol Production. *International Journal of Agriculture and Biological Engineering*. 2(3): 51-68.