

## REFERENCES

- Ab Rahman, A.A., Al-Sadat, N. and Wah, Y.L. (2011). Help seeking behavior among men with erectile dysfunction in primary care setting. *Journal of Men's Health*. 8(1), 94–96.
- Abd Razak, M.F., Aidoo, K.E. and Candlis, A.G.G. (2007). Mutagenic and cytotoxic properties of three herbal plants from Southeast Asia. *Tropical Biomedicine*. 24(2), 49–59.
- Abdul Rahman, A.S., Sim Yap, M.M., Md Shakaff, A.Y., Ahmad, M.N., Dahari, Z., Ismail, Z. and Hitam, M.S. (2004). A microcontroller -based taste sensing system for the verification of *Eurycoma longifolia*. *Sensors and Actuators B*. 101(1-2), 191–198.
- Abdul Wahab, N., Mokhtar, N.M., A Halim, W.N.H. and Das, S. (2010). The effects of *Eurycoma longifolia* Jack on spermatogenesis in estrogen treated rats. *Clinics*. 65, (1): 93-98.
- Abdulghani, M., Hj Hussin, A., Sulaiman, S.A. and Chan, K.L. (2012). The ameliorative effects of *Eurycoma longifolia* Jack on testosterone-induced reproductive disorders in female rats. *Reproductive Biology*. 12(2), 247- 255.
- Adnan, N. and Othman, N. (2012). The relationship between plants and the Malay culture. *Procedia - Social and Behavioral Sciences*. 42(2012), 231 – 241.
- Al-Adhroey, A.H., Nor, Z., Al-Mekhlafi, H.M. and Mahmud, R. (2010). Ethnobotanical study on some Malaysian anti-malarial plants: A community based survey. *Journal of Ethnopharmacology*. 132(1), 362–364.
- Al-Salahi, O.S.A., Chan, K.L., Abdul Majid, A.M.S., Al-Suede, F.S.R., Mohammed Saghir, S.A., Abdullah, W.Z., Khadeer Ahamed, M. and Mohd Yusoff, N. (2013). Anti-Angiogenic quassinoid rich fraction from *Eurycoma longifolia* modulates endothelial cell function. *Microvascular Research*. 90(1), 30-39.
- Ali, N., Hashim, N.H., Saad, B., Safan, K., Nakajima, M. and Yoshisawa, T. (2005). Evaluation of a method to determine the natural occurrence of aflatoxins in commercial traditional herbal medicines from Malaysia and Indonesia. *Food and Chemical Toxicology*. 43(12),1763–1772.
- Ang, H.H., Chan, K.L. and Mak, J.W. (1995). In vitro antimalarial activity of quassinoids from *Eurycoma longifolia* against Malaysian chloroquine-resistant *Plasmodium falciparum* isolates. *Planta Medica*. 61(2), 177-178.
- Ang, H.H. and Sim, M.K. (1998). *Eurycoma longifolia* increases sexual motivation in sexually naive male rats. *Archives of Pharmacology Research*. 21(6), 79-781.
- Ang, H.H. and Cheang, H.S. (1999). Studies on the anxiolytic activity of *Eurycoma longifolia* Jack roots in mice. *Journal of Pharmacology*. 79(4), 497-500.
- Ang, H.H., Hitotsuyanagi, Y. and Takeya, K. (2000). Eurycolactones A±C, novel quassinoids from *Eurycoma longifolia*. *Tetrahedron Letters*. 41(35), 6849-6853.

- Ang, H.H., Ikeda, S. and Gan, E.K. (2001). Evaluation of the potency activity of aphrodisiac in *Eurycoma longifolia* Jack. *Phytotherapy Research*. 15(5), 435-436.
- Ang, H.H and Cheang, H.S. (2001). Effects of *Eurycoma longifolia* Jack on laevator ani muscle in both uncastrated and testosterone-stimulated castrated intact male rats. *Archives of Pharmacology Research*. 24(5), 437-440.
- Ang, H.H., Hitotsuyanagi, Y., Fukaya, H. and Takeya, K. (2002). Quassinoids from *Eurycoma longifolia*. *Phytochemistry*. 59(8), 833–837.
- Ang, H.H., Ngai, T.H. and Tan, T.H. (2003). Effects of *Eurycoma longifolia* Jack on sexual qualities in middle age male rats. *Phytomedicine*. 10(6-7), 590–593.
- Ang, H.H. (2004). An insight into Malaysian herbal medicines. *Trends in Pharmacological Sciences*. 25(6), 297-298.
- Ang, H.H., Lee, K.L. and Kiyoshi, M. (2004)a. Sexual arousal in sexually sluggish old male rats after oral administration of *Eurycoma longifolia* Jack. *Journal of Basic & Clinical Physiology & Pharmacology*. 15(3-4), 303-309.
- Ang, H.H., Lee, E.L. and Cheang, H.S. (2004)b. Determination of mercury by cold vapor atomic absorption spectrophotometer in Tongkat Ali preparations obtained in Malaysia. *International Journal of Toxicology*. 23(1), 65-71.
- Ang, H.H. and Lee, K.L. (2006). Contamination of mercury in Tongkat Ali Hitam herbal preparations. *Food and Chemical Toxicology*. 44(8), 1245–1250.
- Arndt, C., Koristka, S., Bartsch, H. and Bachmann, M. (2012). Native polyacrylamide gel. *Methods in Molecular Biology*. 5(869), 49-53.
- Asiah, O., Nurhanan, M.Y. and Mohd Ilham, A. (2007). Determination of bioactive peptide (4.3 kDa) as an aphrodisiac marker in six Malaysian plants. *Journal of Tropical Forest Science*. 19(1), 61-63.
- Berg, J. M, Tymoczko, J.L. and Stryer, L. (2002). Biochemistry. 5<sup>th</sup> Edition. New York: WH Freeman. Section 3.2. Primary Structure: Amino acids are linked by peptide bonds to form polypeptide chains. Available from: <http://www.nlm.nih.gov/books/NBK22364/>. 15 Jan 2014.
- Bhat, R. and Karim, A.A. (2010). Tongkat Ali (*Eurycoma longifolia* Jack): A review on its ethnobotany and pharmacological importance. *Fitoterapia*. 81(7), 669–679.
- Bienvenut, W.V., Deon, C., Pasquarello, C., Campbell, J.M., Sanchez, J., Vestal, M.L. and Hochstrasser, D.F. (2002). Matrix-assisted laser desorption/ionization-tandem mass spectrometry with high resolution and sensitivity for identification and characterization of proteins. *Proteomics*. 2(7), 868-876.
- Brunelle, J.L. and Green, R. (2014). One dimensional SDS polyacrylamide gel electrophoresis (1D SDS –PAGE). *Methods in Enzymology*. 541, 151-159.

- Bogusz, M.J., Hassan, H., Al-Enazi, E. and Ibrahim, Al-Tufail. (2006). Application of LC-ESI-MS-MS for detection of synthetic adulterants in herbal remedies. *Journal of Pharmaceutical and Biomedical Analysis*. 41(2), 554-564.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical chemistry*. 72(1), 248-254.
- Campbell, J.M. and Vestal, M.L. (2002). *De novo* sequencing of peptides using MALDI/TOF-TOF. *Journal of American Society of Mass Spectrometry*. 13, 784-791.
- Camper, D.V. and Viola, R.E. (2009). Fully automated protein purification. *Analytical Biochemistry*. 392(2), 176-181.
- Caprette, D.R. 1995. Estimating protein concentration (online). [Http://www.ruf.rice.edu/bioslabs/methods/protein/protein.html](http://www.ruf.rice.edu/bioslabs/methods/protein/protein.html) (15 Jun 2014).
- Caprette, D.R. 1996. Introduction to SDS-PAGE (online). [Http://www.ruf.rice.edu/bioslabs/studies/sds-page/gellab2.html](http://www.ruf.rice.edu/bioslabs/studies/sds-page/gellab2.html) (9 August 2014).
- Cazares, L.H. Diaz, J.I. Drake, R.R. and Semmes, O.J. (2008). MALDI/SELDI protein profiling of serum for the identification of cancer biomarkers. *Methods in Molecular Biology*. 428, 125-140.
- Chan, K.L. and Choo, C.Y. (2002). The toxicity of some quassinoids from *Eurycoma longifolia*. *Planta Medica*. 68(7), 662-664.
- Chan, K.L., Choo, C.Y., Abdullah, N.R. and Ismail, Z. (2004). Antiplasmodial studies of *Eurycoma longifolia* Jack using the lactate dehydrogenase assay of *Plasmodium falciparum*. *Journal of Ethnopharmacology*. 92(2-3), 223-227.
- Chan, K.L., Choo, C.Y. and Abdullah, N.R. (2005). Semisynthetic 15-O-acyl- and 1,15-di-O-acyleurycomanones from *Eurycoma longifolia* as potential antimalarials. *Planta Medica*. 71(10), 967-969.
- Chan, K.L. (2012). Letter to the Editor. A response to the comments on the relevance of *Eurycoma longifolia* Jack to food and food chemistry. *Food Chemistry*. 134(3),
- Charoonratana, T., Songsak, T., Monton, C., Saingam, W., Bunluepuech, K., Suksaeree, J., Sakunpak, A. and Kraisintu, K. (2014). Quantitative analysis and formulation development of a traditional Thai antihypertensive herbal recipe. *Phytochemical review*. 13(2), 511-524.
- Chen, L., Liu, J., Wang, Q. and Chen, J. (2009). Fingerprint comparison between Gegen Qinlian preparations of three different pharmaceutical forms including decoction, dispensing granule and pill. *Chromatography A*. 69(1), 123-127.
- Chen, C.K., Muhamad, A.S. and Ooi, F.K. (2012). Herbs in exercise and sports. *Journal of Physiological Anthropology*. 31(4), 1-7.

- Chevallet, M., Luche, S. and Rabilloud, T. (2007). Silver staining of proteins in polyacrylamide gels. *HAL Author Manuscript*. 1(4), 1852-1858.
- Choo, C.Y. and Chan, K.L. (2002). High performance liquid chromatography analysis of canthinone alkaloids from *Eurycoma longifolia*. *Planta Medica*. 68(4), 382-384.
- Chua, L.S., Mohd Amin, N.A., Neo, J.C.H., Lee, T. J, Lee, C. T., Sarmidi, M. R. and Abdul Aziz, R. (2011). LC–MS/MS-based metabolites of *Eurycoma longifolia* (Tongkat Ali) in Malaysia (Perak and Pahang). *Journal of Chromatography B*. 879(32), 3909– 3919.
- Chuen, C.S. and Lope Pihie, A.H. (2004). [BIO04] Eurycomanone exerts antiproliferative activity via apoptosis upon MCF-7 Cells. *The 4th Annual Seminar of National Science Fellowship 2004*.
- Connolly, J.D., Haque, M.E. and Kadir. A.A. (1996). Two 7,7'-bisdehydroaporphine alkaloids from *Polyalthia bullata*. *Phytochemistry*. 43(1), 295-297.
- Cork, J., Jones, R.M. and Sawyer, J. (2013). Low cost, disposable biosensors allow detection of antibodies with results equivalent to ELISA in 15 min. *Journal of Immunological Method*. 387(1-2), 140-146.
- Cranz, H. and Anquez-Traxler, C. (2014). TradReg 2013: Regulation of herbal and traditional medicinal products – European and global strategies – International symposium. *Journal of Ethnopharmacology*. 158(Part B), 495–497.
- Du, Z. and Mcmanus, M.T. (2011). Identification of proteins in leaf tissues of white clover using MALDI-TOF mass spectrometry. *Biologia Plantarum*. 55(2), 261-268.
- Evaristo, G.P.C., Pinkse, M.W.H., Chen, T, Wang, L., Mohammed, S., Heck, A.J.R., Mathes, I., Lottspeich, F., Shaw, C., Albar, J.P. and Verhaert, P.D.E.M. (2015). *De novo* sequencing of two novel peptides homologous to calcitonin-like peptides, from skin secretion of the Chinese Frog, *Odorrana schmackeri*. *EuPA Open Proteomics*. 8,157–166.
- Farouk, A.E. and Benafri, A. (2007). Antibacterial activity of *Eurycoma longifolia* Jack. A Malaysian medicinal plant. *Saudi Medical Journal*. 28(9), 1422-1424.
- Goplakrishnan, V. Purushothaman, P. and Bhaskar, A. (2015). Proteomic analysis of plasma proteins in diabetic retinopathy patients by two dimensional electrophoresis and MALDI – Tof- MS. *Journal of Diabetes and Its Complications*. 29(7), 928-936.
- Goula, A.M. and Adamopoulos, K.G. (2008). Effect of maltodextrin addition during spray drying of tomato pulp in dehumidified air. *Drying Technology*. 26, 714-725.
- Harvey, A.G. and Warner. K.J. (1997). The staining of acidic proteins on polyacrylamide gels: enhanced sensitivity and stability of “stains all” staining in combination with silver nitrate. *Analytical Biochemistry*. 251(2), 227-233.
- Hassali, M.A., Saleem, F., Shafie, A.A., Al-Qazaz, H.K., Farooqui, M., Aljadhey, H. and Atif, M. (2012). Assessment of general perceptions towards traditional medicines

- used for aphrodisiac purpose in state Penang, Malaysia. *Complementary Therapies in Clinical Practice*. 18(4), 257-260.
- Hassan, N.H., Abdullah, R., Kiong, L.S., Ahmad, A.R., Abdullah, N., Zainudin, F., Ismail, H. and Abd. Rahman, S.S. (2012). Micropropagation and production of eurycomanone, 9-methoxycanthin-6-one and canthin-6-one in roots of *Eurycoma longifolia* plantlets. *African Journal of Biotechnology*. 11(26), 6818-6825.
- He, T., Ung, C.O.L., Hu, H. and Wang, Y. (2015). Good manufacturing practice (GMP) regulation of herbal medicine in comparative research: China GMP, cGMP, WHO-GMP, PIC/S and EU-GMP. *European Journal of Integrative Medicine*. 7(1), 55-66.
- Heng, M.Y., Tan, S.N., Yong, J.W.H. and Ong, E.S. (2013). Emerging green technologies for the chemical standardization of botanicals and herbal preparations. *Trends in Analytical Chemistry*. 50, 1-10.
- Henrich, M.L., Mohammed, S., Altelaar, A.F.M. and Heck, A.J.R. (2010). Dimethyl isotope labeling assisted *de novo* peptide sequencing. *Journal of American Society in Mass Spectrometry*. 21(12): 1957–1965.
- Hong, P., Koza, S. and Bouvier, E.S.P. (2012). Size exclusion chromatography for the analysis of protein biotherapeutics and their aggregates. *Journal of Liquid Chromatography and Related Technologies*. 35(20), 2923-2950.
- Hout, S., Chea, A., Bun, S., Elias, R., Gasquet, M., Timon-David, P., Balansard, G. and Azas, N. (2006). Screening of selected indigenous plants of Cambodia for antiplasmodial activity. *Journal of Ethnopharmacology*. 107(1), 12–18.
- Hughes, C., Ma, B. and Lajoie, G.A. (2010). *De novo* sequencing methods in proteomics. *Methods in Molecular Biology*. 604, 105-121.
- Hussein, S., Ibrahim, R. and Kiong, A.L.P. (2006). Potential biochemical markers for somatic embryos of *Eurycoma longifolia* Jack. *Journal of Plant Biology*. 49(1), 97-101.
- Iriawati, Rahmawati, A. and Rizkita, R.E. (2014). Analysis of secondary metabolite production in embryo of pasak bumi (*Eurycoma longifolia* Jack). *Procedia Chemistry*. 13(1), 112 – 118.
- Irungu, J., Go, E.P., Zhang, Y., Dalpathado, D.S., Liao, H., Haynes, B.F. and Desaire, H. (2008). Comparison of HPLC/ESI-FTICR MS Versus MALDI-TOF/TOF MS for Glycopeptide Analysis of a Highly Glycosylated HIV Envelope Glycoprotein. *Journal of American Society for Mass Spectrometry*. 19(8), 1209-1220
- Jamrogiewicz, M., Wielgomas, B. and Strankowski, M. (2014). Evaluation of the photoprotective effect of B cyclodextrin on the emission of volatile degradation products of ranitidine. *Journal of Pharmaceutical and Biomedical Analysis*. 98, 113-119.
- Jensen, O.N. (2004). Modification specific proteomics: characterization of post translational modifications by mass spectrometry. *Current Opinion in Chemical Biology*. 8(1), 33-41.

- Jiwajinda, S., Santisopasri, V., Murakami, M., Kawanaka, M., Sugiyama, H., Gasquet, M., Elias, R., Balansard, G. and Ohigashi, H. (2002). In vitro anti-tumor promoting and anti-parasitic activities of the quassinoids from *Eurycoma longifolia*, a medicinal plant in Southeast Asia. *Journal of Ethnopharmacology*. 82(1), 55- 58.
- Kavitha, N., Noordin, R., Chan, K. and Sasidharan, S. (2010). Cytotoxicity activity of root extract/fractions of *Eurycoma longifolia* Jack root against vero and Hs27cells. *Journal of Medicinal Plants Research*. 4(22), 2383-2387.
- Kavitha, N., Noordin, R., Chan, K. and Sasidharan, S. (2012). In vitro Anti-*Toxoplasma gondii* activity of root extract/fractions of *Eurycoma longifolia* Jack. *BMC Complementary and Alternative Medicine*. 12(91), 1-8.
- Khanam, Z., Chew, S.W. and Bhat, I.U.H. (2015). Phytochemical screening and antimicrobial activity of root and stem extracts of wild *Eurycoma longifolia* Jack (Tongkat Ali). *Journal of King Saud University – Science*. 27(1), 23-30.
- Kuan, C.K., Foo, D.C.Y., Tan, R.R., Kumaresan, S. and Abdul Aziz, R. (2007). Streamlined life cycle assessment of residue utilization options in Tongkat Ali (*Eurycoma longifolia*) water extract manufacturing process. *Clean Technology Environment Policy*. 9(3), 225–234.
- Kumaresan, S. and Sarmidi, M.R. (2003). A preliminary study into the effect of processing on *Eurycoma longifolia* water extract yield. *Proceedings of International Conference on Chemical and Bioprocess Engineering*.
- Kuo, P., Damu, A.G., Lee, K. and Wua, T. (2004). Cytotoxic and antimalarial constituents from the roots of *Eurycoma longifolia*. *Bioorganic & Medicinal Chemistry*. 12(3), 537–544.
- Kwon, S. J., Choi, E.Y., Choi, Y. J., Ahn, J.H. and Park, O.K. (2006). Proteomics studies of post translational modifications in plants. *Journal of Experimental Botany*. 57(7), 1547-155.
- Laemmli, U.K. and Favre, M. (1973). Maturation of the head of bacteriophage T4.i. DNA packaging events. *Journal of Molecular Biology*. 80(4), 575-599.
- Lee, D.Y. and Chang, G.D. (2009). Electrolytic reduction: Modification of proteins occurring in isoelectric focusing electrophoresis and in electrolytic reactions in the presences of high salts. *Analytical Chemistry*. 81(10), 3957-3964.
- Li, S., Han, Q., Qiao, C., Song, J., Lung, L.C. and Xu, H. (2008). Chemical markers for the quality control of herbal medicines: an overview. *Chinese Medicine*. 3:7
- Liang, M., Chen, V.Y.T., Chen, H. and Chen, W. (2006). A simple and direct isolation of whey components from raw milk by gel filtration chromatography and structural characterization by Fourier transform Raman spectroscopy. *Talanta*. 69(5), 1269-1277.
- Lim, H., Eng, J., and Yates, J.R., Tollaksen, S.L., Giometti, C.S., Holden, J.F., Adams, M.W.W., Reich, C.I., Olsen, G.J. and Hays, L.G. (2003). Identification of 2D-gel proteins: A comparison of MALDI/TOF peptide mass mapping to LC-ESI tandem

- mass spectrometry. *Journal of American Society in Mass Spectrometry*. 14(9), 957–970.
- Liu, J., Jiang, J., Wu, Z. and Xie, F. (2012). Antimicrobial peptides from the skin of the Asian frog, *Odorrana jingdongensis*: *De novo* sequencing and analysis of tandem mass spectrometry data. *Journal of Proteomics*. 75(18), 5807–5821.
- Low, B.S., Ng, B.H., Choy, W.P., Yuen, K.H. and Chan, K.L. (2005). Bioavailability and pharmacokinetic studies of eurycomanone from *Eurycoma longifolia*. *Planta Medica*. 71(9), 803-807.
- Low, W.Y. and Tan, H.M. (2007). Asian traditional medicine for erectile dysfunction. *Journal of Men's Health and Gender*. 4(3), 245–250.
- Low, B.S., Teh, C.H., Yuen, K.H. and Chan, K.L. (2011). Physico-chemical effects of the major quassinoids in a standardized *Eurycoma longifolia* extract (Fr 2) on the bioavailability and pharmacokinetic properties, and their implications for oral antimalarial activity. *Natural Products Communications*. 6(3), 337-341.
- Low, B.S., Das, P.K. and Chan, K.L. (2013)a. Standardized quassinoid-rich *Eurycoma longifolia* extract improved spermatogenesis and fertility in male rats via the hypothalamic–pituitary–gonadal axis. *Journal of Ethnopharmacology*. 145(3), 706–714.
- Low, B.S., Choi, S.B., Abdul Wahab, H., Das, P.K. and Chan, K.L. (2013)b. Eurycomanone, the major quassinoid in *Eurycoma longifolia* root extract increases spermatogenesis by inhibiting the activity of phosphodiesterase and aromatase in steroidogenesis. *Journal of Ethnopharmacology*. 149(1), 201–207.
- Lulu, T., Park, S.Y., Ibrahim, R. and Paek, K.Y. (2014). Production of biomass and bioactive compounds from adventitious roots by optimization of culturing conditions of *Eurycoma longifolia* in balloon-type bubble bioreactor system. *Journal of Bioscience and Bioengineering*. 119(6), 1-6.
- Ma, B., Zhang, K. and Liang, C. (2005). An effective algorithm for peptide *de novo* sequencing from MS/MS spectra. *Journal of Computer and System Sciences* 70(3), 418 – 430.
- Mahfudh, N. and Lope Pihie, A.H. (2008). Eurycomanone induces apoptosis through the up-regulation of p53 in human cervical Carcinoma cells. *MedUnion Press* – <http://www.mupnet.com>.
- Malaysian Standard. MS 2409:2011. Phytochemical Aspect of Freeze Dried Water Extract from Tongkat Ali Roots- Specification. (2011). Standard Malaysia.
- Mayer, D.C.G., Bruce, M., Kochurova, O., Stewart, J.K. and Zhou, Q. (2009). Antimalarial activity of a *cis*-terpenone. *Malaria Journal*. 8(139), 1-4.
- Medzihradzky, K.F., Maltby, D.A., Qiu, Y., Yu, Z., Hall, S.C., Chen, Y. and Burlingame, A.L. (1997). Protein sequence and structural studies employing matrix-assisted laser desorption ionization-high energy collision-induced dissociation. *International Journal of Mass Spectrometry and Ion Processes*. 160(1-3), 357-369.

- Meng, D., Li, X., Han, L., Zhang, L., An, W. and Li, X. (2014). Four new quassinoids from the roots of *Eurycoma longifolia* Jack. *Fitoterapia*. 92(1), 105–110.
- Miyake, K., Tezuka, Y., Awale, S., Li, F. and Kadota, S. (2010). Canthin-6-one alkaloids and a tirucallanoid from *Eurycoma longifolia* and their cytotoxic activity against a human HT-1080 fibrosarcoma cell line. *Natural Products Communications*. 5(1), 17-22.
- Mohamad, M., Ali, M.W., Ripin, A. and Ahmad, A. (2013). Effect of extraction parameters on the yield of bioactive compounds from the roots of *Eurycoma longifolia*. *Jurnal Teknologi (Sciences & Engineering)*. 60, 51-57.
- Mohd Effendy, N., Mohamed, N., Muhammad, N., Mohamad, I.N. and Shuid, A.N. (2012). *Eurycoma longifolia*: Medicinal plants in the prevention and treatment of male osteoporosis due to androgen deficiency. *Evidence- Based Complementary and Alternative Medicine*. 2012, 1-9.
- Mohd Ridzuan, M.A.R., Sow, A., Noor Rain, A., Mohd Ilham, A. and Zakiah, I. (2007). *Eurycoma longifolia* extract-artemisinin combination: parasitemia suppression of *Plasmodium yoelii*-infected mice. *Tropical Biomedicine*. 24(1), 111- 118.
- Mohd Said, M., Gibbons, S., Moffats, A.C. and Zloh, M. (2014). Rapid detection of sildenafil analogue in *Eurycoma longifolia* products using a new two-tier procedure of the near infrared (NIR) spectra database. *Food Chemistry*. 158(1), 296–301.
- Moller, H.J. and Poulsen, J.H. (2009). The protein protocols handbook. Springer Protocols Handbook. Pg: 569-574.
- Moustafa, Y.M. and Morsi, R.E. (2013). Ion Exchange Chromatography- An Overview. Column Chromatography. Chapter 1. 1-30.
- Muhamad, A.S., Keong, C.C., Kiew, O.F., Abdullah, M.R and Chan, K.L. (2010). Effects of *Eurycoma longifolia* Jack supplementation on recreational athletes' endurance running capacity and physiological responses in the heat. *International Journal of Applied Sports Sciences*. 22(2), 1-19.
- National Diagnostic. (2011). Staining protein gels with Coomassie blue (Online). [www.nationaldiagnostic.com/electrophoresis/article/staining-protein-gels-coomassie-blue](http://www.nationaldiagnostic.com/electrophoresis/article/staining-protein-gels-coomassie-blue). (22 Mac 2014).
- Nguyen-Pouplin, J., Tran, H., Phan, T.A., Dolecek, C., Farrar, J., Tran, T.H., Caron, P., Bodo, B. and Grelliel, P. (2007). Antimalarial and cytotoxic activities of ethno pharmacologically selected medicinal plants from South Vietnam. *Journal of Ethnopharmacology*. 109(3), 417–427.
- Nurhanan, M.Y., Azimahtol Hawariah, L.P., Mohd Ilham, A. and Mohd Shukri, M.A. (2005). Cytotoxic effects of the root extracts of *Eurycoma longifolia* Jack. *Phytotherapy Research*. 19(11), 994-996.
- Okano, M., Fukamiya, N., Tagahara, K., Tokuda, H., Iwashima, A., Nishino, H. and Lee, K.H. (1995). Inhibitory effects of quassinoids on Epstein-Barr virus activation. *Cancer Letters*. 94(2), 139-146.



- Ong, H.C. and Nordiana, J. (1999). Malay ethno-medico botany in Machang, Kelantan, Malaysia. *Fitoterapia*. 70(5), 502-513.
- Osman, A., Jordan, B., Lessard, P.A., Muhammad, N., Haron, M.R., Mat Riffin, N., Sinskey, A.J., Rha, C.K. and Housman, D.E. (2003). Genetic diversity of *Eurycoma longifolia* inferred from single nucleotide polymorphisms. *Plant Physiology*. 131(3), 1294-1301.
- Pan, Y., Tiong, K.H., Abd Rashid, B.A., Ismail, Z., Ismail, R., Mak, J.W. and Ong, C.E. (2014). Effects of eurycomanone on cytochrome P450 isoforms CYP1A2, CYP2A6, CYP2C8, CYP2C9, CYP2C19, CYP2E1 and CYP3A4 in vitro. *Journal of Natural Medicine*. 68(2), 402-406.
- Park, S.J., Nhiem, G.X., Kiem, P.V., Minh, C.V., Tai, B.H., Kim, N., Yoo, H.H., Song, J.H., Ko, H.J. and Kim, S.H. (2014). Five new quassinoids and cytotoxic constituents from the roots of *Eurycoma longifolia*. *Bioorganic and Medicinal Chemistry Letters*. 24(6), 3835-384.
- Paul, K.C., Hamzah, A., Abu Samah, B., Ismail, I.A. and D'Silva, J.L. (2014). Value of Social Network for Development of Rural Malay Herbal Entrepreneurship in Malaysia: *Procedia - Social and Behavioral Sciences*. 130, 59-64.
- Pferschy-Wenzig, E. and Bauer, R. (2015). The relevance of pharmacognosy in pharmacological research on herbal medicinal products. *Epilepsy & Behavior*. 52(Part B), 344-362.
- Philips, A.T. and Signs, M.W. (2005). Desalting, concentration, and buffer exchange by dialysis and ultrafiltration. *Current Protocol in Protein Sciences*. Chapter 4. Unit 4.4.
- Pomastowski, P.P. and Buszewski, B. (2013). Two dimensional gel electrophoresis in the light of new developments. *Trends in Analytical Chemistry*. 53, 167-177.
- Purwantiningsih, Hj Hussin, A. and Chan, K. L. (2011). Free radical scavenging activity of the standardized ethanolic extract of *Eurycoma longifolia* (TAF-273). *International Journal of Pharmacy and Pharmaceutical Sciences*. 3(4), 343-347.
- Razak, M.F. and Aidoo, K.E. (2011). Toxicities studies of *Eurycoma longifolia* (Jack) based remedial products. *Asian Journal of Pharmaceutical and Clinical Research*. 4(3), 23-27.
- Redmile-Gordon, M.A., Armenise, E., White, R.P., Hirsch, P.R. and Goulding, K.W.T. (2013). A comparison of two colorimetric assay based upon Lowry and Bradford techniques to estimate total protein in soil extracts. *Soil Biology and Biochemistry*. 67, 166-173.
- Rosli, N., Maziah, M., Chan, K.L. and Sreeramanan, S. (2009). Factors affecting the accumulation of 9-methoxycanthin-6-one in callus cultures of *Eurycoma longifolia*. *Journal of Forestry Research*. 20(1), 54-58.
- Sambandan, T.G., Rha, C.K., Kadir, A., Aminudim, N. and Saad, J. (2006). Bioactive fraction of *Eurycoma longifolia*. US Patent. 7132117 B2.

- Samgina, T.Y., Kovalev, S.V., Gorshkov, V.A., Konstantin, A., Poljakov, N.B. and Lebedey, A.T. (2010). N-terminal tagging strategy for *de novo* sequencing of short peptides by ESI-MS/MS and MALDI-MS/MS. *Journal of American Society in Mass Spectrometry*. 21(1), 104–111.
- Samuel, A.J.S.J., Kalusalingam, A., Chellappan, D.K., Gopinath, R., Radhamani, S., Husain, H.A., Muruganandham, V. and Promwicht, P. (2010). Ethnomedical survey of plants used by the Orang Asli in Kampung Bawong, Perak, West Malaysia. *Journal of Ethnobiology and Ethnomedicine*. 6(5), 1-6.
- Sandroni, P. (2001). Aphrodisiac past and present: a historical review. *Clinical Autonomic Research*. 11(5), 303-307.
- Shafiqul Islam, A.K.M., Ismail, Z., Saad, B., Othman, A.R., Ahmad, M.N. and Md. Shakaf, A.Y. (2006). Correlation studies between electronic nose response and headspace volatiles of *Eurycoma longifolia* extracts. *Sensors and Actuators B*. 120(1), 245–251.
- Sholikhah, E.N., Wijayanti, M.A., Nurani, L.H. and Mustofa. (2008). Stage specificity of pasak bumi root (*Eurycoma longifolia* Jack) isolate on *Plasmodium falciparum* cycles. *Medical Journal of Malaysia*. 63(Suppl A), 98-99.
- Shuid, A.H., El-Arabi, E., Mohd Effendy, N., Abdul Razak, H.S., Muhammad, N. and Soelaiman, I.N. (2012). *Eurycoma longifolia* upregulates osteoprotegerin gene expression in androgen- deficient osteoporosis rat model. *BMC Complementary and Alternative Medicine*. 12(152), 1-10.
- Song, J., Han, Q., Qiao, C., Yip, Y. and Xu, H. (2007). Simultaneous determination of multiple marker constituents in concentrated Gegen Tang granule by high performance liquid chromatography. *Chinese Medicine*. 2-7.
- Srinivasan, V.S. (2006). Challenges and scientific issues in the standardization of botanicals and their preparations. United States Pharmacopeia's dietary supplement verification program – a public health program. *Life Sciences*. 78(18), 2039-43.
- Spiro, R.G. (2002). Protein glycosylation: nature, distribution, enzymatic formation, and disease implications of glycopeptide bonds. *Glycobiology*. 12(4), 43-56.
- Sun, J. and Chen, P. (2011). Differentiation of *Panax quinquefolius* grown in the USA and China using LC/MS-based chromatographic fingerprinting and chemometric approaches. *Analytical and Bioanalytical Chemistry*. 399(5), 1877–1889.
- Tada, H., Yasuda, F., Otani, K., Doteuchi, M., Ishihara, Y. and Shiro, M. (1991). New antiulcer quassinoids from *Eurycoma longifolia*. *European Journal of Medicinal Chemistry*. 26(3), 345-349.
- Talbott, S.M., Talbott, J.A., George, A. and Pugh, M. (2013). Effect of Tongkat Ali on stress hormones and psychological mood state in moderately stressed subjects. *Journal of the International Society of Sports Nutrition*. 10(28), 1-7.
- Tambi, M.I. (2009). Nutrients and botanicals for optimizing men's health. Examining the evidence for *Eurycoma longifolia* Jack, the Malaysian ginseng in men's health. *Asian Journal of Andrology*

- Tambi, M.I. and Kamarul Imran, M. (2010). *Eurycoma longifolia* Jack in managing idiopathic male infertility. *Asian Journal of Andrology*. 12, 376–380.
- Tan, S., Yuen, K.H. and Chan, K.L. (2002). HPLC analysis of plasma 9-methoxycanthin-6-one from *Eurycoma longifolia* and its application in a bioavailability/pharmacokinetic study. *Planta Medica*. 68(4), 355-358.
- Tannu, N.S. and Hemby, S.E. (2007). *De novo* protein sequence analysis of *Macaca mulatta*. *Biomed Central Genomics*. 8(270), 1-9.
- The Star*. 2014. Premixed coffee seized in raids. 18 August, 2014.
- The Star*. 2015. GTP/ETP reports highlights. 29 April, 2015.
- Tee, T.T. and Lope Pihie, A.H. (2005). Induction of Apoptosis by *Eurycoma longifolia* Jack Extracts. *Anticancer Research*. 25(3B), 2205-2214.
- Tee, T.T., Cheah, Y.H. and Lope Pihie, A.H. (2007), F16, A Fraction from *Eurycoma longifolia* Jack extract, induces apoptosis via a caspase-9-independent manner in MCF-7 cells. *Anticancer Research*. 27(5A), 3425-3430.
- Teh, C.H., Morita, H., Shirota, O. and Chan, K.L. (2010). 2,3-Dehydro-4a-hydroxylongilactone, a novel quassinoid and two known phenyl propanoids from *Eurycoma longifolia* Jack. *Food Chemistry*. 120, 794–798.
- Teh, C.H., Murugaiyah, V. and Chan, K.L. (2011). Developing a validated liquid chromatography–mass spectrometric method for the simultaneous analysis of five bioactive quassinoid markers for the standardization of manufactured batches of *Eurycoma longifolia* Jack extract as antimalarial medicaments. *Journal of Chromatography A*. 1218(14), 1861–1877.
- Tjan, W., Tan, R.R. and Foo, D.C.Y. (2010). A graphical representation of carbon footprint reduction for chemical process. *Journal of Cleaner Production*. 18(9), 848-856.
- Tran Q.L., Tezuka Y., Ueda J.Y., Nguyen N.T., Maruyama Y., Begum, K., Kim H.S., Wataya, Y., Tran Q.K. and Kadota, S. (2003). In vitro antiplasmodial activity of antimalarial medicinal plants used in Vietnamese traditional medicine. *Journal of Ethnopharmacology*. 86(2-3), 249-252.
- Tzar, M.N., Hamidah, Y., Hartini, S., Marianayati, M. and Nazrun, A.S. (2011). Antibacterial or antifungal effects of *Eurycoma longifolia* root extract. *The Internet Journal of Herbal and Plant Medicine*. 1-1.
- Utusan Malaysia*, 2014. Bahagian Pembangunan Herba ditubuh, mula operasi 15 Oktober. 10 Oktober 2014.
- Vejayan, J., Iman, V., Siew –Liang, F. and Ibrahim, H. (2013). Protein Markers useful in authenticating *Eurycoma longifolia* contained herbal aphrodisiac products. *Malaysian Journal of Science*. 32(1), 15-23.

- Venhuis, B.J., Blok-Tip, L. and de Kaste, D. (2008). Designer drugs in herbal aphrodisiacs. *Forensic Sciences International*. 177(2-3), 25-27.
- Venhuis, B.J., Tan, J., Vredenbregt, M.J., Ge, X., Low, M. and de Kaste, D. (2012). Capsule shells adulterated with tadalafil. *Forensic Science International*. 214(1-3), e20–e22.
- Vonderwulbecke, S. (2005). Protein quantification by the SELDI-TOF-MS-based ProteinChip<sup>(R)</sup> system. *Nature Methods*. 2, 393-395.
- Wan, M.H., Ahmad, N. and Sul'ain, M.D. (2016). Evaluation of cytotoxicity of *Smilax myosotiflora* and its effects on sexual hormone levels and testicular histology in male rats. *Asian Pacific Journal of Tropical Biomedicine*. 6(3),1-5.
- Wang, P. and Wilson, S.R. (2013). Mass spectrometry-based protein identification by integrating *de novo* sequencing with database searching. *Biomed Central Bioinformatics*. 14(2), 1-9.
- Wang, P. and Yu, Z. (2015). Species authentication and geographical origin discrimination of herbal medicines by near infrared spectroscopy: A review. *Journal of Pharmaceutical Analysis*. 5(5), 277-284.
- Wattenberg, A., Organ, A.J., Schneider, K., Tyldesley, R., Bordoli, R. and Bateman, R.H. (2002). Sequence dependent fragmentation of peptides generated by MALDI quadrupole Time-of-Flight (MALDI Q-TOF) mass spectrometry and its implications for protein identification. *Journal of American Society of Mass Spectrometry*. 13(7), 772-783.
- Wernsdorfer, W.H., Ismail, S., Chan, K.L., Congpuong, K. and Wernsdorfer, G. (2009). Activity of *Eurycoma longifolia* root extract against *Plasmodium falciparum* in vitro. *The Middle European Journal of Medicine*. 121(3), 23-26.
- Wiert, C. (2012). A note on the relevance of *Eurycoma longifolia* Jack to food and food chemistry. *Food Chemistry*. 134(3), 1712.
- Wong, P.F., Cheong, W.F., Shu, M.H., Teh, C.H., Chan, K.L. and Abu Bakar, S. (2012). Eurycomanone suppresses expression of lung cancer cell tumor markers, prohibitin, annexin 1 and endoplasmic reticulum protein 28. *Phytomedicine*. 19(2), 138-144.
- [www.ochempal.org/index.php/alphabetical/m-n/n-terminal/](http://www.ochempal.org/index.php/alphabetical/m-n/n-terminal/)
- [www.mun.ca/biology/desmid/brian/BIOL2060/BIOL2060-03/CB03.html](http://www.mun.ca/biology/desmid/brian/BIOL2060/BIOL2060-03/CB03.html)
- [www.astbury.leeds.ac.uk/facil/MStut/mstutorial\\_files/tandem1.jpg](http://www.astbury.leeds.ac.uk/facil/MStut/mstutorial_files/tandem1.jpg)
- Zakaria, Y., Rahmat, A., Lope Pihie, A.H., Abdullah, N.R. and Houghton, P.J. (2009). Eurycomanone induce apoptosis in HepG2 cells via up-regulation of p53. *Cancer Cell International*. 9(16), 1-21.
- Zanoli, P., Zavatti, M., Montanari, C. and Barald, M. (2009). Influence of *Eurycoma longifolia* on the copulatory activity of sexually sluggish and impotent male rats. *Journal of Ethnopharmacology*. 126(2), 308–313.

- Zhang, J., Wider, B., Shang, H., Li, X. and Ernst, E. (2012). Quality of herbal medicines: Challenges and solutions. *Complementary Therapies in Medicine*. 20(1-2), 100-106.
- Zhang, W., Krutchinsky, A.N. and Chait, B.T. (2003). *De novo* peptide sequencing by MALDI quadrupole-ion trap mass spectrometry: A Preliminary Study. *Journal of American Society for Mass Spectrometry*. 14(9), 1012–1021.
- Zhu, K. and Zhou, H. (2005). Purification and characterization of a novel glycoprotein from wheat germ water soluble extracts. *Process Biochemistry*. 40(3), 1469-1474.