STUDY ON BED MATERIAL CHARACTERISTICS AND BED LOAD CONCENTRATION IN SUNGAI JEMBERAU AT TASIK CHINI

NURUL SYAMIMI BINTI BANG NAMIN

B. ENG (HONS.) CIVIL ENGINEERING

UNIVERSITI MALAYSIA PAHANG



SUPERVISOR'S DECLARATION

"I hereby declare that I have checked this thesis and in my opinion, this thesis is adequate in terms of scope and quality for the award of the degree of Bachelor of Civil Engineering (Hons)"

(Supervisor's Signature)Full Name: Pn. Nadiatul Adilah Binti Ahmad Abdul GhaniPosition: LecturerDate: 19th June 2017



STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

(Student's Signature) Full Name : Nurul Syamimi Binti Bang Namin ID Number : AA13042 Date : 19th June 2017

STUDY ON BED MATERIAL CHARACTERISTIC AND BED LOAD CONCENTRATION IN SUNGAI JEMBERAU AT TASIK CHINI

NURUL SYAMIMI BINTI BANG NAMIN

Thesis submitted in fulfillment of the requirements for the award of the Bachelor Degree in Civil Engineering

Faculty of Civil Engineering and Earth Resources UNIVERSITI MALAYSIA PAHANG

JUNE 2017

DEDICATION

This thesis dedicated to my parents, my family and friends for without their inspiration, coaching and enthusiasm none of this would be happened. Thanks for everything...

ACKNOWLEDGEMENTS

In the name of Allah the Most Gracious, the Most Merciful, Praise to Him the Almighty that in his will and given strength to me for completing my progress report.

Praise and glory to ALLAH S.W.T, God of all creation and greetings and salutation we bring forth to our Prophet Muhammad S.A.W for overseeing this final year project one and constantly guiding this project towards completion. I would like to use this opportunity to deliver my special thanks to the Faculty of Civil Engineering and Earth Resources for providing me the platform to conduct this study at first place.

Moreover, I would like to second this very moment to thank and express my warmest and sincere gratitude to my supervisor, Madam Nadiatul Adilah Binti Ahmad Abdul Ghani for they are germinal and constructive ideas, they are continuous encouragement with deep guidance and support in making this study successful and fruitful. They are always concerned about the progress level of this study and never at all hesitates to spend times with me for reviewing this project every week. I am truly grateful for they are consistent supervision on this study, they tolerance of my naïve mistakes and persistent ideas in improving this study which has also helped me to deeply understand the need of this study.

I would like to express special thanks to my technician Geotechnical Laboratory, UMP and friends who worked along day and night helping each other with necessary information and knowledge which are essential in the completion of this project. I am really appreciating their willingness to spend time with me to do this study.

Besides that, I would like to express my gratitude to my parents for their willingness to sacrifice the time, having to believe in my strength and capabilities, and provide the funds throughout my days as a student. Last but not least, I also thank those who have directly or indirectly played a role in providing necessary contribution to this study.

TABLE OF CONTENT

| DEC | CLARATION | |
|------|---------------------------|-----|
| TIT | TLE PAGE | |
| ACF | KNOWLEDGEMENTS | ii |
| ABS | STRAK | iii |
| ABS | STRACT | iv |
| TAB | BLE OF CONTENT | v |
| LIST | T OF TABLES | X |
| LIST | T OF FIGURES | xi |
| LIST | T OF SYMBOLS | xiv |
| LIST | T OF ABBREVIATIONS | XV |
| CHA | APTER 1 INTRODUCTION | 1 |
| 1.1 | Background | 1 |
| 1.2 | Background of Study | 2 |
| 1.3 | Problems Statement | 3 |
| 1.4 | Objectives | 3 |
| 1.5 | Scopes of Study | 3 |
| 1.6 | Significance of Study | 4 |
| CHA | APTER 2 LITERATURE REVIEW | 5 |
| 2.1 | Sedimentation | 5 |
| 2.2 | Bed Material | 6 |
| 2.3 | Bed Load | 6 |

| 2.4 | Particle Shape | | |
|--------|-------------------------------|----|--|
| 2.5 | Bed Forms and Flow Resistance | | |
| | 2.5.1 Bed Flow | 7 | |
| 2.6 | Sediment Transport Defination | 13 | |
| 2.7 | Flow Resistance by Manning's | | |
| 2.8 | Flow Resistance | 15 | |
| | 2.8.1 Meyer-Peter and Muller | 16 | |
| | 2.8.2 Schoklitsch | 18 | |
| | 2.8.3 Duboys | 19 | |
| 2.9 | Sediment Pattern | 19 | |
| | 2.9.1 Alluvial Channel | 20 | |
| 2.10 | Cross Section of River | 21 | |
| 2.11 | Analysis Sediment Load | | |
| 2.11.1 | 1 Incipient Motion | | |
| 2.12 | Sediment Types and Sizes | | |
| 2.13 | Total Sediment Loads | | |
| 2.14 | Sediment Transport Functions | | |
| | 2.14.1 Methods and Derivation | 27 | |
| 2.15 | Armoring | 33 | |
| 2.16 | Bed Load Formulas | 33 | |
| СНАР | TER 3 METHODOLOGY | 34 | |
| 3.1 | Introduction | 34 | |
| 3.2 | Methodology Flow Chart | 35 | |
| 3.3 | Maps Location | 36 | |
| 3.4 | Site Location | | |

| 3.5 | The Location Point | | |
|------|------------------------------------|---|----|
| 3.6 | Research Methodology | | |
| 3.7 | Sediment Sampling for Bed Load | | 39 |
| | 3.7.1 | Fields Test | 39 |
| | 3.7.2 | Measuring the Flow Depth | 39 |
| | 3.7.3 | Measuring Width | 40 |
| | 3.7.4 | Measuring Flow Velocity | 40 |
| | 3.7.5 | Manning's Roughness Coefficient | 40 |
| 3.8 | Exper | iment Study | 40 |
| | 3.8.1 | Preparation od Sieve Analysis | 41 |
| | 2.8.2 | Sieve Analysis | 42 |
| | 3.8.3 | Sieve Analysis Calculation | 44 |
| 3.9 | Particle Density Analysis | | 44 |
| 3.10 | Hydrometer Test Analysis | | |
| 3.11 | Suspended Test Analysis | | 54 |
| | 3.11.1 | Physical Parameter | 55 |
| 3.12 | Bed L | oad Sampling Procedure | 60 |
| | 3.12.1 Sampler Description | | 60 |
| | | | |
| CHAI | PTER 4 | RESULTS AND DISCUSSION | 62 |
| 4.1 | Introduction | | 62 |
| 4.2 | Data Collection at Sungai Jemberau | | 62 |
| 4.3 | Results on Experiments Conducted | | 63 |
| | 4.3.1 | Soil Properties Particle Distribution for Sample 1 (24 th Nov 2016) | 63 |
| | 4.3.2 | Soil Properties Particle Distribution for Sample 2 (1 st Dec 2016) | 65 |
| | 4.3.3 | Soil Properties Particle Distribution for Sample 3 (5 th March 2017) | 67 |

| | 4.3.4 Soil Properties Particle Distribution for Sample 4 (17 th May 2017) | 69 | |
|------|--|----|--|
| 4.4 | Uniformity Coefficient anf Coefficient Gradation | 71 | |
| 4.5 | Effective Diameter versus Mean Velocity | | |
| 4.6 | Moisture Content | 74 | |
| 4.7 | Changes of Cross Section | | |
| 4.8 | Bed Load Concentration Analysis in Sungai Jemberau at Tasik Chini by | 76 | |
| | Predict and Measured | | |
| | 4.8.1 Schoklitsh | 76 | |
| | 4.8.2 Duboys | 78 | |
| | 4.3.4 Bed Load Concentration by Two Methods | 78 | |
| 4.9 | Discussion of Bed Load Transport | 82 | |
| CHAI | PTER 5 CONCLUSION | 83 | |
| 5.1 | Introduction | 83 | |
| 5.2 | Recommendation | 84 | |
| | | | |
| REFE | RENCES | 85 | |
| APPE | NDIX A : DATA COLLECTION AT EACH SAMPLE DATE | 88 | |
| APPE | NDIX B : UBDEN WENTWORTH SCALE | 90 | |
| APPE | NDIX C : VISCOSITY TABLE | 91 | |
| APPE | NDIX D : SIEVE ANALYSIS RESULTS AND CALCULATION | 93 | |
| APPE | NDIX E : UNIFIED SOIL CLASSIFICATION SYSTEM (USCS) | 98 | |
| | PROPERTIES | | |
| APPE | NDIX F : EXAMPLE OF SCHOKLITSCH CALCULATION | 99 | |

| APPENDIX G : EXAMPLE OF DUBOYS CALCULATION | 107 |
|--|-----|
| | |

APPENDIX H : MAPS OF TASIK CHINI 108

LIST OF TABLES

| Table No | Title | Page |
|-----------|---|------|
| Table 2.1 | Summary Description of Bed Forms and Configurations Affecting Alluvial Channel Roughness | 8 |
| Table 2.2 | Sediment Transport Definition | 13 |
| Table 2.3 | The Particle Size Distribution | 24 |
| Table 2.4 | Basic Information on The Development and Use of Common Sediment Transport Functions | 25 |
| Table 3.1 | Specific Density Calculation | 45 |
| Table 3.2 | Hydrometer Sedimentation Test Result | 50 |
| Table 4.1 | Sieve Analysis at Sample 1, Sunny Day | 63 |
| Table 4.2 | Sieve Analysis at Sample 2, Sunny Day | 65 |
| Table 4.3 | Sieve Analysis for Sample 3, Rainy Day | 67 |
| Table 4.4 | Sieve Analysis for Sample 4, Rainy Day | 69 |
| Table 4.5 | Result Uniformity Coefficient and Coefficient of Gradation | 72 |
| Table 4.6 | Effective Particle Diameter Size versus Mean Velocity | 73 |
| Table 4.7 | Average Moisture Content Result | 74 |
| Table 4.8 | Bed Load Transport by Two Equations | 78 |
| Table 4.9 | Bed Load Concentration by Using Apparatus (Measured) | 80 |

LIST OF FIGURES

| Figure No. | Title | Page |
|-------------|--|------|
| Figure 2.1 | Bed Form Arranged in Increasing Order of Sediment Transport Rate Floe Increases Consecutively from a to f | 10 |
| Figure 2.2 | (a) Bed Form Chart for Fine Sand (b) Bed Form Chart for Fine to Medium Sand (c) Bed Form Chart for Medium Sand (d) Bed Form Chart Medium to Coarse Sand | 11 |
| Figure 2.3 | Shields Diagram | 16 |
| Figure 2.4 | Sediment Particles | 22 |
| Figure 2.5 | Particle Movement in Water | 23 |
| Figure 2.6 | Pattern of Gravel Deposition in Streambeds, Cross- Section View | 33 |
| Figure 3.1 | Map of Study Area, Sungai Jemberau from Google Maps | 36 |
| Figure 3.2 | Location of Points from Google Earth | 37 |
| Figure 3.3 | View of Point at Sungai Jemberau | 38 |
| Figure 3.4 | Samples Bed Material at Sungai Jemberau Before Oven Dry | 41 |
| Figure 3.5 | Samples Bed Material at Sungai Jemberau After Oven Dry | 41 |
| Figure 3.6 | Sieves are Assemble in the Ascending order | 42 |
| Figure 3.7 | The Sample is Being Crushed | 43 |
| Figure 3.8 | The Sample is Being Placed in Mechanical Shaker | 43 |
| Figure 3.9 | Specific Density Bottle | 46 |
| Figure 3.10 | Bottle and Content in Vacuum Desiscators | 46 |
| Figure 3.11 | Content of the Bottle are Clean and Refill with Water | 47 |
| Figure 3.12 | Stir the Dilution Water | 51 |
| Figure 3.13 | Soak the Sample Around 24 hours | 52 |
| Figure 3.14 | Measure the Hydrometer Bulb | 52 |

| Figure 3.15 | Shake the Solution Water for Meniscus Correction | 53 |
|-------------|---|----|
| Figure 3.16 | Sieve the Sample with Dilution Water Using Sieve $63\mu m$ | 53 |
| Figure 3.17 | Shake the Sample | 54 |
| Figure 3.18 | Read and Record the Sample Reading | 54 |
| Figure 3.19 | Glass Microfiber Filter Disc, 5.5m, Whatman Type (GF/C 0.7µm) | 56 |
| Figure 3.20 | Disposable Aluminium Dishes | 56 |
| Figure 3.21 | Suction Flasks, 100ml and 47mm Glass Microanalysis Filter Holder (Funnel, Clamp and Base) | 57 |
| Figure 3.22 | Drying for Operation at 130°c to 150°c | 57 |
| Figure 3.23 | Desiccator | 58 |
| Figure 3.24 | Analytic Balance, Capable or Weighing to 0.1mg | 58 |
| Figure 3.25 | The Sample from Sungai Jemberau | 59 |
| Figure 3.26 | Sample cell 25ml | 59 |
| Figure 3.27 | Spectrophometer | 60 |
| Figure 3.28 | Helley-Smith Apparatus | 61 |
| Figure 3.29 | Helley-Smith Handling | 61 |
| Figure 3.30 | An Example of a Pressure-Different Type Bed Load Sampler. This Particular Device is Helley-Smith Apparatus | 61 |
| Figure 4.1 | Grain Distribution for Sample 1, (24 th November 2016) | 64 |
| Figure 4.2 | Mean Particle Size for Sample 1, (24 th November 2016) | 64 |
| Figure 4.3 | Grain Distribution for Sample 2, (1 st December 2016) | 66 |
| Figure 4.4 | Mean Particle Size for Sample 2, (1 st December 2016) | 66 |
| Figure 4.5 | Grain Distribution for Sample 3, (5 th March 2017) | 68 |
| Figure 4.6 | Mean Particle Size for Sample 3, (5 th March 2017) | 68 |
| Figure 4.7 | Grain Distribution for Sample 4, (17th May 2017) | 70 |

| Figure 4.8 | Mean Particle Size for Sample 4, (17th May 2017) | 71 |
|-------------|--|----|
| Figure 4.9 | Effective Diameter Size versus Mean Velocity | 73 |
| Figure 4.10 | Cross Section at Sample 1, (24 th November 2016) | 74 |
| Figure 4.11 | Cross Section at Sample 2, (1 st December 2016) | 75 |
| Figure 4.12 | Cross Section at Sample 3, (5 th March 2017) | 75 |
| Figure 4.13 | Cross Section at Sample 4, (17th May 2017) | 76 |
| Figure 4.14 | Bed Load Concentration by Two Equations | 79 |
| Figure 4.15 | Bed Load Concentration by Using Apparatus (Measured) for One Day | 80 |

LIST OF SYMBOLS

| Q | Flow Rate of Water (m^3/s) |
|----------------|--------------------------------------|
| А | Area (m ²) |
| V | Velocity (m/s) |
| mm | Millimetre |
| km | Kilometre |
| m | Meter (m) |
| g | Gravitational Force $\binom{m}{s^2}$ |
| n _s | Manning Coefficient |
| $	au_{C}$ | Critical Shear Stress |
| $	au_0$ | Actual Shear Stress |
| D_s | Mean Diameter (mm) |
| V | Viscosity (m^2/s) |
| γ | Specific Weight $(^{N}/_{m^{3}})$ |
| S | Slope |
| Gs | Bed Load Discharge (lb/sec-ft) |
| d | Depth of River |
| В | Width of River |

LIST OF ABBREVIATIONS

| UMP | University Malaysia Pahang |
|--------------|-------------------------------------|
| USCS | Unifies Soil Classification System |
| US | United State |
| Cu | Uniformity Coefficient |
| Cc | Coefficient of Gradation |
| Nov | November |
| Dec | December |
| pH | Potential Hydrogen |
| TSS | Total Suspended Solid |
| HACH DR 5000 | Spectrophotometer Procedures Manual |