

## REFERENCES

- AFGC-SETRA, 2002. *Ultra High Performance Fibre-Reinforced Concretes*, Interim Recommendations, Paris, France, AFGC publication.
- Akasaki, J. L., Fioriti, C., Tashima, M. M. and Melges, J. L. P. 2013. Impact strength and abrasion resistance of high strength concrete with rice husk ash and rubber tires. *IBRACON Structures and Materials Journal*. **6**(5): 811-831.
- Amarkhail, N. 2015. Effect of silica fume on properties of high-strength concrete. *International Journal of Technical Research and Applications*. (32): 13-19.
- Antil, E.Y., 2014. An Experimental Study on Rubberized Concrete. *International Journal of Emerging Technology and Advanced Engineering*, 4(2), pp.309–316.
- Arafa, M., Shihada, S. and Karmout, M., 2010. Mechanical Properties of Ultra High Performance concrete produced in Gaza Strip. *Asian Journal of Materials Science*, pp.1–12.
- Azevedo, F. et al., 2012. Properties and durability of HPC with tyre rubber wastes. *Construction and Building Materials*, 34, pp.186–191.
- Bache, H.H., 1981. Densified cement ultra-fine particle-based materials. *The Second International Conference on Superplasticizers in Concrete*. 1981 pp. 1–34.
- Bakri, A.M.M. Al, Fadli, S.A.S.N., Bakar, M.D.A. and Leong, K.W., 2007. Comparison of rubber as aggregate and rubber as filler in concrete. *1st International Conference on Sustainable Materials*.
- BS EN 12390-6,2000. Testing hardened concrete. Tensile splitting strength of test specimens. *British Standard*, British Standards Institution, ISBN:0-580-36606-5, 14 pp.

- Collepari, S., Coppola, L., Troli, R. and Collepari, M., 1997. *Mechanical Properties of Modified Reactive Powder Concrete*,
- Dillshad, K. and Amen, H., 2011. Degree of Hydration and Strength Development of Low Water-to-Cement Ratios in Silica Fume Cement System. *International Journal of Civil & Environmental Engineering IJCEE-IJENS*, 11(5).
- Eide, M.B. and Hisda, J.-M., 2012. *Ultra High Performance Fibre Reinforced Concrete (UHPFRC) – State of the art*,
- Eldin, N.N. and Senouci, A.B., 1994. Rubber-tire particles as concrete aggregate. *ASCE Journal of Materials in Civil Engineering*, 5(4), pp.478–496.
- Ganjian, E., Khorami, M. and Maghsoudi, A.A., 2009. Scrap-tyre-rubber replacement for aggregate and filler in concrete. *Construction and Building Materials*, 23(5), pp.1828–1836.
- Graybeal, B.A., 2006. *Material Property Characterization of Ultra-High Performance Concrete*,
- Gu, C.P., Ye, G. and Sun, W., 2015. Ultrahigh performance concrete-properties, applications and perspectives. *Science China Technological Sciences*, 58(4), pp.587–599.
- Karmout, M., 2009. *Mechanical Properties of Ultra High Performance Concrete Produced in Gaza Strip*. The Islamic University of Gaza, Palestine.
- Khalil, W.I., 2012. Some Properties of Modified Reactive Powder Concrete. *Journal of Engineering and Development*, 16(4), pp.66–87.
- Khatib, Z.K. and Bayomy, F.M., 1999. Rubberized portland cement concrete. *Journal of Materials in Civil Engineering*, 11(August), pp.206–213.

- Korpa, A., Kowald, T. and Trettin, R., 2014. Principles of development, phase composition and nanostructural features of multiscale Ultra High Performance Concrete modified with pyrogenic nanoparticles – A review article. *American Journal of Materials Science and Application*, 2(2), pp.17–30.
- Ma, J., 2004. Comparative Investigations on Ultra-High Performance Concrete with and without Coarse Aggregates. , (September).
- Ma, J. et al., 2004. Comparative Investigations on Ultra-High Performance Concrete with or without Coarse Aggregates. *Proceedings of the international symposium on ultra high performance concrete, Kassel*, (September), pp.205–212.
- Ma, J. and Dietz, J., 2002. Ultra high performance self compacting concrete. *International RILEM Symposium on Self-Compacting Concrete*, pp.33–42.
- Mazloom, M., Ramezaniapour, A.A. and Brooks, J.J., 2004. Effect of silica fume on mechanical properties of high-strength concrete. *Cement and Concrete Composites*, 26(4), pp.347–357.
- Moallem, M.R., 2010. *Flexural redistribution in ultra high performance concrete lab specimens*.
- Moghadam, H.A. and Khoshbin, O.A., 2012. Effect of Water- Cement Ratio ( w / c ) on Mechanical Properties of Self-Compacting. *International Journal of Civil, Environmental, Structural, Construction and Architectural Engineering*, 6(5), pp.458–461.
- Naik, T. R. and Siddique, R. 2004. Properties of concrete containing scrap tire rubber-overview. Report No. CBU-2002-06.

- Orange, G., Acker, P. and Dugat, J., 1999. Damage Resistance and Micromechanical Analysis of Ultra High Performance Concrete. *High Performance Fiber Reinforced Cement Composites (HPFRCC 3)*, pp.101–112.
- Pachecho-Torgal, F., Shasavandi, A. and Jalali, S. 2012. Tyre rubber waste based concrete: A review. *1st International Conference*.
- Panda, K.C., Parhi, P.S. and Jena, T., 2012. Scrap-Tyre-Rubber replacement for aggregate in cement concrete: Experimental study. *International Journal of Earth Sciences and Engineering*, 5(6), pp.1692–1701.
- Park, J.J., Ryu, G.S., Kang, S.T. and Kim, S.W., 2008. The influence of the amount of silica fume on the mechanical property of ultra-high performance concrete. *Key Engineering Materials*, 385–387, pp.701–704.
- Pavithran, A., Kumar, T.A. and Johny, M.A., 2015. An Experimental Study on Compressive Strength of Concrete Containing Crumb Rubber with Alcofine. *International Journal of Engineering Development and Research*, 3(4), pp.1–5.
- Prem, P., Bharatkumar, B. and Iyer, N., 2012. Mechanical properties of ultra high performance concrete. *Proceedings of World Academy of ...*, 6(8), pp.1680–1689.
- Rahman, M.M., Usman, M. and Al-Ghalib, A.A., 2012. Fundamental properties of rubber modified self-compacting concrete (RMSCC). *Construction and Building Materials*, 36, pp.630–637.
- Rahmani, K., Shamsai, A., Saghafian, B. and Peroti, S., 2012. Effect of Water and Cement Ratio on Compressive Strength and Abrasion of Microsilica Concrete. *Middle-East Journal of Scientific Research*, 12(8), pp.1056–1061.

- Reddy, V.M. and Rao, D.M.V.S., 2014. Effect of w/c ratio on workability and mechanical properties of high strength Self Compacting Concrete (M70 grade). *IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE)*, 11(5), pp.15–21.
- Richard, P. and Cheyrezy, M., 1995. Composition of reactive powder concretes. *Cement and Concrete Research*, 25(7), pp.1501–1511.
- Schmidt, M. and Fehling, E., 2005. Ultra-High-Performance Concrete : Research , Development and Application in Europe. *7th International Symposium on the Utilization of High-Strength/High-Performance Concrete*, SP-228.
- Šerelis, E., Vaitkevičius, V. and Kerševičius, V., 2015. Influence of Water to Cement Ratio with Different Amount of Binder on Properties of Ultra-High Performance Concrete. *Journal of Sustainable Architecture and Civil Engineering*, 10(1), pp.78–86.
- Shihada, S. and Arafa, M., 2010. Effects of Silica Fume , Ultrafine and Mixing Sequences on Properties of Ultra High Performance Concrete. *Asian Journal of Materials Science*, (2), pp.137–146.
- Skripkiunas, G., Grinys, A. and Cernius, B., 2007. Deformation properties of concrete with rubber waste additives. *Materials Science*, 13(3), pp.219–223.
- Srivastava, V., Agarwal, V.C. and Kumar, R., 2012. Effect of silica fume on mechanical properties of concrete. *Journal of Academia and Industrial Research.*, 1(4), pp.176–179.
- Su, H. et al., 2015. Properties of concrete prepared with waste tyre rubber particles of uniform and varying sizes. *Journal of Cleaner Production*, 91, pp.288–296.

- Thomas, B.S., Gupta, R.C., Kalla, P. and Cseteneyi, L., 2014. Strength, abrasion and permeation characteristics of cement concrete containing discarded rubber fine aggregates. *Construction and Building Materials*, 59, pp.204–212.
- Topcu, I.B., 1995. The properties of rubberized concrete. *Cement and Concrete Research*, 25(2), pp.304–310.
- Topcu, I.B. and Avcular, N., 1997. Analysis of rubberized concrete as a composite material. *Cement and Concrete Research*, 27(8), pp.1135–1139.
- Tuan, N. Van, 2011. *Rice husk ash as a mineral admixture for ultra high performance concrete*.
- Vogel, H., Davoudi, S., Noel, M. and Svecova, D., 2008. Evaluation of properties of high strength concrete for prestressed concrete prisms. *Conference: 2nd International Symposium on Ultra High Performance Concrete, At Kassel, Germany*. 2008 pp. 287–294.
- Wang, X., Xia, J. and Li, Y., 2016. Compressive and flexural strength of ultra high performance fibre reinforced concrete containing recycled rubber crumb. *Proceedings of the 1st International Conference on Sustainable Buildings and Structures*. 2016 pp. 51–56.
- Youssf, O., Elgawady, M.A., Mills, J.E. and Ma, X., 2014. An experimental investigation of crumb rubber concrete confined by fibre reinforced polymer tubes. *Construction and Building Materials*, 53, pp.522–532.