

EVALUATION ON THE PERFORMANCE
OF A SIGNALIZED INTERSECTIONS

NOR AIN NADIA BINTI MOHAMAD ZAID

BACHELOR OF CIVIL ENGINEERING
UNIVERSITI MALAYSIA PAHANG

EVALUATION ON THE PERFORMANCE OF A SIGNALIZED
INTERSECTIONS

NOR AIN NADIA BINTI MOHAMAD ZAID

Thesis submitted in fulfilment of the
requirements for the award of the degree of
Bachelor of Civil Engineering

Faculty of Civil Engineering and
Earth Resources
UNIVERSITI MALAYSIA
PAHANG

JUNE 2017

STATEMENT OF AWARD FOR DEGREE

1. Bachelor of Civil Engineering

Thesis submitted in fulfillment of the requirements for the award of the degree of Bachelor of Civil Engineering.

SUPERVISOR'S DECLARATION

We hereby declare that we have checked this thesis and in our opinion, this thesis is adequate in terms of scope and quality for the award of degree of Bachelor of Civil Engineering.

Signature:

Name of Advisor: AZLINA BINTI HAJI ISMAIL

Position: LECTURER, FACULTY OF CIVIL ENGINEERING,
UNIVERSITI MALAYSIA PAHANG

Date:

STUDENT'S DECLARATION

I hereby declare that the work in this thesis is my own except for quotations and summaries in which have been duly acknowledged. The thesis has not been accepted for any degree and is not concurrently submitted for award of other degree.

Signature:

Name: NOR AIN NADIA BINTI MOHAMAD ZAID

ID Number: AA13213

Date:

ACKNOWLEDGEMENTS

First of all I would like to say Alhamdulillah, thanks to Allah for giving me the strength, guidance and wisdom to complete my thesis. Without His guidance and favour, I might not be able to complete this thesis.

It is a matter of pleasure of acknowledgements by indebtedness to my supervisor, Madam Azlina Binti Haji Ismail for her patient, all the comments, encouragements, suggestions that helped me a lot in writing this thesis and completing the project. Then, also a special notes of thanks to my co-supervisor Dr Intan Suhana Binti Mohd Razelan for her assistant and advices throughout the project.

I would like to thank to faculty (FKASA) for providing the laboratory facilities for this project. I extend my gratitude to all my friends and others who provided assistances and supports.

Last but not least, gratitude goes to my family for their unlimited support including both emotionally and financially during completing this project and also thesis. Finally, I would like to thank everyone who had involved in this study either directly or indirectly.

TABLE OF CONTENTS

	Pages
SUPERVISOR’S DECLARATION	v
STUDENT’S DECLARATION	vi
ACKNOWLEDGEMENTS	vii
ABSTRACT	viii
ABSTRAK	ix
TABLE OF CONTENTS	x
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
CHAPTER 1 INTRODUCTION	
1.1 Introduction	1
1.2 Problem Statement	2
1.3 Objectives	3
1.4 Scope of Study	3
CHAPTER 2 LITERATURE REVIEW	
2.1 Introduction	5
2.2 Intersections Studies	5
2.3 Traffic Flow Characteristics at Signalized Intersection	6
2.4 Traffic Light at Signalized Intersection	7
2.5 Capacity and Level of Service Concept	8
2.5.1 Capacity	8
2.5.2 Level of Service	8
2.5.3 Type of Facilities	10
2.5.4 Factor Affecting LOS and Capacity	12
2.5.4.1 Base Condition	13
2.5.4.2 Roadway Conditions	13

2.5.4.3	Traffic Conditions	14
2.5.4.4	Control Conditions	14
2.6	Traffic Volume Studies	14
2.6.1	Types of Traffic Counts	15
2.6.1.1	Intrusive method	15
2.6.1.2	Non-intrusive method	16
2.7	Conclusion	18

CHAPTER 3 METHODOLOGY

3.1	Introduction	19
3.2	Data Collection	19
3.2.1	Traffic Volume Survey	21
3.3	Location Selection	22
3.4	Data Analyzing	23
3.4.1	Determination of Flow Rate, V_p	23
3.4.2	Determination of Saturation Flow Rate, S	23
3.4.2.1	Lane Width Adjustment Factor, f_w	24
3.4.2.2	Grade Adjustment Factor, f_g	25
3.4.2.3	Area Type Adjustment Factor, f_a	25
3.4.2.4	Left Turn Adjustment Factor, f_{LT}	26
3.4.2.5	Right Turn Adjustment Factor, f_{RT}	26
3.4.2.6	Vehicle Composition Correction Factor, f_c	27
3.4.3	Capacity Analysis	28
3.4.4	Determination of Lost time, t_L (S)	28
3.4.5	Determination of Effective Green time, g (s)	28
3.4.6	Determination of Green Ratio, g/C	28
3.4.7	Determination of Lane Capacity, c (veh/hr)	29
3.4.8	Determination of Degree of Saturation, X (V_p/c ratio)	29
3.4.9	Determination of Flow Ratio, y	29
3.4.10	Determination of Level of Service (LOS)	30
3.4.11	Determination of Delay, d	30
3.4.11.1	Uniform Control Delay, d_1	31

3.4.11.2	Progression Adjustment Factor, PF	31
3.4.11.3	Incremental Delay, d2	33
3.4.11.4	Incremental Delay Calibration factor, k	34
3.4.11.5	Initial Queue Delay, d3	34
3.4.11.6	Approach Delay, Da	34
3.5	CONCLUSION	39

CHAPTER 4 ANALYSIS AND DISCUSSION

4.1	Introduction	40
4.2	Traffic Flow Data	40
4.3	Signal Phasing	46
4.4	Delay and Level of Service (Los) By Approach	47
4.5	Level of Service (Los) Intersection	50
4.6	Observed and Proposed Condition	52
4.7	Conclusion	54

CHAPTER 5 CONCLUSION AND RECOMMENDATION

5.1	Introduction	55
5.2	Conclusion	55
5.3	Recommendation	56

REFERENCES	57
-------------------	----

APPENDICES

A	OUTPUT FROM MHCM 2006 TABLE	59
B	PEAK HOUR TRAFFIC VOLUME	83
C	TRAFFIC VOLUME DATA (REFER CD)	

LIST OF TABLE

Table No.	Title	Page
2.1	LOS for Freeway	10
2.2	LOS for an signalized Intersection	11
2.3	Level of service of road	11
2.4	Level of Service Definition for Signalized Intersections	12
2.5	The type of variables provided by different type of detectors	17
3.1	The data that needed for each lane group	20
3.2	Vehicle Classification (Arahan Teknik Jalan 8/86)	22
3.3	Adjustment Factor for Area Type, f_a	26
3.4	Adjustment Factor for Left (f_{LT})	26
3.5	Adjustment Factor for Right (f_{RT})	26
3.6	Conversion factors to pcu's	27
3.7	Level of Service for Signalized Intersection	30
3.8	Progression Adjustment Factor	32
3.9	Input Worksheet	36
3.10	Volume Adjustment and Saturation Flow Rate Worksheet	37
3.11	Capacity and Los Worksheet	38
4.1	Traffic Volume for AM Peak	41
4.2	Traffic Volume for PM Peak	43
4.3	All Phase for This Intersections	47
4.4	Observed and Proposed Condition for Morning Peak	52
4.5	Observed and Proposed Condition for Evening Peak	53

LIST OF FIGURES

Figure No.	Title	Page
1.1	Study Area	3
2.1	Fundamental Attributes of Flow at Signalized Intersections	7
2.2	Level of Service A to F	9
3.1	Approach from Kuantan and Panching	21
3.2	Approach from Gambang	21
3.3	Images of study area from satellite	23
4.1	Weekdays Hourly Volume of Vehicle (AM Peak)	42
4.2	Weekend Hourly Volume of Vehicle (AM Peak)	43
4.3	Weekdays Hourly Volume of Vehicle (PM Peak)	45
4.4	Weekend Hourly Volume of Vehicle (PM Peak)	45
4.5	Observed Delay and Level of Service by approach during Weekdays (AM and PM Peak)	48
4.6	Observed Delay and Level of Service by approach during Weekend (AM and PM Peak)	48
4.7	Proposed Delay and Level of Service by approach during Weekdays (AM and PM Peak)	49
4.8	Proposed Delay and Level of Service by approach during Weekend (AM and PM Peak)	50