

REFERENCES

- Agbor, V. B., Cicek, N., Sparling, R., Berlin, A., & Levin, D. B. (2011). Biomass pretreatment: Fundamentals toward application. *Biotechnology Advances*, 29, 675–685. doi:doi:10.1016/j.biotechadv.2011.05.005
- Archarya, T. (2013). Colony Morphology of Bacteria; How to describe Bacterial Colonies? Retrieved at October 10, 2016 from <http://microbeonline.com/colony-morphology-bacteria-describe-bacterial-colonies/>
- Barlaz, M. A. (1998). Carbon storage during biodegradation of municipal solid waste components in laboratory-scale landfills. *Global Biogeochemical Cycles*, 12(2), 373-380. doi:10.1029/98GB00350
- Betsy, T., & Keogh, J. (2005). *Microbiology Demystified*. United States of America: McGraw Hill.
- Brown, A. E. (2012). *Benson's Microbiological Applications: Laboratory Manual in General Microbiology*. New York: McGraw-Hill.
- Byrd, J. J., D., P., & Powledge, T. M. (2006). *The Complete Idiot's Guide To Microbiology*. United States of America: Alpha Books.
- Chen, P., Xie, Q., Addy, M., Zhou, W., Liu, Y., Wang, Y., . . . Ruan, R. (2016). Utilization of municipal solid and liquid wastes for bioenergy and bioproducts production. *Bioresource Technology*, 1-10. doi:<http://dx.doi.org/10.1016/j.biortech.2016.02.094>
- Dar, M. A., Pawar, K. D., Jadhav, J. P., & Pandit, R. S. (2015). Isolation of cellulolytic bacteria from the gastro-intestinal tract of *Achatina fulica* (*Gastropoda: Pulmonata*) and their evaluation for cellulose biodegradation. *International Biodeterioration & Biodegradation*, 98, 75-80.
- Dashtban, M., Maki, M., Leung, K. T., Mao, C., & Qin, W. (2010). Cellulase activities in biomass conversion: measurement methods and comparison. *Critical Reviews in Biotechnology*, 1-8. doi:10.3109/07388551.2010.490938
- Epstein, E. (2015). *Disposal and Management of Solid Waste: Pathogens and Diseases*. 6000 Broken Sound Parkway NW, Suite 300: CRC Press.
- Fazeli, A., Bakhtvar, F., Jahanshaloo, L., Sidik, N. A. C., & Bayat, A. E. (2016). Malaysia's stand on municipal solid waste conversion to energy: A review. *Renewable and Sustainable Energy Reviews*, 58(2016), 1007-1016.
- Giri, D. (2016). Gram Staining : Principle, Procedure, Interpretation and Animation. Retrieved at December 11, 2016 from <http://laboratoryinfo.com/gram-staining-principle-procedure-interpretation-and-animation/>
- Gohel, H. E., Contractor, C. N., Ghosh, S. K., & Braganza, V. J. (2014). A comparative study of various staining techniques for determination of extracellular cellulase

activity on Carboxy Methyl Cellulose (CMC) agar plates. *International Journal of Current Microbiology and Applied Sciences*, 3(5), 261-266.

- Gupta, P., Samant, K., & Sahu, A. (2012). Isolation of Cellulose-Degrading Bacteria and Determination of Their Cellulolytic Potential. *International Journal of Microbiology*, 2012. doi:10.1155/2012/578925
- Hamer, G. (2003). Solid waste treatment and disposal: effects on public health and environmental safety. *Biotechnology Advances*, 22, 71-79. doi:10.1016/j.biotechadv.2003.08.007
- Harshani, H. M. D., Nawagamuwa, U. P., & Senanayake, A. (2015). Evaluation of cover soil properties of solid waste dumpsites in Colombo District, Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 43(2), 189-194. doi:<http://dx.doi.org/10.4038/jnsfsr.v43i2.7946>
- Hoornweg, D. (1999). *What a Waste: Solid Waste Management in Asia* M. Fossberg, G. Boyer, B. Rabinowitz, & L. Lewis (Eds.), (pp. 26).
- Hussin, A. S. M., Collins, S. R. A., Merali, Z., Parker, L., Elliston, A., Wellner, N., & Waldron, K. W. (2013). Characterisation of lignocellulosic sugars from municipal solid waste residue. *Biomass and bioenergy*, 51, 17-25. doi:<http://dx.doi.org/10.1016/j.biombioe.2012.12.015>
- Ibrahim, C. O. (2008). Development of applications of industrial enzymes from Malaysia indigenous microbial sources. *Bioresource Technology*, 99, 4572-4582. doi:10.1016/j.biortech.2007.07.040
- Irfan, M., Safdar, A., Syed, Q., & Nadeem, M. (2012). Isolation and screening of cellulolytic bacteria from soil and optimization of cellulase production and activity. *Turkish Journal of Biochemistry-Turk J Biochem*, 37(3), 287-229. doi:10.5505/tjb.2012.09709
- Irsyad, A. (2015). How Malaysians Are Coping With The Waste Separation Programme A Week After Implementation. Retrieved at December 10, 2016 from <http://www.malaysiandigest.com/news/568784-how-malaysians-are-coping-with-the-waste-separation-programme-a-week-after-implementation.html>
- Johari, A., Alkali, H., Hashim, H., Ahmed, S. I., & Mat, R. (2014). Municipal Solid Waste Management and Potential Revenue from Recycling in Malaysia. *Modern Applied Science*, 8(4), 37-49. doi:10.5539/mas.v8n4p37
- Kafilzadeh, F., Hooshiyar, M., & Ghanbari, M. M. (2012). Isolation and identification of 2,5-dichlorobenzoic acid degrading bacteria from soils and sediments of landfill. *Annals of Biological Research*, 3(4).
- Kalim, B., Böhringer, N., Ali, N., & Schäberle, T. F. (2015). Xylanases—from Microbial Origin to Industrial Application. *British Biotechnology Journal*, 7(1), 1-20. doi:10.9734/BBJ/2015/15982

- Kamble, R. D., & Jadhav, A. R. (2012). Isolation, Purification, and Characterization of Xylanase Produced by a New Species of *Bacillus* in Solid State Fermentation. *International Journal of Microbiology*, 2012. doi:10.1155/2012/683193
- Khalil, M. J., Gupta, R., & Sharma, K. (2014). Microbiological Degradation of Municipal Solid Waste in Landfills for LFG Generation. *International Journal of Engineering and Technical Research*.
- Khatiwada, P., Ahmed, J., Sohag, M. H., Islam, K., & Azad, A. K. (2016). Isolation, Screening and Characterization of Cellulase Producing Bacterial Isolates from Municipal Solid Wastes and Rice Straw Wastes. *Journal of Bioprocessing & Biotechniques*, 6(4), 280. doi:10.4172/2155-9821.1000280
- Kim, Y.-K., Lee, S.-C., Cho, Y.-Y., Oh, H.-J., & Ko, Y. H. (2012). Isolation of Cellulolytic *Bacillus subtilis* Strains from Agricultural Environments. *International Scholarly Research Network Microbiology*, 2012. doi:10.5402/2012/650563
- Krishnamurthi, S., & Chakrabarti, T. (2013). Diversity of Bacteria and Archaea from a landfill in Chandigarh, India as revealed by culture-dependent and culture-independent molecular approaches. *Systematic and Applied Microbiology*, 36(1), 56-68. doi:<http://dx.doi.org/10.1016/j.syapm.2012.08.009>
- Kumar, B. L., & Gopal, D. V. R. S. (2015). Effective role of indigenous microorganisms for sustainable environment. *Biotech*, 5, 867–876.
- Liang, Y.-L., Zhang, Z., Wu, M., Wu, Y., & Feng, J.-X. (2014). Isolation, Screening, and Identification of Cellulolytic Bacteria from Natural Reserves in the Subtropical Region of China and Optimization of Cellulase Production by *Paenibacillus terra* ME27-1. *BioMed Research International*, 2014(2014).
- Manaf, L. A., Samah, M. A. A., & Zukki, N. I. M. (2009). Municipal solid waste management in Malaysia: Practices and challenges. *Waste Management*, 29(2009), 2902–2906. doi:10.1016/j.wasman.2008.07.015
- Moh, Y. C., & Manaf, L. A. (2014). Overview of household solid waste recycling policy status and challenges in Malaysia. *Resources, Conservation and Recycling*, 82(2014), 50– 61.
- Moh, Y. C., & Manaf, L. A. (2016). Solid waste management transformation and future challenges of source separation and recycling practice in Malaysia. *Resources, Conservation and Recycling*, 116(2017), 1-14.
- Nagar, S., Mittal, A., & Gupta, V. K. (2012). A Cost Effective Methods for Screening and Isolation of Xylan Degrading Bacteria Using Agro Waste Material. *Asian Journal of Biological Sciences*, 1-11. doi:10.3923/ajbs.2012
- Norazlina, I., Meenalosani, N., & KuHalim, K. H. (2013). Production of Xylanase by *Trichoderma* sp. Via Solid State Culture Using Sugarcane Bagasse. *International Journal of Energy Science*, 3(2), 99-105.

- Peavy, H. S., Rowe, D. R., & Tchobanoglous, G. (1985). *Environmental Engineering*. Singapore: McGraw-Hill
- Porsuk, I., Ozakin, S., Bali, B., & Yilmaz, E. I. (2013). A cellulase-free, thermoactive, and alkali xylanase production by *terrestrial Streptomyces* sp. CA24. *Turkish Journal of Biology*, 37, 370-375. doi:10.3906/biy-1208-40
- Ravindran, B., Wong, J. W. C., Selvam, A., Thirunavukarasu, K., & Sekaran, G. (2016). Microbial biodegradation of proteinaceous tannery solid waste and production of a novel value added product - Metalloprotease. *Bioresource Technology*. doi:<http://dx.doi.org/10.1016/j.biortech.2016.03.033>
- Sa'adah, N., Ishak, W. M. F. W., & Makky, E. A. (2014). Comparison of Enzymes Production of Bacteria from Landfill Soil and Leachate: A Case Study-Jabor Landfill Kuantan, Pahang, Malaysia. *International Journal of Innovation and Technology*, 5(1), 61-64. doi:10.7763/IJIMT.2014.V5.487
- Saha, A., & Santra, S. C. (2014). Isolation and Characterization of Bacteria Isolated from Municipal Solid Waste for Production of Industrial Enzymes and Waste Degradation. *Journal of Microbiology & Experimentation*, 1(1), 00003. doi:10.15406
- Sandhu, S., & Maiti, T. K. (2013). Cellulase Production by Bacteria: A Review. *British Microbiology Research Journal*, 3(3), 235-258.
- Seo, J. K., Park, T. S., Kwon, I. H., Piao, M. Y., Lee, C. H., & Ha, J. K. (2013). Characterization of Cellulolytic and Xylanolytic Enzymes of *Bacillus licheniformis* JK7 Isolated from the Rumen of a Native Korean Goat. *Asian-Australasian Journal of Animal Sciences*, 26(1), 50-58.
- Stefanis, C., Alexopoulos, A., Voidarou, C., Vavias, S., & Bezirtzoglou, E. (2013). Principle methods for isolation and identification of soil microbial communities. *Folia Microbiol*, 58, 61-68. doi:10.1007
- Whalen, S. C., Reeburgh, W. S., & Sandbeck, K. A. (1990). Rapid Methane Oxidation in a Landfill Cover Soil. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*, 56(11), 3405-3411.
- Wise, M. G., McArthur, J. V., & Shimkets, L. J. (1999). Methanotroph Diversity in Landfill Soil: Isolation of Novel Type I and Type II Methanotrophs Whose Presence Was Suggested by Culture-Independent 16S Ribosomal DNA Analysis. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*, 65(11), 4887-4897.
- Yang, W., Meng, F., Peng, J., Han, P., Fang, F., Ma, L., & Cao, B. (2014). Isolation and identification of a cellulolytic bacterium from the Tibetan pig's intestine and investigation of its cellulase production. *Electronic Journal of Biotechnology*, 17(6), 262-267. doi:<http://dx.doi.org/10.1016/j.ejbt.2014.08.002>

4 Shapes Of Bacteria (n.d.). Retrieved at October 07, 2016 from <http://www.keyword-suggestions.com/NCBzaGFwZXMgb2YgYmFjdGVyaWE/>