

REFERENCES

- Abdurahman, H.N. Ranitha, M. & Azhari, H.N. 2013. Extraction and Characterization of Essential Oil From Ginger (*Zingiber Officinale* Roscoe) and Lemongrass (*Cymbopogon Citratus*) By Microwave-Assisted Hydrodistillation(Mahd). *International Journal of Chemical and Environmental Engineering*. **4**(4): 221–226. <http://umpir.ump.edu.my/4996/1/CD6494.pdf>.
- Al-Henhena, N. et al. 2011. Histological study of wound healing potential by ethanol leaf extract of *Strobilanthes crispus* in rats. *Journal of Medicinal Plants Research*. **5**(16): 3660–3666.
- Asmah, R. et al. 2006. Chemical Constituents, Antioxidant Activity and Cytotoxic Effects of Essential Oil from *Strobilanthes crispus* and *Lawsonia inermis*. *Journal of Biological Sciences*. **6**(6): 1005–1010. <http://www.scialert.net/abstract/?doi=jbs.2006.1005.1010> (21 March 2016).
- Asmah et al. 2006. Asmah et al_2006_chemical constituents, antioxidant activity and cytotoxic effects of essential oil from *strobilanthes crispus* and *lawsonia inermis*.pdf. : 1005–1010.
- Backer, C. A. D. and Bakhuizen, R. C. V. 1963. Flora of Java (Spermatophytes Only). Vol. II. Groningen : Noordhoff Press.
- Bakkali, F. et al. 2008. Biological effects of essential oils – A review. *Food and Chemical Toxicology*. **46**(2): 446–475.
- Balz, R. (1996). *The healing power of essential oils: Fragrance secrets for everyday use*. India: Motilal Banarsidass,.
- Başer, K. & Franz, C. 2015. Essential Oils Used in Veterinary Medicine. In *Handbook of Essential Oils*. CRC Press, pp. 655–668. <http://www.crcnetbase.com/doi/10.1201/b19393-17> (18 April 2016).
- Baser, K.H.C. & Buchbauer, G. 2010. *Handbook of Essential Oils Science, Technology, and Applications*.
- Berger, R.G. ed. 2007. *Flavours and Fragrances*. Berlin, Heidelberg: Springer Berlin Heidelberg. <http://link.springer.com/10.1007/978-3-540-49339-6> (18 April 2016).
- Blume Karl Ludwig. 1826. *Bijdragen tot de flora van Nederlandsch Indië /uitgegeven door C.L. Blume*. Batavia :Ter Lands Drukkerij, <http://www.biodiversitylibrary.org/item/9225>.
- Brink van den, D.M. & Wanders, R.J.A. 2006. Phytanic acid: production from phytol, its breakdown and role in human disease. *Cellular and Molecular Life Sciences*. **63**(15): 1752–1765. <http://link.springer.com/10.1007/s00018-005-5463-y> (7 May 2016).
- Buchbauer, G. & Hemetsberger, S. 2015. Use of Essential Oils in Agriculture. In *Handbook of Essential Oils*. CRC Press, pp. 669–706. <http://www.crcnetbase.com/doi/10.1201/b19393-18> (18 April 2016).
- Burt, S. 2004. Essential oils: their antibacterial properties and potential applications in foods—a review. *International Journal of Food Microbiology*. **94**(3): 223–253.
- Charles, D.J. & Simon, J.E. 1990. Comparison of Extraction Methods for the Rapid Determination of Essential Oil Content and Composition of Basil. *Jornal of American Society of Horticultural science*. **115**(3): 458–462.
- Dhobi, M. Mandal, V. & Hemalatha, S. 2009. Optimization of microwave assisted extraction of bioactive flavonolignan -silybinin. *J. Chem. Metrl*. **3**(1): 13–23. www.acgpubs.org/JCM (25 March 2016).
- Fadzelly, A.B.M. Asmah, R. & Fauziah, O. 2006. Effects of *Strobilanthes crispus* tea aqueous extracts on glucose and lipid profile in normal and streptozotocin-induced

- hyperglycemic rats. *Plant foods for human nutrition (Dordrecht, Netherlands)*. **61**(1): 7–12. <http://www.ncbi.nlm.nih.gov/pubmed/16688478> (23 March 2016).
- Franz, C. & Novak, J. 2015. Sources of Essential Oils. In *Handbook of Essential Oils*. CRC Press, pp. 43–86. <http://www.crcnetbase.com/doi/10.1201/b19393-4> (18 April 2016).
- Gao, M. Song, B.-Z. & Liu, C.-Z. 2006. Dynamic microwave-assisted extraction of flavonoids from *Saussurea medusa* Maxim cultured cells. *Biochemical Engineering Journal*. **32**(2): 79–83.
- Ghasemzadeh, A. Jaafar, H.Z. & Rahmat, A. 2015. Phytochemical constituents and biological activities of different extracts of *Strobilanthes crispus* (L.) Bremek leaves grown in different locations of Malaysia. *BMC complementary and alternative medicine*. **15**(1): 422. <http://bmccomplementaltermmed.biomedcentral.com/articles/10.1186/s12906-015-0873-3>.
- Gill, K. et al. 2014. Effect of Hydro Distillation Process on Extraction Time and Oil Recovery at Various Moisture Contents From *Mentha* Leaves. *International Journal of Engineering And Science*. **4**(6e). www.researchinventy.com (13 May 2016).
- Ghosh. R. (2006) Principles of Bioseparations Engineering. Singapore: World Scientific Publishing Co. Pte. Ltd
- Golmakani, M.-T. & Rezaei, K. 2008. Comparison of microwave-assisted hydrodistillation with the traditional hydrodistillation method in the extraction of essential oils from *Thymus vulgaris* L. *Food Chemistry*. **109**(4): 925–930.
- Gross, J.H. 2011. Introduction. In *Mass Spectrometry*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 1–20. http://link.springer.com/10.1007/978-3-642-10711-5_1 (26 March 2016).
- Hoffmann, E. De & Stroobant, V. 2007. *Mass Spectrometry - Principles and Applications*. <http://www.ncbi.nlm.nih.gov/pubmed/21057935>.
- Hu, Z. Cai, M. & Liang, H.-H. 2008. Desirability function approach for the optimization of microwave-assisted extraction of saikosaponins from *Radix Bupleuri*. *Separation and Purification Technology*. **61**(3): 266–275.
- Ibrahim Husein, A. et al. 2014. Phthalate derivatives are naturally occurring in *Arum palaestinum*. *Int. J. Curr. Res. Aca. Rev.* **2**(29): 195–203.
- Jamshidi, R. Afzali, Z. & Afzali, D. 2009. Chemical composition of hydrodistillation essential oil of rosemary in different origins in Iran and comparison with other countries. *Amer. Eurasian J. Agric. Environ. Sci.* **5**(1): 78–81. <http://www.ijar.org/Articles/12495.pdf>.
- Jeyaratnam, N. Nour, A.H. & Akindoyo, J.O. 2016. Comparative Study Between Hydrodistillation and Microwave-Assisted Hydrodistillation for Extraction of *Cinnamomum Cassia* Oil. **11**(4). www.arpnjournals.com (1 December 2016).
- Karakaya, S. et al. 2014. Microwave-assisted hydrodistillation of essential oil from rosemary. *Journal of Food Science and Technology*. **51**(6): 1056–1065. <http://link.springer.com/10.1007/s13197-011-0610-y> (21 March 2016).
- Kim, S.-H. & Choi, K.-C. 2013. Anti-cancer Effect and Underlying Mechanism(s) of Kaempferol, a Phytoestrogen, on the Regulation of Apoptosis in Diverse Cancer Cell Models. *Toxicological Research*. **29**(4): 229–234. <http://koreascience.or.kr/journal/view.jsp?kj=DSHQBQ&py=2013&vnc=v29n4&sp=229> (7 May 2016).
- Krishnan, K. Mani, A. & Jasmine, S. Cytotoxic Activity of Bioactive Compound 1, 2-Benzene Dicarboxylic Acid, Mono 2-Ethylhexyl Ester Extracted from a Marine Derived *Streptomyces* sp. VITSJK8.

- Kwon, J.H. et al. 2003. Effect of ethanol concentration on the efficiency of extraction of ginseng saponins when using a microwave-assisted process (MAPTM). *International Journal of Food Science and Technology*. **38**(5): 615–622.
- Letellier, M. & Budzinski, H. 1999. Microwave assisted extraction of organic compounds. *Analisis*. **27**(3): 259–270.
<http://analisis.edpsciences.org/10.1051/analisis:1999116> (21 March 2016).
- Li, H. et al. 2004. Focused microwave-assisted solvent extraction and HPLC determination of effective constituents in *Eucommia ulmoides* Oliv. (*E. ulmoides*). *Talanta*. **63**(3): 659–665.
- Liza, M.S. et al. 2010. Supercritical carbon dioxide extraction of bioactive flavonoid from *Strobilanthes crispus* (Pecah Kaca). *Food and Bioproducts Processing*. **88**(2): 319–326.
- Lowell Center for Sustainable Production. 2011. Phthalates and Their Alternatives : Health and Environmental Concerns. . (january): 24.
- Lucchesi, M.E. Chemat, F. & Smadja, J. 2004. Solvent-free microwave extraction of essential oil from aromatic herbs: comparison with conventional hydro-distillation.
- Lundanes, E., Reubsaet, L., & Greibrokk, T. (2014.). *Chromatography: Basic principles, sample preparations and related methods*. Weinheim, Germany: Wiley-VCH
- Ma, W. et al. 2009. Determination of Anti-Tumor Constitute Mollugin from Traditional Chinese Medicine *Rubia cordifolia* : Comparative Study of Classical and Microwave Extraction Techniques. *Separation Science and Technology*. **44**(4): 995–1006.
<http://www.tandfonline.com/doi/abs/10.1080/01496390802691265> (25 March 2016).
- Manayi, A. & Saeidnia, S. 2015. A concern on phthalate pollution of herbal extracts/medicines and detection methods. *Research Journal of Pharmacognosy*. **2**(3): 49–54.
- Mandal, V. Mohan, Y. & Hemalatha, S. 2007. Microwave assisted extraction - An innovative and promising extraction tool for medicinal plant research. *Pharmacognosy Review*. **1**(1): 7–18.
- Masango, P. 2005. Cleaner production of essential oils by steam distillation. *Journal of Cleaner Production*. **13**(8): 833–839.
- Mohamadi, M. Shamspur, T. & Mostafavi, A. 2013. Comparison of microwave-assisted distillation and conventional hydrodistillation in the essential oil extraction of flowers *Rosa damascena* Mill. *Journal of Essential Oil Research*. **25**(1): 55–61.
<http://www.tandfonline.com/doi/abs/10.1080/10412905.2012.751555> (21 March 2016).
- Mohamed, A.A. El-Emary, G.A. & Ali, H.F. 2010. Influence of Some Citrus Essential Oils on Cell Viability, Glutathione-S-Transferase and Lipid Peroxidation in Ehrlich ascites Carcinoma Cells. *Journal of American Science*. **6**(10).
<http://www.americanscience.org>.
- Mohammadhosseini, M. Mahdavi, B. & Akhlaghi, H. 2013. Characterization and Chemical Composition of the Volatile Oils from Aerial Parts of *Eryngium bungei* Bioss. (Apiaceae) by Using Traditional Hydrodistillation, Microwave Assisted Hydrodistillation and Head Space Solid Phase Microextraction Methods Prior to . *Journal of Essential Oil Bearing Plants*. **16**(5): 613–623.
<http://www.tandfonline.com/doi/abs/10.1080/0972060X.2013.854484>.
- Mohd Fadzelly Abu Bakar et al. 2006. Antiproliferative Properties and Antioxidant Activity of Various Types of *Strobilanthes crispus* Tea. *International Journal of Cancer Research*. **2**(2): 152–158.
<http://www.scialert.net/abstract/?doi=ijcr.2006.152.158> (24 March 2016).

- Muslim, N.S. et al. 2010. Evaluation of Cytotoxic, Anti-angiogenic and Antioxidant Properties of Standardized Extracts of *Strobilanthes crispus* Leaves. *International Journal of Pharmacology*. **6**(5): 591–599. <http://www.scialert.net/abstract/?doi=ijp.2010.591.599> (24 March 2016).
- Mustafa, M. et al. 2009. Antibacterial activity of methanolic crude extracts from selected plant against *Bacillus cereus*.
- Netscher, T. 2007. Synthesis of Vitamin E. *Vitamins and Hormones*. **76**(7): 155–202.
- Noraida, A. 2005. *Penyembuhan Semula Jadi dengan Herba*. Kuala Lumpur: PTS Millennia Sdn. Bhd.
- Norfarizan-Hanoon, N.A. et al. 2009. Effects of *Strobilanthes crispus* juice on wound healing and antioxidant enzymes in normal and streptozotocin-induced diabetic rats. *Journal of Biological Sciences*. **9**(7): 662–668.
- Nurrahana, H. & Norfarizan-Hanoon, N.A. 2013. Phytochemistry, pharmacology and toxicology properties of *Strobilanthes crispus*. *International Food Research Journal*. **20**(5): 2045–2056.
- Okoh, O.O. & Afolayan, A.J. 2011. The effects of hydrodistillation and solvent free microwave extraction methods on the chemical composition and toxicity of essential oils from the leaves of *Mentha longifolia* L. subsp. *capensis*. **5**(22): 2474–2478.
- Ong, H. C. and Norzalina, J. 1999. Malay herbal medicine in Gemencheh, Negeri Sembilan, Malaysia. *Fitoterapia* **70**(1): 10 - 14.
- Pan, X. Niu, G. & Liu, H. 2001. Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography.
- Pan, X. Niu, G. & Liu, H. 2003. Microwave-assisted extraction of tea polyphenols and tea caffeine from green tea leaves. *Chemical Engineering and Processing: Process Intensification*. **42**(2): 129–133.
- Perry, L. M. and Metzger, J. 1980. *Medicinal Plants of East and South East Asia: Attributed Properties and Uses*. Cambridge, Massachusetts and London, England.
- Phutdhawong, W. et al. 2007. Microwave-Assisted Isolation of Essential oil of *Cinnamomum iners* Reinw. ex Bl.: Comparison with Conventional Hydrodistillation. *Molecules*. **12**(4): 868–877. <http://www.mdpi.com/1420-3049/12/4/868/> (21 March 2016).
- Ranitha, M. et al. 2014. Comparison of Chemical Composition and Toxicity of Essential Oils from Lemongrass (*Cymbopogon Citratus*) Extracted with Microwave-Assisted Hydrodistillation (MAHD) and Conventional Hydrodistillation (HD) Methods. *Journal of Advances in Natural Sciences*. **1**(1).
- Ranitha, M. et al. 2014. Optimization of Microwave Assisted Hydrodistillation of Lemongrass (*Cymbopogon Citratus*) Using Response Surface Methodology. **3**(4): 5–14.
- Routray, W. & Orsat, V. 2012. Microwave-Assisted Extraction of Flavonoids: A Review.
- Sadgrove, N. Jones, G. & Nair, M.G. 2015. A Contemporary Introduction to Essential Oils: Chemistry, Bioactivity and Prospects for Australian Agriculture. *Agriculture*. **5**: 48–102. www.mdpi.com/journal/agriculture.
- Saeidnia, S. & Abdollahi, M. 2013. Are medicinal plants polluted with phthalates? *Daru : journal of Faculty of Pharmacy, Tehran University of Medical Sciences*. **21**(1): 43. <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3671212&tool=pmcentrez&rendertype=abstract>.
- Schmidt, E. 2015. Production of Essential Oils. In *Handbook of Essential Oils*. CRC Press, pp. 127–163. <http://www.crcnetbase.com/doi/10.1201/b19393-6> (18 April 2016).

- Schwartzmann, G. et al. 2002. Anticancer drug discovery and development throughout the world. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. **20**(18 Suppl): 47S–59S. <http://www.ncbi.nlm.nih.gov/pubmed/12235225> (13 May 2016).
- Sinha, N. et al. 2007. *Handbook of Food Products Manufacturing, 2 Volume Set*. John Wiley & Sons. <https://books.google.com.my/books?id=mnh6aoI8iF8C>.
- Sunarto, P. A. 1977. *Materia Medika Indonesia*. Jakarta : Penerbit Ditektorat Jenderal Pengawasan Obat dan Makanan
- Sunilson, A.J. et al. 2010. Ethnomedical survey of plants used by the Orang Asli in Kampung Bawong, Perak, West Malaysia.
- Talebi, M. et al. 2004. Optimization of the extraction of paclitaxel from *Taxus baccata* L. by the use of microwave energy. *Journal of separation science*. **27**(13): 1130–6. <http://www.ncbi.nlm.nih.gov/pubmed/15495416> (15 May 2016).
- Tongnuanchan, P. & Benjakul, S. 2014. Essential Oils: Extraction, Bioactivities, and Their Uses for Food Preservation. *Journal of Food Science*. **79**(7): 1231–1249.
- Vennila, V. & Udayakumar, R. 2015. GC-MS Analysis of Leaf, Fruits and Latex of *Croton bonplandianum* Baill. *International Journal of Biochemistry Research & Review*. **5**(3): 187–197. <http://www.sciencedomain.org/abstract.php?iid=844&id=3&aid=6940>.
- Walton, N.J. & Brown, D.E. 1999. *Chemicals from Plants: Perspectives on Plant Secondary Products*. Imperial College Press. <https://books.google.com.my/books?id=eMnI7Y9LYLsC>.
- Wang, H. et al. 2012. Comparative seasonal variation and chemical composition of essential oils from the leaves and stems of *Schefflera heptaphylla* using microwave-assisted and conventional hydrodistillation. *Industrial Crops and Products*. **36**(1): 229–237. <http://dx.doi.org/10.1016/j.indcrop.2011.09.011>.
- Wang, H.W. et al. 2010. Comparison of microwave-assisted and conventional hydrodistillation in the extraction of essential oils from mango (*Mangifera indica* L.) flowers. *Molecules*. **15**(11): 7715–7723.
- Wang, L. & Weller, C.L. 2006. Recent advances in extraction of nutraceuticals from plants. *Trends in Food Science & Technology*. **17**(6): 300–312.
- Wang, Z. et al. 2006. Rapid analysis of the essential oils from dried *Illicium verum* Hook. f. and *Zingiber officinale* Rosc. by improved solvent-free microwave extraction with three types of microwave-absorption medium. *Analytical and bioanalytical chemistry*. **386**(6): 1863–8. <http://www.ncbi.nlm.nih.gov/pubmed/17047940> (18 May 2016).
- Watson, J.T. & Sparkman, O.D. 2008. Hans-Joachim Hübschmann Handbook of GC/MS GC/MS A Practical User's Guide Introduction to Mass Spectrometry.
- Wu, Z. et al. 2013. Uptake of di(2-ethylhexyl) phthalate (DEHP) by the plant *Benincasa hispida* and its use for lowering DEHP content of intercropped vegetables. *Journal of Agricultural and Food Chemistry*. **61**(22): 5220–5225.
- Zheljazkov, V.D. Astatkie, T. & Schlegel, V. 2014. Hydrodistillation Extraction Time Effect on Essential Oil Yield, Composition, and Bioactivity of Coriander Oil. *Journal of Oleo Science*. **63**(9): 857–865. <http://www.scopus.com/inward/record.url?eid=2-s2.0-84906829462&partnerID=tZOtx3y1>.