

REFERENCES

- Abdul Khader, K. M., & Mohandas, A. (2000). Natural biocide formulation for the treatment of industrial cooling water. *Journal of Scientific & Industrial Research*.
- Anderson, M., & Whitcomb, P. (2000). Chapter 3: Two-Level Factorial Design. *DOE Simplified: Practical Tools for Effective Experimentation*.
- Bagudo, B. U., & Acheme, O. D. (2014). Chemical analysis of locally cultivated garlic and its oil. *Pelagia Research Library*.
- Bakri, I. M., & Douglas, C. W. (2004). Inhibitory effect of garlic extract on oral bacteria. *Science Direct*.
- Banerjee, S. K., Mukherjee, P. K., & Maulik, S. K. (2003). Garlic as an antioxidant: the good, the bad and the ugly. *Phytotherapy Research*.
- Benkeblia, N. (2004). Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). *Lebensmittel-Wissenschaft und Technologie-Food Science and Technology*.
- Berke, P. A., & Rosen, W. E. (1991). *United State Patent No. US5244653A*.
- Borrego, S., Valdes, O., Vivar, I., Lavin, P., Guiamet, P., Battistoni, P., . . . Borges, P. (2012). Essential oils of plants as biocides against microorganisms isolated from Cuban and Argentine documentary heritage. *ISRN Microbiology*. doi:826786
- Brooks, J. D., & Flint, S. H. (2008). Biofilms in the food industry: problems and potential solutions. *International Journal of Food Science & Technology*.
- Carpentier, B., & Chassaing, D. (2004). Interactions in biofilms between *Listeria monocytogenes* and resident microorganisms from food industry premises. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15541798>
- Chia, T. W., Goulter, R. M., McMeekin, T., Dykes, G. A., & Fegan, N. (2009). Attachment of different *Salmonella* serovars to materials commonly used in a poultry processing plant. *Food Microbiol*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/19835771>
- Costerton, J. W., Montanaro, L., & Arciola, C. R. (2005). Biofilm in implant infections: its production and regulation. *PubMed*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16353112>

- Cross, A. (2014, March 2). *Organic Gardening: Garlic Oil*. Retrieved January 15, 2016, from Mother Earth News Blog: <http://www.motherearthnews.com/real-food/garlic-oil-zbcz1402.aspx>
- Curtis, H., Noll, U., Stormann, J., & Slusarenko, A. J. (2004). Broad-spectrum activity of the volatile phytoanticipin allicin in extracts of garlic (*Allium sativum* L.) against plant pathogenic bacteria, fungi and Oomycetes. *Physiol Mol Plant Pathol*.
- Dauphin, L. A., & Bowen, M. D. (2009). A simple method for the rapid removal of *Bacillus anthracis* spores from DNA preparations. *Journal of Microbiological Methods*.
- Desk, N. (2011, November 9). *Raw milk cheddar recalled due to Listeria concerns*. Retrieved from Food Safety News: <http://www.foodsafetynews.com/2011/11/raw-milk-cheddar-recalled-due-to-listeria-concerns/#.VzSQD0cYEEYE>
- Donlan, R. M. (2002). Biofilms: microbial life on surfaces. *Emerging Infectious Diseases*.
- Dourou, D., Beauchamp, C. S., Geornaras, I., Belk, K. E., Smith, G. C., Nychas, G. -J., & Sofos, J. N. (2011). Attachment and biofilm formation by *Escherichia coli* o157:H7 at different temperatures, on various food contact surfaces encountered in beef processing. *Int J Food Microbiol*.
- Durairaj, S., Srinivasan, S., & Lakshmanaperumalsamy, P. (2009). In vitro antibacterial activity and stability of garlic extract at different pH and temperature. *Electronic Journal of Biology*, 3. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.620.9139&rep=rep1&type=pdf>
- Enos-Berlage, J. L., Guvener, Z. T., Keenan, C. E., & McCarter, L. L. (2005). Genetic determinants of biofilm development of opaque and translucent *Vibrio parahaemolyticus*. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15686562>
- Fahad, A. M., Ahmed, A. T., Amani, A., & Kadam, T. A. (2013). The inhibitory effects of garlic extract and its fractions against some Enterobacteriaceae sp isolated from sprouted Mung bean. *Internantional Journal of Current Microbiology and Applied Sciences*.
- Faruque, S. M., Biswas, K., Udden, S. M., Ahmad, Q. S., Sack, D. A., Nair, G. B., & Mekalanos, J. J. (2006). Transmissibility of cholera: in vivo-formed biofilms and

- their relationship. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16601099>
- Flint, S. H., Bremer, P. J., & Brooks, J. D. (1997). Biofilms in dairy manufacturing plant-description, current concerns and methods of control. *Biofouling*.
- Gudbjornsdottir, B., Suihko, M.-L., Gustavsson, P., Thorkelsson, G., Salo, S., & Sjoberg, A. M. (2004). The incidence of *Listeria monocytogenes* in meat, poultry and seafood plants in the Nordic countries. *Food Microbiol.*
- Guzel-Seydim, Z. B., Greene, A. K., & Seydim, A. C. (2004). Use of ozone in the food industry. *Food Science and Technology*.
- Helke, D. M., Somers, E. B., & Wong, A. L. (1993). Attachment of *Listeria monocytogenes* and *Salmonella tyohimurium* to stainless steel and Buna-N in the presence of milk and individual mil components. *Journal of Food Protection*.
- Houdt, R. V., & Michiels, C. W. (2010). Biofilm formation and the food industry, a focus on the bacterial outer surface. *Journal of Applied Microbiology*.
- Houshmand, B., Mahjour, F., & Dianat, O. (2013). Antibacterial effect of different concentrations of garlic (*Allium sativum*) extract on dental plaque bacteria. *Inidan J Dent Res*.
- Jakobsen, T. H., Gennip, M. V., Phipps, R. K., Shanmugham, M. S., Christensen, L. D., Alhede, M., . . . Givskov, M. (2012). Ajoene, a sulfur-rich molecule from garlic, inhibits genes controlled by quorum sensing. *PubMed*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/22314537>
- Jessen, B., & Lammert, L. (2003). Biofilm and disinfection in meat processing plants. *International Biodeterioration & Biodegradation*. Retrieved from https://www.researchgate.net/publication/223251632_Biofilm_and_disinfection_in_meat_processing_plants
- Joseph, L. A., & Wright, A. C. (2004). Expression of *Vibrio vulnificus* capsular polysaccharide inhibits biofilm formation. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14729720>
- Kavanaugh, N. L., & Ribbeck, K. (2012). Selected antimicrobial essential oils eradicate *Pseudomonas* spp. and *Staphylococcus aureus* biofilms. *Applied and Environmental Microbiology*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3346404/>

- Ke, W., Ren, C., & Lu, H. (2007). Selection of blocked two-level fractional factorial designs for agricultural experiments. *Annual Conference on Applied Statistics in Agriculture*.
- Kerekes, E. B., Jenei, J. T., Gomori, C., Tako, M., Chandrasekaran, M., Kadaikunnan, S., . . . Vagvolgyi, C. (2015). Essential oils against bacterial biofilm formation and quorum sensing of food-borne pathogens and spoilage microorganisms. *The Battle Against Microbial Pathogens: Basic Science, Technological Advances and Educational Programs*.
- Kim, H., Ryu, J. H., & Beuchat, L. R. (2006). Attachment of and biofilm formation by *Enterobacter sakazakii* on stainless steel and enteral feeding tubes. *Appl Environ Microbiol*.
- Kim, S. H., & Wei, C. I. (2009). Molecular characterization of biofilm formation and attachment of *Salmonella enterica* serovar typhimurium DT104 on food contact surfaces. *Journal of Food Protection*.
- Klay, B. J., Volden, P. A., Stewart, P. S., & Camper, A. K. (2009). *Escherichia coli* O157:H7 requires colonizing partner to adhere and persist in a capillary flow cell. *Environ Sci Technology*.
- Kogure, K., Ikemoto, E., & Morisaki, H. (1998). Attachment of *Vibrio alginolyticus* to glass surfaces is dependent on swimming speed. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9473049>
- Koutzayiotis, C. (1992). Bacterial biofilms in milk pipelines. *South African Journal of Dairy Science*.
- Kumar, R., & Tripathi, Y. C. (2011). Getting Fragrance from Plants. *Training Manual on Extraction Technology of Natural Dyes & Aroma Therapy and Cultivation Value Addition of Medicinal Plants*.
- Lai, P. K., & Roy, J. (2004). Antimicrobial and chemopreventive properties of herbs and spices. *Current Medical Chemistry*.
- Lelievre, C., Faille, C., & Benezech, T. (2001). Removal kinetics of *Bacillus cereus* spores from stainless steel pipes under CIP procedure: influence of soiling and cleaning conditions. *Journal of Food Process Engineering*.
- Lindsay, D., Brozel, V. S., & V., H. A. (2005). Spore formation in *Bacillus subtilis* biofilms. *J Food Prot*.
- Lopez, D., Vlamakis, H., & Kolter, R. (2010). Biofilm. *Cold Spring Harbor Perspective in Biology*.

- Lu, X., Samuelson, D. R., Rasco, B. A., & Konkel, M. E. (2012). Antimicrobial effect of diallyl sulphide on campylobacter jejuni biofilms. *Journal of Antimicrobial Chemotherapy*.
- Marin, C., Hernandez, A., & Lainez, M. (2009). Biofilm development capacity of Salmonella strains isolated in poultry risk factors and their resistance against disinfectants. *Pub Med*.
- Marouani-Gandri, N., Augier, G., & Carpentier, B. (2009). Characterization of bacterial strains isolated from a beef-processing plant following cleaning and disinfection - Influence of isolated strains on biofilm formation by Sakai and EDL 933 E. coli O157:H7. *Int J Food Microbiol*.
- McDonnell, G., & Russell, A. D. (2001). Antiseptics and disinfectants: activity, action and resistance. *Clin Microbiol Rev*.
- McLandsborough, L., Rodriguez, A., Perez-Conesa, D., & Weiss, J. (2006). Biofilms: at the interface between biophysics and microbiology. *Food Biophysics*.
- Momba, M. N., & Binda, M. A. (2002). Combining chlorination and chloramination processes for the inhibition of biofilm formation in drinking surface water system models. *Journal of Applied Microbiology*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2672.2002.01556.x/abstract>
- Mortensen, B. K. (2014). Formation and detection of biofilm. *Bac To Force*.
- Murphy, S. (n.d.). General information on solids. *USGS Water Quality Monitoring*.
- Nguefack, J., Leth, V., Amvam Zollo, P. H., & Mathur, S. B. (2004). Evaluation of five essential oils from aromatic plants of Cameroon for controlling food spoilage and mycotoxin producing fungi. *International Journal of Food Microbiology*.
- Olmez, T. (2009). The optimization of Cr(VI) reduction and removal by electrocoagulation using response surface methodology. *J. Hazard*.
- Park, S. H., Jarquin, R., Hanning, L., Almeida, G., & Ricke, S. C. (2011). Detection of Salmonella spp. survival and virulence in poultry feed by targeting the hilA gene. *Pub Med*.
- Peterson, S. B., Yasuhiko, I., Borlee, B. R., Murakami, K., Harrison, J. J., & Colvin, K. M. (2011). Different methods for culturing biofilms in vitro. *Research Gate*.
- Pierson, D. L., Koenig, D. W., & Mishra, S. K. (2002). *United State Patent No. US 6,498,862*.

- Ramesh, N., Joseph, S. W., Carr, L. E., Douglass, L. W., & Wheaton, F. W. (2002). Evaluation of chemical disinfectants for the elimination of Salmonella biofilms from poultry transport containers. *Pub Med*.
- Romling, U., & Balsalobre, C. (2004). Biofilm infections, their resilience to therapy and innovative treatment strategies. *Journal of Internal Medicine*.
- Ross, Z. M., O'Gara, E. A., Sleightholme, H. V., Maslin, D. J., & Hill, D. J. (2001). Antimicrobial properties of garlic oil against human enteric bacteria: evaluation of methodologies and comparisons with garlic oil sulfides and garlic powder. *Applied and Environmental Microbiology*.
- Russell, A. D., & McDonnell, G. (2000). Concentration: a major factor in studying biocidal action. *Journal of Hospital Infection*.
- Saleheen, D., Ali, S. A., & Yasinzi, M. M. (2004). Antileishmanial activity of aqueous onion extract in vitro. *Fitoterapia*.
- Salo, S., Ehavald, H., Raaska, L., & Wirtanen, G. (2006). Microbial surveys in estonian dairies. *Food Science and Technology*.
- Salo, S., Ehavald, H., Raaska, L., Vokk, R., & Wirtanen, G. (2006). Microbial surveys in Estonian dairies. *Food Science and Technology*.
- Shi, X., & Zhu, X. (2009). Biofilm formation and food safety in food industries. *Trends in Food Sciece & Technology*.
- Shikongo-Nambabi, M. N., Kachigunda, B., & Venter, S. N. (2010). Evaluation of oxidising disinfectants biofilms in treated seawater used for fish processing. *Water SA*.
- Simões, L. C., Simões, M., & Vieira, M. J. (2010). Adhesion and biofilm formation on polystyrene by drinking water-isolated bacteria. *Pub Med*.
- Simoës, M., Simoes, I. C., & Vieira, M. J. (2010). A review of current and emergent biofilm control strategies. *LWT-Food Science and Technology*.
- Soliman, K. M., & Badeaa, R. I. (2002). Effect of oil extracted from some medicinal plants on different mycotoxigenic fungi. *Food and Chemical Toxicology*.
- Srey, S., Jahid, I. K., & Ha, S. (2013). Biofilm formation in food industries: a food safety concern. *Food Control*.
- Sutton, S. (2011). Measurement of microbial cells y optical density. *Journal of Validation Technology*. Retrieved from http://www.microbiologynetwork.com/content/JVT_2011_v17n1_Measurement-of-Microbial-Cells-by-Optical-Density.pdf

- Swichtenberg, B. (2007). Achieving clean pharmaceutical water. *Pharmaceutical Manufacturing*.
- Turnbull, P. C. (1996). Bacillus. In S. Baron, *Medical Microbiology*. Galveston.
- Uckun Kiran, E., Akpınar, O., & Bakir, U. (2013). Improvement of enzymatic xylooligosaccharides production by the co-utilization of xylans from different origins. *Food Bioprod. Process.*
- Valero, M., & Salmeron, M. C. (2003). Antibacterial activity of 11 essential oils against *Bacillus cereus* in tyndallized carrot broth. *Int J Food Microbiol.*
- Van Houdt, R., & Michiels, C. W. (2005). Role of bacterial cell surface structures in *Escherichia coli* biofilm formation. *Res Microbiol.*
- Varona, S., Martin, A., & Cocero, M. J. (2009). Formulation of a natural biocide based on lavandin essential oil by emulsification using modified starches. *Chemical Engineering and Processing: Process Intensification*.
- Vlamakis, H., Chai, Y., Kolter, R., Beauregard, P. B., & Losick, R. (2013). Sticking together: building a biofilm the *Bacillus subtilis* way. *Nature Review: Microbiology*.
- Waak, E. (2002). *Listeria Monocytogenes: Farm and Dairy Studies*. Swedish University of Agricultural Sciences.
- Wiedmann, M., Weilmeier, D., Dineen, S. S., Ralyea, R., & Boor, K. J. (2000). Molecular and phenotypic characterization of *Pseudomonas* spp. isolated from milk. *Pub Med*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10788386>
- Wilson, E. A., & Adams, B. D. (2007). Antioxidant, anti-inflammatory and antimicrobial properties of garlic and onions. *Emerald Insight*.
- Xiang, Z., Yao, H., Yun, S., & Zhong, Y. (2013). *China Patent No. CN103289810*.