

REFERENCES

- Abdul Khalil, H. P. S., Firdaus, M. Y. N., Jawaid, M., Anis, M., Ridzuan, R., & Mohamed, A. R. (2010). Development and material properties of new hybrid medium density fibreboard from empty fruit bunch and rubberwood. *Materials and Design*, 31(9), 4229–4236. <https://doi.org/10.1016/j.matdes.2010.04.014>
- Abdul Khalil, H. P. S., Nurul Fazita, M. R., Bhat, A. H., Jawaid, M., & Nik Fuad, N. A. (2010). Development and material properties of new hybrid plywood from oil palm biomass. *Materials and Design*, 31(1), 417–424. <https://doi.org/10.1016/j.matdes.2009.05.040>
- Abdul Khalil, H., Ismail, H., Ahmad, M., Ariffin, A., & Hassan, K. (2001). The effect of various anhydride modifications on mechanical properties and water absorption of oil palm empty fruit bunches reinforced polyester composites. *Polymer International*, 50(4), 395-402. <http://dx.doi.org/10.1002/pi.642>
- Agrawal, R., Saxena, N., Sharma, K., Thomas, S., & Sreekala, M. (2000). Activation energy and crystallization kinetics of untreated and treated oil palm fibre reinforced phenol formaldehyde composites. *Materials Science And Engineering: A*, 277(1-2), 77-82. [http://dx.doi.org/10.1016/s0921-5093\(99\)00556-0](http://dx.doi.org/10.1016/s0921-5093(99)00556-0)
- Aji, I. S., Sapuan, S. M., Zainudin, E. S., & Abdan, K. (2009). Kenaf fibres as reinforcement for polymeric composites: A review. *International Journal of Mechanical and Materials Engineering*.
- Alam, M., Mamun, A., Qudsieh, I., Muyibi, S., Salleh, H., & Omar, N. (2009). Solid state bioconversion of oil palm empty fruit bunches for cellulase enzyme production using a rotary drum bioreactor. *Biochemical Engineering Journal*, 46(1), 61-64. <http://dx.doi.org/10.1016/j.bej.2009.03.010>
- Alemdar, A., & Sain, M. (2008). Isolation and characterization of nanofibers from agricultural residues – Wheat straw and soy hulls. *Bioresource Technology*, 99(6), 1664-1671. <http://dx.doi.org/10.1016/j.biortech.2007.04.029>
- Azuan, S. A. (2013). Effect of Fiber Volume Fraction on Tensile Properties of Rice Husk Reinforced Polyester Composites. *Advances in Environmental Biology*, 1101-1104.
- Beg, Mohammad D H, John O Akindoyo, Suriati Ghazali, and Abdullah A Mamun. 2015. “Impact Modified Oil Palm Empty Fruit Bunch Fiber / Poly (Lactic) Acid Composite” 9 (1): 165–70.
- Bledzki, A. K., & Gassan, J. (1999). Composites reinforced with cellulose based fibres. *Progress in Polymer Science (Oxford)*, 24(2), 221–274. [https://doi.org/10.1016/S0079-6700\(98\)00018-5](https://doi.org/10.1016/S0079-6700(98)00018-5)

- Ching, Y., & Ng, T. (2014). Effect of Preparation Conditions on Cellulose from Oil Palm Empty Fruit Bunch Fiber. *Bioresources*, 9(4). <http://dx.doi.org/10.15376/biores.9.4.6373-6385>
- Chowdhury, M., Beg, M., Khan, M., & Mina, M. (2013). Modification of oil palm empty fruit bunch fibers by nanoparticle impregnation and alkali treatment. *Cellulose*, 20(3), 1477-1490. <http://dx.doi.org/10.1007/s10570-013-9921-7>
- Chua, S., Tan, C., Mirhosseini, H., Lai, O., Long, K., & Baharin, B. (2009). Optimization of ultrasound extraction condition of phospholipids from palm-pressed fiber. *Journal Of Food Engineering*, 92(4), 403-409. <http://dx.doi.org/10.1016/j.jfoodeng.2008.12.013>
- Dastoorian, F., & Tajvidi, M. (2008). Influence of Strain Rate on the Flexural Properties of a Wood Flour/HDPE Composite. *Journal Of Reinforced Plastics And Composites*, 27(16-17), 1701-1708. <http://dx.doi.org/10.1177/0731684407086327>
- Dufresne, A. (2008). Cellulose-based composites and nanocomposites. In *Monomers, Polymers and Composites from Renewable Resources* (pp. 401–418). <https://doi.org/10.1016/B978-0-08-045316-3.00019-3>
- Farah, S., Anderson, D. G., & Langer, R. (2016). Physical and mechanical properties of PLA, and their functions in widespread applications - A comprehensive review. *Advanced Drug Delivery Reviews*. <https://doi.org/10.1016/j.addr.2016.06.012>
- Fahma, F., Iwamoto, S., Hori, N., Iwata, T., & Takemura, A. (2010). Isolation, preparation, and characterization of nanofibers from oil palm empty-fruit-bunch (OPEFB). *Cellulose*, 17(5), 977–985. <https://doi.org/10.1007/s10570-010-9436-4>
- George, J., Bhagawan, S., & Thomas, S. (1998). Effects of environment on the properties of low-density polyethylene composites reinforced with pineapple-leaf fibre. *Composites Science And Technology*, 58(9), 1471-1485. [http://dx.doi.org/10.1016/s0266-3538\(97\)00161-9](http://dx.doi.org/10.1016/s0266-3538(97)00161-9)
- H. P. S. Abdul Khalil, A. Hassan, A. Zaidon, M. Jawaid, & M. T. Paridah,. (2012). *Oil Palm Biomass Fibres and Recent Advancement in Oil Palm Biomass Fibres Based Hybrid Biocomposites* (1st ed.). INTECH Open Access Publisher.
- Haque, M., Hasan, M., Islam, M., & Ali, M. (2009). Physico-mechanical properties of chemically treated palm and coir fiber reinforced polypropylene composites. *Bioresource Technology*, 100(20), 4903-4906. <http://dx.doi.org/10.1016/j.biortech.2009.04.072>
- Hassan, A., Salema, A., Ani, F., & Bakar, A. (2010). A review on oil palm empty fruit bunch fiber-reinforced polymer composite materials. *Polymer Composites*, 31(12), 2079-2101. <http://dx.doi.org/10.1002/pc.21006>
- Huang, X., Ke, Q., Kim, C., Zhong, H., Wei, P., & Wang, G. et al. (2007). Nonisothermal crystallization behavior and nucleation of LDPE/Al nano- and

- microcomposites. *Polymer Engineering & Science*, 47(7), 1052-1061. <http://dx.doi.org/10.1002/pen.20784>
- Jawaid, M. & Abdul Khalil, H. (2011). Cellulosic/synthetic fibre reinforced polymer hybrid composites: A review. *Carbohydrate Polymers*, 86(1), 1-18. <http://dx.doi.org/10.1016/j.carbpol.2011.04.043>
- Jawaid, M., Abdul Khalil, H., & Abu Bakar, A. (2010). Mechanical performance of oil palm empty fruit bunches/jute fibres reinforced epoxy hybrid composites. *Materials Science And Engineering: A*, 527(29-30), 7944-7949. <http://dx.doi.org/10.1016/j.msea.2010.09.005>
- Jawaid, M., Sapuan, S., & Alothman, O. *Green biocomposites* (1st ed.).
- JOHN, M. & THOMAS, S. (2008). Biofibres and biocomposites. *Carbohydrate Polymers*, 71(3), 343-364. <http://dx.doi.org/10.1016/j.carbpol.2007.05.040>
- Joseph, S., Jacob, M., Thomas, S., (2005). Natural fiber-rubber composites and their applications. In Mohanty, A. K., Misra, M., Drzal, L. T., *Natural Fibers, Biopolymers, and Biocomposites* (pp. 435-472). Florida: Taylor & Francis Group
- Khayat, H., Ibrahim, N., Sulaiman, Y., & Yunus, W. (2014). Preparation and Characterization of Oil Palm Leaf Fiber/Polypropylene/Epolene® E-43 Composite. *Bioresources*, 10(1). <http://dx.doi.org/10.15376/biores.10.1.382-401>
- Klyosov, A. (2007). *Wood-plastic composites* (1st ed.). Hoboken, N.J.: Wiley-Interscience.
- Li, X., Tabil, L. G., & Panigrahi, S. (2007). Chemical treatments of natural fiber for use in natural fiber-reinforced composites: A review. *Journal of Polymers and the Environment*, 15(1), 25–33. <https://doi.org/10.1007/s10924-006-0042-3>
- Liu, X., Zicari, S. M., Liu, G., Li, Y., Zhang, R., (2015). Pretreatment of wheat straw with potassium hydroxide for increasing. *Bioresource Technology*, 150-157.
- Lu, J., Wu, Q., & Negulescu, I. (2005). Wood-fiber/high-density-polyethylene composites: Coupling agent performance. *Journal Of Applied Polymer Science*, 96(1), 93-102. <http://dx.doi.org/10.1002/app.21410>
- Mat Soom, Rosnah, Astimar Abd Aziz, Wan Hasamudin Wan Hassan, and Ab Gapor Md Top. 2009. “Solid-State Characteristics of Microcrystalline Cellulose from Oil Palm Empty Fruit Bunch Fibre.” *Journal of Oil Palm Research* 21 (Mcc): 613–20.
- Mishra, S., Misra, M., Tripathy, S., Nayak, S., & Mohanty, A. (2001). Graft Copolymerization of Acrylonitrile on Chemically Modified Sisal Fibers. *Macromolecular Materials And Engineering*, 286(2), 107-113. [http://dx.doi.org/10.1002/1439-2054\(20010201\)286:2<107::aid-mame107>3.3.co;2-s](http://dx.doi.org/10.1002/1439-2054(20010201)286:2<107::aid-mame107>3.3.co;2-s)

- Mishra, S., Mohanty, A., Drzal, L., Misra, M., & Hinrichsen, G. (2004). A Review on Pineapple Leaf Fibers, Sisal Fibers and Their Biocomposites. *Macromolecular Materials And Engineering*, 289(11), 955-974. <http://dx.doi.org/10.1002/mame.200400132>
- Mishra, S., Mohanty, A., Drzal, L., Misra, M., Parija, S., Nayak, S., & Tripathy, S. (2003). Studies on mechanical performance of biofibre/glass reinforced polyester hybrid composites. *Composites Science And Technology*, 63(10), 1377-1385. [http://dx.doi.org/10.1016/s0266-3538\(03\)00084-8](http://dx.doi.org/10.1016/s0266-3538(03)00084-8)
- Mohamad, K. K., (1997). Financial management in textile mills in Kerala. *Department of Commerce and Financial Studies*, 27-78
- Mohanty, A. K., Misra, M., & Drzal, L. T. (2005). *Natural Fibers, Biopolymers, and Biocomposites. Most.* <https://doi.org/10.1201/9780203508206>
- Mohanty, A. K., Misra, M., & Drzal, L. T. (2001). Surface modifications of natural fibers and performance of the resulting biocomposites: An overview. *Composite Interfaces*, 8(5), 313-343. DOI: [10.1163/156855401753255422](https://doi.org/10.1163/156855401753255422)
- Moshiul Alam, A., Beg, M., Reddy Prasad, D., Khan, M., & Mina, M. (2012). Structures and performances of simultaneous ultrasound and alkali treated oil palm empty fruit bunch fiber reinforced poly(lactic acid) composites. *Composites Part A: Applied Science And Manufacturing*, 43(11), 1921-1929. <http://dx.doi.org/10.1016/j.compositesa.2012.06.012>
- Nasrin, A., Ma, A., Choo, Y., Mohamad, S., Rohaya, M., Azali, A., & Zainal, Z. (2008). Oil Palm Biomass As Potential Substitution Raw Materials For Commercial Biomass Briquettes Production. *American Journal Of Applied Sciences*, 5(3), 179-183. <http://dx.doi.org/10.3844/ajassp.2008.179.183>
- Norul Izani, M. a., Paridah, M. T., Anwar, U. M. K., Mohd Nor, M. Y., & H'Ng, P. S. (2013). Effects of fiber treatment on morphology, tensile and thermogravimetric analysis of oil palm empty fruit bunches fibers. *Composites Part B: Engineering*, 45(1), 1251–1257.
- Pai, A. R., & Jagtap, R. N. (2015). Surface Morphology & Mechanical properties of some unique Natural Fiber Reinforced Polymer Composites- A Review. *J. Mater. Environ. Sci.*, 6(4), 902–917.
- Rahman, M., Huque, M., Islam, M., & Hasan, M. (2009). Mechanical properties of polypropylene composites reinforced with chemically treated abaca. *Composites Part A: Applied Science And Manufacturing*, 40(4), 511-517. <http://dx.doi.org/10.1016/j.compositesa.2009.01.013>
- Razak, N., & Kalam, A. (2012). Effect of OPEFB Size on the Mechanical Properties and Water Absorption Behaviour of OPEFB/PPnanoclay/PP Hybrid Composites. *Procedia Engineering*, 41, 1593-1599. <http://dx.doi.org/10.1016/j.proeng.2012.07.355>

- Rozman, H. D., L. Musa, and A. Abubakar. 2005. Rice husk-polyester composites: The effect of chemical modification of rice husk on the mechanical and dimensional stability properties. *Journal of Applied Polymer Science* 97 (3):1237-1247.
- Shinoj, S., Panigrahi, S., & Visvanathan, R. (2010). Water absorption pattern and dimensional stability of oil palm fiber-linear low density polyethylene composites. *Journal Of Applied Polymer Science*, 117(2), 1064-1075. <http://dx.doi.org/10.1002/app.31765>
- Sreekala, M., Kumaran, M., & Thomas, S. (1997). Oil palm fibers: Morphology, chemical composition, surface modification, and mechanical properties. *Journal Of Applied Polymer Science*, 66(5), 821-835. [http://dx.doi.org/10.1002/\(sici\)1097-4628\(19971031\)66:5<821::aid-app2>3.3.co;2-1](http://dx.doi.org/10.1002/(sici)1097-4628(19971031)66:5<821::aid-app2>3.3.co;2-1)
- Supri, A., & Lim, B. (2009). Effect of treated and untreated filler loading on the mechanical, morphological, and water absorption properties of water hyacinth fibers-low density polyethylene. *Journal of Physical Science*, 20(2), 85–96. Retrieved from http://web.usm.my/jps/20-2-09/JPS_20_2_ART_7_85-96_.pdf
- Taj, S., & Munawar, M. A. (2007). Natural Fiber-Reinforced Polymer Composites, 44(2), 129–144.
- Valadez-Gonzalez, A., Cervantes-Uc, J., Olayo, R., & Herrera-Franco, P. (1999). Chemical modification of henequén fibers with an organosilane coupling agent. *Composites Part B: Engineering*, 30(3), 321-331. [http://dx.doi.org/10.1016/s1359-8368\(98\)00055-9](http://dx.doi.org/10.1016/s1359-8368(98)00055-9)
- Wallenberger, F. & Weston, N. (2004). *Natural fibers, plastics and composites* (1st ed.). Boston: Kluwer Academic Publishers.
- Yang, H., Kim, H., Park, H., Lee, B., & Hwang, T. (2006). Water absorption behavior and mechanical properties of lignocellulosic filler–polyolefin bio-composites. *Composite Structures*, 72(4), 429-437. <http://dx.doi.org/10.1016/j.compstruct.2005.01.013>