

REFERENCES

- Al-Shorgani, N., Kalil, M., Yusoff, W., & Hamid, A. (2015). Biobutanol production by a new aerotolerant strain of *Clostridium acetobutylicum* YM1 under aerobic conditions. *Fuel*, 158, 855-863.
- Aragão, Marcelo V.C. et al. "Factorial Design Analysis Applied To The Performance Of SMS Anti-Spam Filtering Systems". *Expert Systems with Applications* 64 (2016): 589-604.
- Buxton, R. (2007). Modelling uncertainty in expert systems. *International Journal Of Man-Machine Studies*, 31(4), 415-476.
- CheMaail, C., Ariffin, H., Hassan, M., Shah, U., & Shirai, Y. (2014). Oil Palm Frond Juice as Future Fermentation Substrate: A Feasibility Study. *Biomed Research International*, 2014, 1-8.
- Chisti, Y., 1999a. Shear sensitivity. In: Flickinger, M.C., Drew, S.W. (Eds.), Encyclopedia of Bioprocess Technology: Fermentation, Biocatalysis and Bioseparation, vol. 5. Wiley, New York, pp. 2379–2406.
- Du, G., Xue, C., Zhao, Q., Xu, J., Liu, T., & Chen, L. et al. (2016). Design of online off-gas analysis system for anaerobic ABE fermentation and the strategy for improving biobutanol production. *Process Biochemistry*, 51(5), 555-560.
- Dürre, P. (2008). "Fermentative butanol production bulk chemical and biofuel," *Ann. NY Acad. Sci.* 1125, 353-362.
- Encyclopedia Of Bioprocess Technology: Fermentation, Biocatalysis, And Bioseparation". *Choice Reviews Online* 37.04 (1999): 37-1896-37-1896.
- Fabiano, B. and P. Perego, 2002. Thermodynamic study and optimization of hydrogen Production by *Enterobacter aerogenes*. *Int.J.Hydrogen Energy*, 27,1 49-1 56.
- Ferchichi,M., Crabbe,E .., Hintz,W., Gil,G., & Almadidy,A.(2015). Influence of Culture Parameter on Biological Hydrgen Production by *Clostridium saccharoperbutylacetonicum* ATCC27021. *World J MicrobiolBiotechnol*, 6(21), 855-862
- Frick, Ch., and K. Schgerl. "Continuous Acetone-Butanol Production With Free And Immobilized *Clostridium Acetobutylicum*". *Applied Microbiology and Biotechnology* 25.3 (1986): n. pag.
- Ibrahim, Mohamad Faizal et al. "Effect Of Buffering System On Acetone-Butanol-Ethanol Fermentation By *Clostridium Acetobutylicum* ATCC 824 Using Pretreated Oil Palm Empty Fruit Bunch". *BioResources* 10.3 (2015): n. pag.

Frank, C., H. Pitt, and B. McKee. "Laminar Flow Air: A Comparison Of Operating Room Air Purity In Rooms Equipped With Laminar Flow Air Versus No Laminar Flow Air". *American Journal of Infection Control* 35.5 (2007): E59.

García, V., Päkkilä, J., Ojamo, H., Muurinen, E., & Keiski, R. (2011). Challenges in biobutanol production: How to improve the efficiency?. *Renewable And Sustainable Energy Reviews*, 15(2), 964-980.

German, J., Shrikant, S., Oxana, B., Evangelos, S., Juha, L., & Lei, L. (2011). An improved kinetic model for the acetone-butanol-ethanol pathway of *Clostridium acetobutylicum* and model for the perturbation analysis. *BMC Syst Biol*, 5(suppl 1), S12

Hinkelmann, Klaus, and Oscar Kempthorne. *Design And Analysis Of Experiments*. 1st ed. Hoboken, NJ: Wiley-Interscience, 2005.

Janssen, H., Döring, C., Ehrenreich, A., Voigt, B., Hecker, M., Bahl, H., Fischer, R.J., 2010. A proteomic and transcriptional view of acidogenic and solventogenic steady-state cells of *Clostridium acetobutylicum* in a chemostat culture. *Appl. Microbiol. Biotechnol*, 87, 2209–2226.

Jin, L., Zhang, Z., Tang, A., Li, C., & Shen, Y. (2016). Synthesis of yeast extract-stabilized Cu nanoclusters for sensitive fluorescent detection of sulfide ions in water. *Biosensors And Bioelectronics*, 79, 108-113.

Khamaiseh, E.I.S., Hamid,A.A., Yusoff, W.M.W., & Kalil,M.S. (2013). Effect of Some Environmental Parameters on Biobutanol Production by *Clostridium acetobutylicum* 13357 in Date Fruit Medium. *Pakistan J Biological Sciences*,16 (20)1145-1151.

Komonkhat and Cheirship.(2013). Felled oil palm trunk as a renewable source for biobutanol production by *Clostridium spp*. *Bioresource Technol*.7,146-200.

Lee, D. (2016). Evaluation of the development of biobutanol with reference to continental level: The rebound effect and effectiveness of the Paris Agreement. *International Journal Of Hydrogen Energy*.

Lee, S.M., et al., 2008 Continuous Butanol Production Using Suspended and Immobilized *Clostridium beijerinckii NCIMB 8052* with Supplementary Butyrate. *Energy & Fuels*,22, 3459-3464.

Lee, S., Park, J., Jang, S., Nielsen, L., Kim, J., & Jung, K. (2008). Fermentative butanol production by clostridia. *Biotechnol.Bioeng.*,101(2), 209-228.

Liew, S., Arbakariya, A., Rosfarizan, M., & Raha, A. (2006). Production of Solvent (acetone-butanol-ethanol) in Continuous Fermentation by *Clostridium saccharobutylicum* DSM 13864 Using Gelatinised Sago Starch as a Carbon Source. *Malaysian Journal of Microbiology* , 2 (2), 42-50.

- Linggang, S., Phang, L., Wasoh, H., & Abd-Aziz, S. (2012). Acetone–Butanol–Ethanol Production by *Clostridium acetobutylicum* ATCC 824 Using Sago Pith Residues Hydrolysate. *Bioenergy Research*, 6(1), 321-328.
- Lin, Y. S., Wang, J., Wang, X. M., and Sun, X. H.(2011). “Optimization of butanol production from corn straw hydrolysate by *Clostridium acetobutylicum* using response surface method,” *Chinese Sci. Bull.* 56(14), 1422-1428.
- Li, X., Li, Z., Zheng, J., Shi, Z., & Li, L.(2012). Yeast extract promotes phase shift of biobutanol fermentation by *Clostridium acetobutylicum*ATCC 824 using cassava as substrate. *BioresourTechnol*, 125, 43-51.
- Lütke-Eversloh, T. & Bahl, H. (2011). Metabolic engineering of *Clostridium acetobutylicum*: recent advances to improve butanol production. *Current Opinion In Biotechnology*, 22(5), 634-647.
- Madi, E., Antranikian, G., Ohmiya, K., & Gottschalk, G. (1987). Thermostableamylolytic enzymes from a new *Clostridium* isolate. *Journal of Applied Environmental Microbiology*. 53, 1661 – 1667.
- Madrid, Jordan F., Girlie Eunice P. Lopez, and Lucille V. Abad. "Application Of Full-Factorial Design In The Synthesis Of Polypropylene-G-Poly(Glycidyl Methacrylate) Functional Material For Metal Ion Adsorption". *Radiation Physics and Chemistry* (2017)
- Morrissey, I. (1999). The effect of the inoculum size on bactericidal activity. *Journal Of Antimicrobial Chemotherapy*, 43(3), 423a-424.
- Monot, F., Martin, J.R., Petitdemange, H., Gay, R. (1982).Acetone and butanol production by *Clostridium acetobutylicum* in a synthetic medium. *Appl Environ Microbiol*, 44(6), 1318–1324.
- Ng, F. Y., Yew, F.K., Basiron, Y., and Sundram, K.(2011). “A renewable future driven with Malaysian palm oil-based green technology,” *J. Oil Palm Environ.* 2, 1-7.
- Nugroho N, Ando N. Development of structural composite products made from bamboo II: Fundamental properties of laminated bamboo lumber. *J. Wood Sci* 2001;47(3):237–42.
- Patakova, P., Linhova, M., Rychtera, M., Paulova, L., Melzoch, K., 2013. Novel and neglected issues of acetone-butanol-ethanol (ABE) fermentation by clostridia: *Clostridium* metabolic diversity, tools for process mapping and continuous fermentation systems. *Biotechnol Adv.* 31 (1), 58–67.
- Qureshi, N., & Blaschek, H.P., (2001). ABE production from corn: a recent economic evaluation. *J.Ind. Microbial.Biotechnol.* 27, 292-297.
- Ramió-Pujol, Sara et al. "How Can Alcohol Production Be Improved In Carboxydotrophic Clostridia?". *Process Biochemistry* 50.7 (2015): 1047-1055.

Raganali,F.,Olivieri,G.,Gotz,P.,Marzocchella,A.,&Salantino,P.(2015).Butanol production from hexoses &pentoses by fermentation of *Clostridium acetobutylicum*. *Anaerobe*,34, 146-155.

Regti, Abdelmajid et al. "Use Of Response Factorial Design For Process Optimization Of Basic Dye Adsorption Onto Activated Carbon Derived From *Persea* Species". *Microchemical Journal* 130 (2017): 129-136.

Robinson, T. (2001). The effect of inoculum size on the lag phase of *Listeria monocytogenes*. *International Journal Of Food Microbiology*, 70(1-2), 163-173.

Samad, Kamaliah Abdul, and Norazwina Zainol. "Effects Of Agitation And Volume Of Inoculum On Ferulic Acid Production By Co-Culture". *Biocatalysis and Agricultural Biotechnology* 10 (2017): 9-12.

Slininger, P.J.,R.J. Bothast, M.R. Ladisch and M.R.Okos. (1990). Optimum pH and temperature conditions for xylose fermentation by *Pichiastipitis*. *Biotechnol. Bioeng.*, 35:727-731.

Srinivasan, S. & Montgomery, D. (1992).Design and Analysis of Experiments. *Technometrics*, 34(2), 230.

Wang Y., and Blaschek, H.P. (2011).“Optimization of butanol production from tropical maize stalk juice by fermentation with *Clostridium beijerinckii*NCIMB 8052,” *Bioresour.Technol*, 102(21), 9985-9990.

Wong, Wah Heng et al. "Two Level Half Factorial Design For The Extraction Of Phenolics, Flavonoids And Antioxidants Recovery From Palm Kernel By-Product". *Industrial Crops and Products* 63 (2015): 238-248.

Wu, H., Lee, T., Lee, C., Liu, F., & Sun, B. (2016).Optical soot measurement of bio-butanol upstream product, ABE (Acetone–Butanol–Ethanol), under diesel-like conditions. *Fuel*, 181, 300-309.

Zahari, M.A.K.M., Zakaria, M.R., Ariffin, H., Mokhtar, M.N., Salihon, J., Shirai, Y.,& Hassan, M.A.(2012a). Renewable sugar from oil palm frond juice as an alternative novel fermentation feedstock for value-added products. *Bioresour.Technol*.110, 556-561.