

REFERENCES

- Ahrens, L. (1952). *Geochim. Cosmochim. Acta Crystallographica*, 2, 155-169.
- Alipour, Z., Rezaei, M., & Meshkani, F. (2014). Effect of alkaline earth promoters (MgO , CaO , and BaO) on the activity and coke formation of Ni catalysts supported on nanocrystalline Al_2O_3 in dry reforming of methane. *Journal Of Industrial And Engineering Chemistry*, 20(5), 2858-2863.
- Ashok, J., & Kawi, S. (2013). Steam reforming of toluene as a biomass tar model compound over CeO_2 promoted $Ni/CaO-Al_2O_3$ catalytic systems. *International Journal Of Hydrogen Energy*, 38(32), 13938-13949.
- Az ároff, L. (1964). X-ray diffraction studies of crystal perfection. *Progress In Solid State Chemistry*, 1, 347-379.
- Barros, B., Kulesza, J., Melo, D., Kienneman, A., Barros, B., & Kulesza, J. et al. (2015). Nickel-based Catalyst Precursor Prepared Via Microwave-induced Combustion Method: Thermodynamics of Synthesis and Performance in Dry Reforming of CH_4 . *Materials Research*, 18(4), 732-739.
- Batiot-Dupeyrat, C., Gallego, G., Mondragon, F., Barrault, J., & Tatibouët, J. (2005). CO_2 reforming of methane over $LaNiO_3$ as precursor material. *Catalysis Today*, 107-108, 474-480.
- Behrens, S., Dinjus, E., Essig, S., Gorschinski, A., & Habicht, W. (2012). Design and FESEM/EDX investigation of functional magnetic nanocomposite particles. *Surface And Interface Analysis*, 45(3), 705-714.
- Bragg, W. (1934). *The Crystalline State: Volume I*. New York: The Macmillan Company.
- Brunauer, S., Emmett, P., & Teller, E. (1938). Adsorption of Gases in Multimolecular Layers. *J. Am. Chem. Soc.*, 60(2), 309–319.
- Cauqui, M., & Rodr íuez-Izquierdo, J. (1992). Application of the sol-gel methods to catalyst preparation. *Journal of Non-Crystalline Solids*, 147–148(0), 724-738.
- Chawl, S., George, M., Patel, F., & Patel, S. (2013). Production of Synthesis Gas by Carbon Dioxide Reforming of Methane over Nickel based and Perovskite Catalysts. *Procedia Engineering*, 51, 461-466.

Chen, L., Zhu, Q., Hao, Z., Zhang, T., & Xie, Z. (2010). Development of a Co-Ni bimetallic aerogel catalyst for hydrogen production via methane oxidative CO₂ reforming in a magnetic assisted fluidized bed. *International Journal of Hydrogen Energy*, 35(16), 4894-4502.

Choudhary, V., Mondal, K., Mamman, A., & Joshi, U. (2005). Carbon-free dry reforming of methane to syngas over NdCoO₃ perovskite-type mixed metal oxide catalyst. *Catalysis Letters*, 100(3-4), 271-276.

Christian Enger, B., Lødeng, R., & Holmen, A. (2008). A review of catalytic partial oxidation of methane to synthesis gas with emphasis on reaction mechanisms over transition metal catalysts. *Applied Catalysis A: General*, 346(1-2), 1-27.

Cristiani, C., Dotelli, G., Mariani, M., Pelosato, R., & Zampori, L. (2013). Synthesis of nanostructured perovskite powders via simple carbonate co-precipitation. *Chemical Papers*, 67(5).

Crosa, M. (1999). Determination of Mean Crystallite Dimensions from X-Ray Diffraction Peak Profiles: A Comparative Analysis of Synthetic Hematites. *Clays And Clay Minerals*, 47(6), 742-747.

da Silva, A.A., da Costa, L.O., Mattos, L.V., & Noronha, F.B. (2013). The study of the performance of Ni-based catalysts obtained from LaNiO₃ perovskite-type oxides synthesized by the combustion method for the production of hydrogen by reforming of ethanol. *Catalysis Today*, 213, 25-32.

de Lima, S., & Assaf, J. (2006). Ni–Fe Catalysts Based on Perovskite-type Oxides for Dry Reforming of Methane to Syngas. *Catalysis Letters*, 108(1-2), 63-70.

Egerton, R. F. (2005). Physical principles of electron microscopy : an introduction to TEM, SEM, and AEM. Springer, 202.

Er-rbib, H., Bouallou, C., & Werkoff, F. (2012). Production of Synthetic Gasoline and Diesel Fuel from Dry Reforming of Methane. *Energy Procedia*, 29, 156–165.

Fidalgo, B., Zubizarreta, L., Bermúdez, J., Arenillas, A., & Menéndez, J. (2010). Synthesis of carbon-supported nickel catalysts for the dry reforming of CH₄. *Fuel Processing Technology*, 91(7), 765-769.

- Francisco, F., Helvio, S., Alcemira, C., Manoel, C., Alejandro, P., Eduardo, B., Bartolomeu, C., Josue, M., & Alcineia, C. (2012). Nanostructured Ni-containing spinel oxides for the dry reforming of methane: effect of the presence of cobalt and nickel on the deactivation behaviour of catalysts. *International Journal of Hydrogen Energy*, 37(4), 3201-3212.
- Gadalla, A., & Bower, B. (1988). The role of catalyst support on the activity of nickel for reforming methane with CO₂. *Chemical Engineering Science*, 43(11), 3049-3062.
- Gallego, G., Batiot-Dupeyrat, C., Barrault, J., Florez, E., & Mondragón, F. (2008). Dry reforming of methane over LaNi_{1-y}B_yO_{3±δ} (B=Mg, Co) perovskites used as catalyst precursor. *Applied Catalysis A: General*, 334(1-2), 251-258.
- Gallego, G., Mondragón, F., Barrault, J., Tatibouët, J., & Batiot-Dupeyrat, C. (2006). CO₂ reforming of CH₄ over La-Ni based perovskite precursors. *Applied Catalysis A: General*, 311, 164-171.
- Gao, Y. X., Yu, S. H., Cong, H., Jiang, J., Xu, A.W., Dong, W. F., & Colfen, J. (2006). *Journal of Phys. Chem. B.*, 110, 6432.
- Gerakines, P. and Hudson, R. (2015). First Infrared Band Strengths For Amorphous CO₂ , An Overlooked Component Of Interstellar Ices. *ApJ*, 808(2), 40.
- Goldstein, J. (2003). Scanning electron microscopy and x-ray microanalysis. Kluwer Adademic/Plenum Publishers, 689 p.
- Goldwasser, M., Rivas, M., Lugo, M., Pietri, E., Pérez-Zurita, J., & Cubeiro, M. et al. (2005). Combined methane reforming in presence of CO₂ and O₂ over LaFe_{1-x}Co_xO₃ mixed-oxide perovskites as catalysts precursors. *Catalysis Today*, 107-108, 106-113.
- Goldwasser, M., Rivas, M., Pietri, E., Pérez-Zurita, M., Cubeiro, M., & Gingembre, L. et al. (2003). Perovskites as catalysts precursors: CO₂ reforming of CH₄ on Ln_{1-x}Ca_xRu_{0.8}Ni_{0.2}O₃ (Ln = La, Sm, Nd). *Applied Catalysis A: General*, 255(1), 45-57.
- González, O., Lujano, J., Pietri, E., & Goldwasser, M. (2005). New Co-Ni catalyst systems used for methane dry reforming based on supported catalysts over an INT-MM1 mesoporous material and a perovskite-like oxide precursor LaCo_{0.4}Ni_{0.6}O₃. *Catalysis Today*, 107-108, 436-443.
- Goula, G., Kiouisis, V., Nalbandian, L., & Yentekakis, I. (2006). Catalytic and electrocatalytic behavior of Ni-based cermet anodes under internal dry reforming of CH₄+CO₂ mixtures in SOFCs. *Solid State Ionics*, 177(19-25), 2119-2123.

Guo, J., Lou, H., Zhu, Y., & Zheng, X. (2003). CO₂ Reforming of CH₄ over Nickel and Cobalt Catalysts Prepared from La-Based Perovskite Precursors. *Journal of Natural Gas*, 12(1), 17-22.

Hayakawa, T., Suzuki, S., Nakamura, J., Uchijima, T., Hamakawa, S., & Suzuki, K. et al. (1999). CO₂ reforming of CH₄ over Ni/perovskite catalysts prepared by solid phase crystallization method. *Applied Catalysis A: General*, 183(2), 273-285.

Introduction to Fourier Transform Infrared Spectrometry. (2001). (1st ed., pp. 2-7). Madison, USA.

Kapokova, L., Pavlova, S., Bunina, R., Alikina, G., Krieger, T., & Ishchenko, A. et al. (2011). Dry reforming of methane over LnFe_{0.7}Ni_{0.3}O_{3-δ} perovskites: Influence of Ln nature. *Catalysis Today*, 164(1), 227-233.

Khalesi, A., Aandiyan, H., & Parvari, M. (2008). Effects of lanthanum substitution by strontium and calcium in La-Ni-Al perovskite oxides in dry reforming of methane, *Chin. J. Catal.*, 29, 960–968.

Li, C., Soh, K., & Wu, P. (2004). Formability of ABO₃ perovskites. *Journal Of Alloys And Compounds*, 372(1-2), 40-48.

Liu, D., Cheo, W. N. E., Lim, Y. W., Borgna, A., Lau, R., & Yang, Y. (2010). A comparative study on catalyst deactivation of nickel and cobalt incorporated MCM-41 catalysts modified by platinum in methane reforming with carbon dioxide. *Catal Today*, 154, 229.

M. Gaddalla, A., & E. Sommer, M. (1989). Carbon dioxide reforming of methane on nickel catalysts. *Chemical Engineering Science*, 44(12), 2825-2829.

Maher, K. (2010). Mining Project Aims to Capture Methane, *The Wall Street Journal*, New York.

Majid, A., Tunney, J., Argue, S., Wang, D., Post, M., & Margeson, J. (2005). Preparation of SrFeO_{~2.85} perovskite using a citric acid assisted Pechini-type method. *Journal Of Alloys And Compounds*, 398(1-2), 48-54.

Maneerung, T., Hidajat, K., & Kawi, S. (2011). LaNiO₃ perovskite catalyst precursor for rapid decomposition of methane: Influence of temperature and presence of H₂ in feed stream. *Catalysis Today*, 171(1), 24-35.

- Marmarshahi, S., Niae, A., Salari, D., Abedini, F., Abbasi, M., & Kalantari, N. (2015). Evaluating the Catalytic Performance of $\text{La}_{1-x}\text{Ce}_x\text{Ni}_{1-y}\text{Zn}_y\text{O}_3$ Nanostructure Perovskites in the Carbon Dioxide Reforming of Methane. *Procedia Materials Science*, 11, 616-621.
- Meyers, D., Mukherjee, S., Cheng, J., Middey, S., Zhou, J., & Goodenough, J. et al. (2013). Zhang-Rice physics and anomalous copper states in A-site ordered perovskites. *Sci. Rep.*, 3.
- Molecular spectroscopy. (1978). *Spectrochimica Acta Part A: Molecular Spectroscopy*, 34(3), 241-246.
- Monshi, A., Foroughi, M., & Monshi, M. (2012). Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD. *World Journal Of Nano Science And Engineering*, 02(03), 154-160.
- Moradi, G., Khosravian, F., & Rahmazadeh, M. (2012). Effects of Partial Substitution of Ni by Cu in LaNiO_3 Perovskite Catalyst for Dry Methane Reforming. *Chinese Journal Of Catalysis*, 33(4-6), 797-801.
- Nagaoka, K. (2003). Influence of the reduction temperature on catalytic activity of Co/TiO_2 (anatase-type) for high pressure dry reforming of methane. *Applied Catalysis A: General*, 255(1), 13-21.
- Nair, M.M. (2014). High surface area mesoporous perovskites for catalytic applications, Laval University. (Doctoral thesis).
- Nair, M., Kaliaguine, S., & Kleitz, F. (2014). Nanocast LaNiO_3 Perovskites as Precursors for the Preparation of Coke-Resistant Dry Reforming Catalysts. *ACS Catal.*, 4(11), 3837-3846.
- Neville, G. and Shurvell, H. (1990). Fourier transform Raman and infrared vibrational study of diazepam and four closely related 1,4-benzodiazepines. *J. Raman Spectrosc.*, 21(1), 9-19.
- Nikoo, M., & Amin, N. (2011). Thermodynamic analysis of carbon dioxide reforming of methane in view of solid carbon formation. *Fuel Process. Technol.*, 92(3), 678–691.
- Nptel.ac.in,. (2016). NPTEL : Chemical Engineering - Catalyst Science and Technology. Retrieved 28 February 2016, from <http://nptel.ac.in/courses/103103026/15>
- Oemar, U., Ang, P., Hidajat, K., & Kawi, S. (2013). Promotional effect of Fe on perovskite $\text{LaNi}_x\text{Fe}_{1-x}\text{O}_3$ catalyst for hydrogen production via steam reforming of toluene. *International Journal Of Hydrogen Energy*, 38, 5525–5534.

- Oyama, S., Hacarlioglu, P., Gu, Y., & Lee, D. (2012). Dry reforming of methane has no future for hydrogen production: Comparison with steam reforming at high pressure in standard and membrane reactors. *International Journal of Hydrogen Energy*, 37(13), 10444–10450.
- Parker, S., Mason, S. and Williams, K. (1990). Fourier Transform Raman and infrared spectroscopy of N-phenylmaleimide and methylene dianiline bismaleimide. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 46(2), 315-321.
- Particle.dk,. (2016). *Brunauer, Emmett and Teller (BET) Theory / Particle Analytical*. Retrieved 25 February 2016, from <http://particle.dk/methods-analytical-laboratory/surface-area-bet/surface-area-bet-theory/>
- Pauling, L. (1961).The Nature of the Chemical Bond. Cornell University Press.
- Pichas, C., Pomonis, P., Petrakis, D., & Ladavos, A. (2010). Kinetic study of the catalytic dry reforming of CH₄ with CO₂ over La_{2-x}Sr_xNiO₄ perovskite-type oxides. *Applied Catalysis A: General*, 386(1-2), 116-123.
- Pietri, E., Rivas, M., Goldwasser, M., Pérez-Zurita, M., Cubeiro M., Leclercq, L., & Leclercq, G. (2004). CO₂ Reforming of Methane on LaA'Ru_{0.8}Ni_{0.2}O₃ (A' = Sm, Nd, Ca) Perovskites as Catalysts Precursors in Presence and Absence of O₂. *Am. Chem. Soc. Div. Fuel Chem*, 49(1), 134-135.
- Provendier, H., Petit, C., & Kiennemann, A. (2001). Steam reforming of methane on LaNi_xFe_{1-x}O₃ (0≤x≤1) perovskites. Reactivity and characterisation after test. *Comptes Rendus De L'académie Des Sciences - Series IIC - Chemistry*, 4(1), 57-66.
- Raudaskoski, R., Turpeinen, E., Lenkkeri, R., Pongrácz, E., & Keiski, R. (2009). Catalytic activation of CO₂: Use of secondary CO₂ for the production of synthesis gas and for methanol synthesis over copper-based zirconia-containing catalysts. *Catalysis Today*, 144(3-4), 318-323.
- Reimer, L. (1998). Scanning electron microscopy : physics of image formation and microanalysis. Springer, 527 p.
- Rivas, I., Alvarez, J., Pietri, E., Pérez-Zurita, M., & Goldwasser, M. (2010). Perovskite-type oxides in methane dry reforming: Effect of their incorporation into a mesoporous SBA-15 silica-host. *Catalysis Today*, 149(3-4), 388-393.

- Rivas, M., Fierro, J., Goldwasser, M., Pietri, E., Pérez-Zurita, M., Griboval-Constant, A., & Leclercq, G. (2008). Structural features and performance of $\text{LaNi}_{1-x}\text{Rh}_x\text{O}_3$ system for the dry reforming of methane. *Applied Catalysis A: General*, 344(1-2), 10-19.
- Rodriguez, G., Roger, A., Bedel, L., Udrón, L., Carballo, L., & Kiennemann, A. (2002). Dry reforming of ethane on tri-metallic perovskites ($\text{LaCo}_x\text{Fe}_{1-x}\text{O}_3$). Characterisations and reactivity. *Fuel Chemistry Division Preprints*, 47(1), 260.
- Rostrup-Nielsen, J. R. (1983). Catalytic steam reforming, *Catal. Sci. Technol.* 5, 1.
- Rynkowski, J., Samulkiewicz, P., Ladavos, A., & Pomonis, P. (2004). Catalytic performance of reduced $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ perovskite-like oxides for CO_2 reforming of CH_4 . *Applied Catalysis A: General*, 263(1), 1-9.
- Shannon, R. (1976). Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Cryst Sect A*, 32(5), 751-767.
- Shen, Q., Zheng, Y., Luo, C., Ding, N., Zheng, C., & Thern, M. (2015). Effect of A/B-site substitution on oxygen production performance of strontium cobalt based perovskites for CO_2 capture application. *RSC Adv.*, 5(50), 39785-39790.
- Shiratori, Y., Ijichi, T., Oshima, T., & Sasaki, K. (2010). Internal reforming SOFC running on biogas. *International Journal Of Hydrogen Energy*, 35(15), 7905-7912.
- Skreiberg, A., Skreiberg, Ø., Sandquist, J., & Sørum, L. (2011). TGA and macro-TGA characterisation of biomass fuels and fuel mixtures. *Fuel*, 90(6), 2182-2197.
- Subramani, V. & Gangwal, S. (2008). A Review of Recent Literature to Search for an Efficient Catalytic Process for the Conversion of Syngas to Ethanol. *Energy & Fuels*, 22(2), 814-839.
- Sutthiumporn, K., & Kawi, S. (2011). Promotional effect of alkaline earth over $\text{Ni/La}_2\text{O}_3$ catalyst for CO_2 reforming of CH_4 : role of surface oxygen species on H_2 production and carbon suppression. *International Journal Of Hydrogen Energy*, 36, 14435–14446.
- Sutthiumporn, K., Maneerung, T., Kathiraser, Y., & Kawi, S. (2012). CO₂ dry-reforming of methane over $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ni}_{0.8}\text{M}_{0.2}\text{O}_3$ perovskite (M = Bi, Co, Cr, Cu, Fe): Roles of lattice oxygen on C–H activation and carbon suppression. *International Journal Of Hydrogen Energy*, 37(15), 11195-11207.
- Tatsch, E. and Schrader, B. (1995). Near-infrared fourier transform Raman spectroscopy of indigoids. *J. Raman Spectrosc.*, 26 (6), 467-473.

Thao, N. (2013). Promotion Of Copper On The Reduction Of Cobalt Ions In Perovskite-Type Oxides. *International Journal of Engineering Research & Technology (IJERT)*, 2(3).

U.S. EPA. (2010). *Methane and Nitrous Oxide Emissions from Natural Sources*. U.S. Environmental Protection Agency, Washington, DC, USA.

U.S. EPA (2015). *Inventory of U.S. greenhouse gas emissions and sinks: 1990-2013*. U.S. Environmental Protection Agency, EPA 430-R-15-004.

Valderrama, G., Goldwasser, M., Navarro, C., Tatibouët, J., Barrault, J., Batiot-Dupeyrat, C., & Martínez, F. (2005). Dry reforming of methane over Ni perovskite type oxides. *Catalysis Today*, 107-108, 785-791.

Valderrama, G., Urbina de Navarro, C., & Goldwasser, M. (2013). CO₂ reforming of CH₄ over Co-La-based perovskite-type catalyst precursors. *Journal Of Power Sources*, 234, 31-37.

Vlach, K., Hoang, D., Armbruster, U., & Martin, A. (2013). The Impact of Copper in LaNi_{1-x}Cu_xO₃ Perovskite-like Structures Used as Precursors for Dry Reforming of Methane Catalysts. In *New Technologies and Alternative Feedstocks in Petrochemistry and Refining DGMK Conference*. Dresden, Germany: Leibniz-Institut für Katalyse an der Universität Rostock e.V. Retrieved from http://www.dgmk.de/petrochemistry/abstracts_content21/Vlach.pdf

Wang, N., Yu, X., Wang, Y., Chu, W., & Liu, M. (2013). A comparison study on methane dry reforming with carbon dioxide over LaNiO₃ perovskite catalysts supported on mesoporous SBA-15, MCM-41 and silica carrier. *Catalysis Today*, 212, 98-107.

Weiss, C., Köster, M., & Japp, S. (2015). Preliminary Characterization of Pottery by Cathodoluminescence and SEM-EDX Analyses: An Example from the Yeha Region (Ethiopia). *Archaeometry*, n/a-n/a. Xu, G., & Gao, Y. (1999). Studies of reforming natural gas with carbon dioxide to produce synthesis gas, X. The role of CeO₂ and MgO promoters. *Journal of Molecular Catalysis A*, 147, 47-54.

Xu, J., Zhou, W., Wang, J., Li, Z., & Ma, J. (2009). Characterization and Analysis of Carbon Deposited during the Dry Reforming of Methane over Ni/La₂O₃/Al₂O₃ Catalysts. *Chinese Journal Of Catalysis*, 30(11), 1076-1084.

Yang, E., Noh, Y., Ramesh, S., Lim, S., & Moon, D. (2015). The effect of promoters in La_{0.9}M_{0.1}Ni_{0.5}Fe_{0.5}O₃ (M=Sr, Ca) perovskite catalysts on dry reforming of methane. *Fuel Processing Technology*, 134, 404-413.