

## REFERENCES

- Agopyan V., Holmer Savastano Jr., Vanderley M. John, M. A. C. (2005). Developments on vegetable fibre-cement based materials in São Paulo , Brazil : An overview. *Cement and Concrete Composites*, (May 2005), 527 – 536.
- Mohanty.A.K., Misra M., and Drzal, L.T.. (2005). Natural Fibers,Biopolymers and Biocomposites”, p.875, Boca Ranton,Taylor & Francis, 2005.
- Alwani, M., Khalil, H., Sulaiman, O., Islam, M., & Dungani, R. (2013). An Approach to Using Agricultural Waste Fibres in Biocomposites Application: Thermogravimetric Analysis and Activation Energy Study. *BioResources*, 9(1), 218-230.
- Arbelaitz, A., Fernandez, G., Ramos, J.A., Retegi, A., Llano-Ponte, & Mondragon, I. 2005. Mechanical properties of short flax fiber bundle/polypropylene composites: Influence of matrix/fiber modification, fiber content, water uptake and recycling. *Compos. Sci & Technol.* 65: 1582-1592
- Baley, C. (2002). Analysis of the flax fibres tensile behaviour and analysis of the tensile stiffness increase. *Composites Part A: Applied Science and Manufacturing*, 33(7), 939-948
- Bessadok, A., Roudesli, S., Marais, S., Follain, N., & Lebrun, L. (2009). Alfa fibres for unsaturated polyester composites reinforcement: Effects of chemical treatments on mechanical and permeation properties, *Composites*: 40 (2), 184-195.
- Bhaduri, S. K., Mathew, M. D., Day, A., & Pandey, S. N. (1994). Thermal behaviour of jute fiber and its components. I: DSC studies. *Cellulose chemistry and technology*, 28(4), 391-399.
- Bledzki, A. K., & Gassan, J. (1999). “Composites reinforced with cellulose based fibres”. *Prog Polym Sci.*, 24: 221-274
- Carvalho, K., Mulinari, D., Voorwald, H., & Cioffi, M. (2010). Chemical Modification Effect on the Mechanical Properties of Hips/ Coconut Fiber Composites. *BioResources*, 5(2), 1143-1155.

Ding, T., Hii, S., & Ong, L. (2012). Comparison of pretreatment strategies for conversion of coconut husk fiber to fermentable sugars. *BioResources*, 7(2), 1540-1547.

El-Abbassi, F. E., Assarar, M., Ayad, R., & Lamdouar, N. (2015). Effect of alkali treatment on Alfa fibre as reinforcement for polypropylene based eco-composites: mechanical behaviour and water ageing. *Composite Structures*, 133, 451-457.

E. Muñoz and J. A. García-Manrique, “Water Absorption Behaviour and Its Effect on the Mechanical Properties of Flax Fibre Reinforced Bioepoxy Composites,” *International Journal of Polymer Science*, vol. 2015,

Esmeraldo, M., Gomes, A., Freitas, J., Fechine, P., Sombra, A., Corradini, E., Mele, G., Maffezzoli, A., & Mazzetto, S. (2010). Dwarf-green coconut fibers: A versatile natural renewable raw biosource. Treatment, Morphology, and physicochemical properties.” *BioResources*, 5(4), 2478-2501.

Gelfuso, M. V., Silva, P. V. G. D., & Thomazini, D. (2011). Polypropylene matrix composites reinforced with coconut fibers. *Materials Research*, 14(3), 360-365.

Goh, C. S., Tan, K. T., Lee, K. T., & Bhatia, S. (2010). Bio-ethanol from lignocellulose: status, perspectives and challenges in Malaysia.” *Bioresource Technology*, 101(13), 4834-4841

Hu, Z., & Wen, Z. (2008). Enhancing enzymatic digestibility of switchgrass by microwave-assisted alkali pretreatment. *Biochemical Engineering Journal*, 38(3), 369-378.

Ishak, M, Sapuan, S, Leman, Z, Rahman, M., & Anwar, U. (2012). Characterization of sugar palm (*Arenga pinnata*) fibres. *J. Therm. Anal. Colorim.* 109(2), 981-989.

Jayabal, S., Sathiyamurthy, S., Loganathan, K. T., & Kalyanasundaram, S. (2012). Effect of soaking time and concentration of NaOH solution on mechanical properties of coir-polyester composites. *Bulletin of Materials Science*, 35(4), 567-574.

Khedari, J, Charoenvai , S., & Hirunlabh, J. (2003). New Insulating Particleboards from Durian peels and Coconut Coir. *Building and Environment*. 38: 435-441

- Kuciel, S., & Liber-Knec, A. (2009). Biocomposites on the base of thermoplastic starch filled by wood and kenaf fiber. *Journal of Biobased Materials and Bioenergy*, 3(3), 269-274.
- Li, X., Tabil, L. G., & Panigrahi, S. (2007). Chemical treatments of natural fiber for use in natural fiber-reinforced composites: A review. *Journal of Polymers and the Environment*, 15(1), 25–33.
- Machaka, M., Basha, H., Chakra, H. A., & Elkordi, A. (2014). Alkali treatment of fan palm natural fibers for use in reinforced concrete. E. *European Scientific Journal*, 10(12).
- Mathew, A. P., & Dufresne, A. (2002). Morphological investigation of nanocomposites from sorbitol plasticized starch and tunicin whiskers. *Biomacromolecules*, 3(3), 609-617.
- Muñoz, E., & García-Manrique, J. A. (2015). Water absorption behaviour and its effect on the mechanical properties of flax fibre reinforced bioepoxy composites. *composites*, 2, 3.
- Mejía Osorio, J. C., Rodríguez Baracaldo, R., & Olaya Florez, J. J. (2012). The influence of alkali treatment on banana fibre's mechanical properties. *Ingeniería e Investigación*, 32(1), 83-87.
- Mir, S., Hasan, S., Hossain, M., & Hasan, M. (2012). Chemical Modification Effect on the Mechanical Properties of Coir Fiber. *Engineering Journal*, 16(2), 73-84.
- Mishra, S., Mohanty, A. K., Drzal, L. T., Misra, M., Parija, S., Nayak, S. K., & Tripathy, S. S. (2003). Studies on mechanical performance of biofibre/glass reinforced polyester hybrid composites. *Composites Science and Technology*, 63(10), 1377-1385
- Mulinari D.R, C.A.R.P. Baptista, J.V.C. Souza, H. J. C. V. (2011). Mechanical Properties of Coconut Fibers Reinforced Polyester Composites. *Procedia Engineering*, 10, 2074–2079.
- Nam, T. H., Ogihara, S., Tung, N. H., & Kobayashi, S. (2011). Effect of alkali treatment on interfacial and mechanical properties of coir fiber reinforced poly(butylene succinate) biodegradable composites. *Composites Part B: Engineering*, 42(6), 1648–1656.

- Ndazi B.S, S. Karlsson, J.V. Tesha, C. W. N. (2016). Composites Part A : Applied Science and Chemical and physical modifications of rice husks for use as composite panels. *Composites Part A: Applied Science and Manufacturing*, 38(3), 1–28.
- Nordin, N. I. A. A., Ariffin, H., Andou, Y., Hassan, M. A., Shirai, Y., Nishida, H., & Ibrahim, N. A. (2013). Modification of oil palm mesocarp fiber characteristics using superheated steam treatment. *Molecules*, 18(8), 9132-9146.
- Ouajai, S., & Shanks, R. A. (2016). Composition , structure and thermal degradation of hemp cellulose after chemical treatments. *Polymer Degradation and Stability*, 89(2), 327–335.
- Pickering, K. L., Efendy, M. A., & Le, T. M. (2016). A review of recent developments in natural fibre composites and their mechanical performance.*Composites Part A: Applied Science and Manufacturing*, 83, 98-112.
- Razak, N. I. A., Ibrahim, N. A., Zainuddin, N., Rayung, M., & Saad, W. Z. (2014). The influence of chemical surface modification of kenaf fiber using hydrogen peroxide on the mechanical properties of biodegradable kenaf fiber/poly (lactic acid) composites. *Molecules*, 19(3), 2957-2968.
- Rao, K. M. M., & Rao, K. M. (2007). Extraction and tensile properties of natural fibers: Vakka, date and bamboo. *Composite structures*, 77(3), 288-295.
- Rodríguez, E. S., & Vázquez, A. (2006). Alkali treatment of jute fabrics: Influence on the processing conditions and the mechanical properties of their composites. In *The 8th International Conference on Flow Processes in Composite Materials (FPCM8)*, Douai, France (pp. 11-13)
- Rokbi, M., Osmani, H., Imad, A., & Benseddiq, N. (2011). Effect of chemical treatment on flexure properties of natural fiber-reinforced polyester composite. *Procedia Engineering*, 10, 2092-2097.
- Rout, J., Misra, M., Tripathy, S. S., Nanyak, S. K., & Mohanty, A. K. (2001). The influence of fibre treatment on the performance of coir-polyester composites. *Comp Sci and Tech* 61(9), 1303-1310.

- Sahari, J., & Sapuan, S. M. (2011). Natural fibre reinforced biodegradable polymer composites. *Rev. Adv. Mater. Sci*, 30(2), 166-174.
- Sathasivam, K., & Haris, M. R. H. M. (2011). Thermal properties of modified banana trunk fibers. *Journal of thermal analysis and calorimetry*, 108(1), 9-17.
- Shalwan, A., & Yousif, B. F. (2013). In state of art: mechanical and tribological behaviour of polymeric composites based on natural fibres. *Materials & Design*, 48, 14-24.
- Stevulova, N., Cigasova, J., Purcz, P., Schwarzova, I., Kacik, F., & Geffert, A. (2015). Water absorption behavior of hemp hurds composites. *Materials*, 8(5), 2243-2257.
- Sreekumar, P. A., Thomas, S. P., marc Saiter, J., Joseph, K., Unnikrishnan, G., & Thomas, S. (2009). Effect of fiber surface modification on the mechanical and water absorption characteristics of sisal/polyester composites fabricated by resin transfer molding. *Composites Part A: Applied Science and Manufacturing*, 40(11), 1777-1784
- Sun J.X, X.F Sun, H Zhao, R . S. (2004). Isolation and characterization of cellulose from sugarcane bagasse. *Polymer Degradation and Stability*, 84(2), 331 – 339.
- Then, Y. Y., Ibrahim, N. A., Zainuddin, N., Ariffin, H., & Wan Yunus, W. M. Z. (2013). Oil palm mesocarp fiber as new lignocellulosic material for fabrication of polymer/fiber biocomposites. *International Journal of Polymer Science*.
- Waters, P. L. (1960). Fractional thermogravimetric analysis. *Analytical Chemistry*, 32(7), 852-858.
- Wielage, B., Lampke, T., Marx, G., Nestler, K., & Starke, D. (1999). Thermogravimetric and differential scanning calorimetric analysis of natural fibres and polypropylene. *Thermochimica Acta*, 337(1), 169-177
- White, J. E., Catallo, W. J., & Legendre, B. L. (2011). Biomass pyrolysis kinetics: a comparative critical review with relevant agricultural residue case studies. *Journal of Analytical and Applied Pyrolysis*, 91(1), 1-33.

- Wong, K. J. Yousif, B.F & Low K.O. (2010) . The effects of alkali treatment on the interfacial adhesion of bamboo fibres. Proceedings of the Institution of Mechanical Engineers, Part L: *Journal of Materials Design and Applications* 224(3): 139-148
- Yang, H., Yan, R., Chen, H., Lee, D. H., & Zheng, C. (2007). Characteristics of hemicellulose, cellulose and lignin pyrolysis. *Fuel*, 86(12), 1781-1788.
- Yunos, N. S. H. M., Baharuddin, A. S., Yunos, K. F. M., Naim, M. N., & Nishida, H. (2012). Physicochemical property changes of oil palm mesocarp fibers treated with high-pressure steam. *BioResources*, 7(4), 5983-5994.
- Zaman, H. U., & Beg, M. D. H. (2014). Preparation, structure, and properties of the coir fiber/polypropylene composites. *Journal of Composite Materials*, 48(26), 3293-3301.