

REFERENCES

- Abdulla, M. A., Al-Bayat, F. H., Younis, L. T., Hassan, M. I. A. Anti-ulcer activity of *Centella asiatica* leaf extract against ethanol-induced gastric mucosal injury in rats. *Journal of Medicinal Plants Research*. 2010, 4(13) 1253-1259.
- Amin, I. and Lee, W. Y. 2005. Effect of different blanching times on antioxidant properties in selected cruciferous vegetables. *Journal of the Science of Food and Agriculture* 85(13): 2314–2320.
- Amin, I., Norazaidah, Y. and Emmy Hainida, K. I. 2006. Antioxidant capacity and phenolic content of spinach species (*Amaranthus sp*). *Food Chemistry* 94(1): 47–52.
- Amin, I., Zamaliah, M. M. and Chin, W. F. 2004. Total antioxidant capacity and phenolic content in selected vegetables. *Food Chemistry* 87(4): 581–586.
- Ampa Jimtaisong and Panvipa Krisdaphong. *Tropical Journal of Pharmaceutical Research* (Impact Factor: 0.5). 06/2013; 12(3):425-431.
- Azman NAM, Gallego MG, Juliá L, Fajari L, Almajano MP. The Effect of *Convolvulus arvensis* Dried Extract as a Potential Antioxidant in Food Models. *Antioxidants*. 2015;4(1):170-184.
- Azman NAM, Gordon MH, Skowryra M, Segovia F, Almajano MP. Use of lyophilised and powdered *Gentiana lutea* root in fresh beef patties stored under different atmospheres. *J Sci Food Agric*. 2015; 95(9):1804-11.
- Azman NAM, Segovia F, Martínez-Farré X, Gil E, Almajano MP. Screening of Antioxidant Activity of *Gentiana lutea* Root and Its Application in Oil-in-Water Emulsions. *Antioxidants*. 2014; 3(2):455-471.
- Azman, N.A.M; Gallego, M.G.; Juliá, L.; Fajari, L.; Almajano, M.P. The Effect of *Convolvulus arvensis* Dried Extract as a Potential Antioxidant in Food Models. *Antioxidants*. 2015, 4, 170-184.
- Benzie IF and Starin JJ, The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Anal Biochem* 239:70-76 (1996)
- Cachaldora, A.; García, G.; Lorenzo, J.M.; García-Fontán, M.C. Effect of modified atmosphere and vacuum packaging on some quality characteristics and the shelf-life of ‘morcilla’, a typical cooked blood sausage. *Meat Sci*. 2013, 93, 2, 220–5.
- Cai, Y. Z., Luo, Q., Sun, M., & Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 Chinese medicinal plants associated with anticancer. *Life Sciences*, 74, 2157e2184

- Carocho, M.; Ferreira, C.F.R. A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and analysis methodologies and future perspectives. *Food and Chemical Toxicology*. 2013, 51, 15–25
- Castro López, M. M.; Dopico-García, S.; Ares-Pernas, A.; LópezVilariño, J. M.; Gonzalez-Rodriguez, M. V. Effect of PPG-PEG-PPG on the Tocopherol Controlled Release from Intended for Food Packaging Applications. *J. Agric. Food Chem.* 2012, 60, 8163–8170.
- Dicastillo, C.L.; Pernas, A.A.; López, M.C.; Vilariño, J.M.J.; Rodríguez, M.V. Enhancing the Release of the Antioxidant Tocopherol from Polypropylene Films by Incorporating the Natural Plasticizers Lecithin, Olive oil, or Sunflower oil *J. Agric. Food Chem.* 2013, 61, 11848–11857
- Dopico-García, M. S.; López-Vilariño, J. M.; González-Rodríguez, M. V. Antioxidant content of and migration from commercial polyethylene, polypropylene, and polyvinyl chloride packages. *J. Agric. Food Chem.* 2007, 55, 3225–3231.
- Faujan, N.H., N. Abdullah, N. Abdullah Sani and A.S. Babji, 2007. Antioxidative activities of water extracts of some Malaysian herbs. *ASEAN Food J.*, 14:61-68
- Grau A., Guardiola F., Boatella J., Barroeta A., Codony R. Measurement of 2-thiobarbituric acid values in dark chicken meat through derivative spectrophotometry: Influence of various parameters. *J. Agric. Food Chem.* 2000; 48:1155–1159.
- Kao, C.H., Ho, Y.J., Wu, C.L. & Chang Lai, S.P. 1999. Using ^{99m}Tc-DTPA radioaerosol inhalation lung scintigraphies to detect the lung injury induced by consuming *Sauropus androgynus* vegetable and comparison with conventional pulmonary function tests. *Respiration* 66(1): 46-51.
- Kong KW, Ismail A, Tan CP, Rajab NF. Optimization of oven drying conditions for lycopene content and lipophilic antioxidant capacity in a by-product of pink guava puree industry using response surface methodology. *Lebensm Wiss Technol.* 2010; 43:729–735. doi: 10.1016/j.lwt.2009.10.011.
- Kraśniewska, K.; Gniewosz, M. Substances with antibacterial activity in edible films — a review. *Polish Journal of Food and Nutrition Sciences.* 2012, 62, 199–206.
- Londonkar, R., Kamble, A. Evaluation of free radical scavenging activity of *Pandanus odoratissimus*. *International Journal of Pharmacology.* 2009.
- López-de-Dicastillo, C.; Gómez-Estaca, J.; Catala, R.; Gavara, R.; Hernandez-Muñoz, P. Active Antioxidant Packaging Films: Development and Effect on Lipid Stability of Brined Sardines *Food Chem.* 2012, 131, 1376–1384
- Mensor, L.I., Menezes, F.S., Leitao, G.G., Reis, A.S., Dos Santos, T., Coube, C.S., Leitao, S.G., Screening of Brazilian plants extracts for antioxidants activity by the use of DPPH free radical method. *Phytother. Res.* 2001, 15, 127-130.

Miller, N.J.; Sampson, J.; Candeias, L.P.; Bramley, P.M.; Rice-Evans, C.A. Antioxidant activities of carotenes and xanthophylls. *FEBS Lett.* 1996, 384, 240–242.

Namiki, M. Antioxidant Antimutagens in Food. *Critical Reviews in Food Science and Nutrition.* 1990; 29, 273-300.

Nor FM, Mohamed S, Idris NA, Ismail R. Antioxidative properties of *Pandanus amaryllifolius* leaf extracts in accelerated oxidation and deep frying studies. *Food Chem.* 2008; 110: 319–327.

Okonogi, S., Duangrat, C., Anuchpreeda, S., Tachakittirungrod, S., & Chowwanapoonpohn, S. (2007). Comparison of antioxidant capacities and cytotoxicities of certain fruit peels. *Food Chemistry*, 103, 839e846.

Oladele, S. B., Ayo, J. O. and Adaudi, A. O. 1995. Medicinal and physiological properties of flavonoids, coumarin derivatives and anthraquinones of plant origin. *West African Journal of Pharmacology and Drug Research* 11: 134–144.

Onabanjo, A. O., Agbaje, E. O. and Odusote, O. O. 1993. Effects of Aqueous Extracts of *Cymbopogon citratus* in Malaria. *Journal of Protozoological Research* 3: 40–45.

Pandey KB, Mishra N, Rizvi SI. Protective role of myricetin on markers of oxidative stress in human erythrocytes subjected to oxidative stress. *Nat Prod Commun.* 2009; 4:221–226.

S. P. Wong, L. P. Leong, and J. H. William Koh, “Antioxidant activities of aqueous extracts of selected plants,” *Food Chemistry*, vol. 99, no. 4, pp. 775–783, 2006.

Sah, S. Y., Sia, C. M., Chang, S. K., Ang, Y. K., Yim, H. S. antioxidant capacity and total phenolic content of lemon grass (*Cymbopogon citratus*) leave. *Annals. Food Science and Technology.* 2012, 13(2)150-155.

Santas J, Carbo R, Gordon M and Almajano M. Comparison of the antioxidant activity of two Spanish onion varieties. *Food Chem* 107:1210-1216 (2008)

Skowyra, M.; Falguera, V.; Gallego, G.; Peiró, S.; Almajano, M.P. Antioxidant properties of aqueous and ethanolic extracts of Tara (*Caesalpinia spinosa*) pods in vitro and in model food emulsions. *J. Sci. Food Agric.* 2014, 94, 911–918.

Zhu, X.; Lee, D. S.; Yam, K. L. Release Property and Antioxidant Effectiveness of Tocopherol-Incorporated LDPE/PP Blend Films. *Food Addit. Contam.* 2012, 29, 461–468.

Kaladhar DSVGK, Harasreeramulu S, Duddukuri GR, et al. In Vitro Regeneration of the Medicinal Herb, *Evolvulus Nummularius* L. From Shoot Tip and Flower Explants. *Indian Journal of Fundamental and Applied Life Sciences.* 2011; 1 (2): 81-89.

Maheshwari RK, Singh AK, Gaddipati J, et al. Multiple biological activities of curcumin: a short review. *Life sciences.* 2006; 78(18): 2081-2087.

Martins AP, Salgueiro L Goncalves MJ. (Essential oil composition and antimicrobial activity of three Zingiberaceae from S.Tomee Principle). *Planta med.* 2001; 67:580-84.

Varrier PS. *Indian Medicinal plant*. Vol. 11, Orient Longman Limited, Madras, 1997, 51- 52.

Young IS, Woodside JV. Antioxidants in health and disease. *J Clin Pathol.* 2001;54:176–86.

Stefanis L, Burke RE, Greene LA. Apoptosis in neurodegenerative disorders. *Curr Opin Neurol.* 1997;10:299–305.

Mansor, P., *Technology of Vegetables*. Malaysian Agricultural Research and Development Institute (MARDI). Malaysia. pp 1-5, 1988.

Norshazila, S., Syed Zahir, I., Suleiman, K., Aisyah, M.R. and Rahim, K., Antioxidant levels and activities of selected seeds of Malaysian tropical fruits. *Malaysian Journal of Nutrition*, 2010, 16: 149-159.

Sasongko, P., Laohankunjit, L. and Kerdchoechuen, O., 2011. Evaluation of physicochemical properties of plant extracts from *Persicaria odorata*. *Agricultural Science Journal*, 42(2), pp. 333-336.

Seidemann, J. 2005. *World spice plants: Economic usage, botani taxonomy*. Springer-Verlag. Berlin, p. 241.

Shavandi, M., Haddadian, Z. and Ismail, M., 2015. *Eryngium foetidum, coriandrum sativum* and *Persicaria odorata*: A review. *Journal of Asian Scientific Research*, 2(8), pp. 410-426.

Spigno, G., Tramelli, L. and Faveri, D.M.D. 2007. Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of Food Engineering* 81:200-208.

T. Madhujith, and F. Shahidi, “Optimization of the extraction of antioxidative constituents of six barley cultivars and their antioxidant properties,” *J. Agric. Food. Chem.*, vol. 54, Oct. 2006, pp. 8048-8057.

Thoo, Y.Y., Ho, S.K., Liang, J.Y., Ho, C.W. and Tan, C.P. 2010. Effects of binary solvent extraction system, extraction time and extraction temperature on phenolic antioxidants and antioxidant capacity from mengkudu (*Morinda citrifolia*). *Food Chemistry* 120:290-295. Montgomery, D.C. 1991. *Design and analysis of experiment*. (3rd Edition). New York: John Wiley.

Wang, Z.H., Hsu, C.C. and Yin, M.C. 2009. Antioxidative characteristics of aqueous and ethanol extracts of glossy privet fruit. *Food Chemistry* 112:914-918.

Yoo, K.M., Lee, C.H., Lee, H., Moon, B. and Lee, C.Y. 2008. Relative antioxidant and cytoprotective activities of common herbs. *Food Chemistry* 106:929-936.

Zhang, Z-S., Li, D., Wang, L.J., Ozkan, N., Chen, X.D., Mao, Z-H. and Yang, H-Z. 2007. Optimization of ethanol-water extraction of lignans from flaxseed. *Separation and Purification Technology* 57:17-24.

Lee BL, Su J, Ong CN. Monomeric C18 chromatographic method for the liquid chromatographic determination of lipophilic antioxidants plants. *J. Chromatograph. A.* 2004; 1048: 263–267.

F. Busqué, P. De March, M. Figueredo, J. Font y E. Sanfeliu “Total Synthesis of four *Pandanus* alkaloids: pandamarilactonine-A and –B and their chemical precursors norpandamarilactonine-A and -B”. *Tetrahedron Lett.* 43, 5583-5585 (2002)

Halliwell, B., and J. M. C. Gutteridge. “Formation of a thiobarbituric-acid-reactive substance from deoxyribose in the presence of iron salts: The role of superoxide and hydroxyl radicals.” *FEBS Lett.* 128, 2 (1981) : 347-52.

Folin, O., and V. Ciocalteu. “Tyrosine and tryptophan determinations proteins.” *J.Biol.Chem.* 73 (1927) : 627.

Singleton, V. L. et al. “Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent.” (1999) : 152-178.

Stevanato, R., S. Fabris, and F. Momo. “Enzymatic method for the determination of total phenolic content in tea and wine.” *J. Agric. Food Chem.* 52 (2004) : 6287-6293.

Bondet, V. et al. “Kinetics and mechanisms of antioxidant activity using the DPPH free radical method.” *Food Sci. Technol.-Leb.* 30, 6 (1997) :609-615.

Foti, M. C., C. Daquino, and C. Geraci. “Electron-transfer reaction of cinnamic acids and their methyl esters with the DPPH radical in alcoholic solutions.” *Org.Chem.* 69 (2004) : 2309- 2314.

Halliwell, B. “How to characterize a biological antioxidant.” *Free Radical Res Commun* 9 (1990) : 1-32.

Rice-Evans, C. A., Miller, N. J. and Paganga, G. (1996) 'Structure-antioxidant activity relationships of flavonoids and phenolic acids', *Free Radic Biol Med*, 20, (7), pp. 933-56.

Halliwell, B. (1996) 'Antioxidants in human health and disease', *Annual Review of Nutrition*, 16, (1), pp. 33-50.

Halliwell, B. (2001) 'Role of free radicals in the neurodegenerative diseases: therapeutic implications for antioxidant treatment', *Drugs & Aging*, 18, (9), pp. 685-716.

Halliwell, B. (2006) 'Oxidative stress and neurodegeneration: where are we now?', *Journal of Neurochemistry*, 97, (6), pp. 1634-1658.

- Halliwell, B. (2009) 'The wanderings of a free radical', *Free Radical Biology and Medicine*, 46, (5), pp. 531-542.
- Halliwell, B. and Gutteridge, J. M. C. (2007) *Free radicals in biology and medicine*. Oxford University Press Oxford.
- Canfield, D. E. (2005) 'The early history of atmospheric oxygen: homage to Robert M. Garrels', *Annual Review of Earth and Planetary Sciences*, 33, pp. 1-36.
- Brown, I. W., Cox, B. G., Duke University. Medical, C. and National Research Council . Division of Medical, S. (1966) *Proceedings*. National Academy of Sciences-National Research Council.
- Venturi, S. and Venturi, M. (2007) *Tutto Sulla Nutrizione*.
- Stampfer, M. J., Hennekens, C. H., Manson, J. A. E., Colditz, G. A., Rosner, B. and Willett, W. C. (1993) 'Vitamin E consumption and the risk of coronary disease in women', *New England Journal of Medicine*, 328, (20), pp. 1444-1449.
- Knekt, P., Reunanen, A., Jävinen, R., Seppänen, R., Heliövaara, M. and Aromaa, A. (1994) 'Antioxidant vitamin intake and coronary mortality in a longitudinal population study', *American Journal of Epidemiology*, 139, (12), pp. 1180-1189.
- Hodis, H. N., Mack, W. J., LaBree, L., Cashin-Hemphill, L., Sevanian, A., Johnson, R. and Azen, S. P. (1995) 'Serial coronary angiographic evidence that antioxidant vitamin intake reduces progression of coronary artery atherosclerosis', *The Journal of the American Medical Association*, 273, (23), pp. 1849-1854.
- Aguirre, R. and May, J. M. (2008) 'Inflammation in the vascular bed: importance of vitamin C', *Pharmacology & Therapeutics*, 119, (1), pp. 96-103.
- Azen, S. P., Qian, D., Mack, W. J., Sevanian, A., Selzer, R. H., Liu, C. R., Liu, C. H. and Hodis, H. N. (1996) 'Effect of supplementary antioxidant vitamin intake on carotid arterial wall intima-media thickness in a controlled clinical trial of cholesterol lowering', *Circulation*, 94, (10), pp. 2369-2372.
- Halliwell, B. and Gutteridge, J. M. C. (2007) *Free radicals in biology and medicine*. Oxford University Press Oxford.
- Rimm, E. B., Stampfer, M. J., Ascherio, A., Giovannucci, E., Colditz, G. A. and Willett, W. C. (1993) 'Vitamin E consumption and the risk of coronary heart disease in men', *New England Journal of Medicine*, 328, (20), pp. 1450-1456.
- Castellani, R. J., Lee, H., Perry, G. and Smith, M. A. (2006) 'Antioxidant protection and neurodegenerative disease: The role of amyloid- β and tau', *American Journal of Alzheimer's Disease and Other Dementias*, 21, (2), pp. 126-130.