

REFERENCES

- Abu, N., Akhtar, M. N., Yeap, S. K., Lim, K. L., Ho, W. Y., Abdullah, M. P., Ho, C. L., Omar, A. R., Ismail, J., & Alitheen, N. B. (2016). Flavokawain B induced cytotoxicity in two breast cancer cell lines, MCF-7 and MDA-MB231 and inhibited the metastatic potential of MDA-MB231 via the regulation of several tyrosine kinases In vitro. *BMC Complementary and Alternative Medicine*, *16*, 1-14. doi:10.1186/s12906-016-1046-8
- Abu, N., Akhtar, M. N., Yeap, S. K., Lim, K. L., Ho, W. Y., Zulfadli, A. J., Omar, A. R., Sulaiman, M. R., Abdullah, M. P., & Alitheen, N. B. (2014). Flavokawain A induces apoptosis in MCF-7 and MDA-MB231 and inhibits the metastatic process in vitro. *PLoS One*, *9*(10), 1-12. doi:10.1371/journal.pone.0105244
- Abu, N., Ho, W. Y., Yeap, S. K., Akhtar, M. N., Abdullah, M. P., Omar, A. R., & Alitheen, N. B. (2013). The flavokawains: uprising medicinal chalcones. *Cancer Cell International*, *13*(102), 1-7. doi:10.1186/1475-2867-13-102
- Abu, N., Mohamed, N. E., Yeap, S. K., Lim, K. L., Akhtar, M. N., Zulfadli, A. J., Kee, B. B., Abdullah, M. P., Omar, A. R., & Alitheen, N. B. (2015). In Vivo Anti-Tumor Effects of Flavokawain A in 4T1 Breast Cancer Cell-Challenged Mice. *Anti-Cancer Agents in Medicinal Chemistry*, *15*, 905-915.
- Ahmad, M. R., Sastry, V. G., Bano, N., Anwer, S., & Kumaraswamy, G. (2011). Antioxidant and antibacterial activities of some novel chalcone derivatives and their synthesis by conventional and microwave irradiation methods. *Journal of Chemical and Pharmaceutical Research*, *3*(5), 710-717.
- Akhtar, M. N., Sakeh, N. M., Zareen, S., Gul, S., Lo, K. M., Ul-Haq, Z., Shah, S. A. A., & Ahmad, S. (2015). Design and synthesis of chalcone derivatives as potent tyrosinase inhibitors and their structural activity relationship. *Journal of Molecular Structure*, *1085*, 97-103. doi:10.1016/j.molstruc.2014.12.073
- Aksöz, B. E., & Ertan, R. (2011). Chemical and Structural Properties of Chalcones I. *FABAD Journal of Pharmaceutical Sciences*, *36*, 223-242.
- Al-Masum, M., Ng, E., & Wai, M. C. (2011). Palladium-catalyzed direct cross-coupling of potassium styryltrifluoroborates and benzoyl chlorides—a one step method for chalcone synthesis. *Tetrahedron Letters*, *52*(9), 1008-1010. doi:10.1016/j.tetlet.2010.12.085
- Ali, N. M., Akhtar, M. N., Ky, H., Lim, K. L., Abu, N., Zareen, S., Ho, W. Y., Alan-Ong, H. K., Tan, S. W., Alitheen, N. B., Ismail, J., Yeap, S. K., & Kamarul, T. (2016). Flavokawain derivative FLS induced G2/M arrest and apoptosis on breast cancer MCF-7 cell line. *Drug Design, Development and Therapy*, *10*, 1897-1907. doi:10.2147/DDDT.S102164
- Avupati, V. R., & Yejella, R. P. (2014). Chalcones: A Mini Review. *World Journal Of Pharmacy And Pharmaceutical Sciences*, *3*(10), 1713-1742.

- Bakar, A. A., Akhtar, M. N., Ali, N. M., Yeap, S. K., Quah, C. K., Loh, W.-S., Alitheen, N. B., Zareen, S., Ul-Haq, Z., & Shah, S. A. A. (2018). Design, Synthesis and Docking Studies of Flavokawain B Type Chalcones and Their Cytotoxic Effects on MCF-7 and MDA-MB-231 Cell Lines. *Molecules*, *23*(3), 1-14. doi:10.3390/molecules23030616
- Bandgar, B. P., Gawande, S. S., Bodade, R. G., Totre, J. V., & Khobragade, C. N. (2010a). Synthesis and biological evaluation of simple methoxylated chalcones as anticancer, anti-inflammatory and antioxidant agents. *Bioorganic & Medicinal Chemistry*, *18*, 1364–1370. doi:10.1016/j.bmc.2009.11.066
- Bandgar, B. P., Patil, S. A., Gacche, R. N., Korbadi, B. L., Hote, B. S., Kinkar, S. N., & Jalde, S. S. (2010b). Synthesis and biological evaluation of nitrogen-containing chalcones as possible anti-inflammatory and antioxidant agents. *Bioorganic & Medicinal Chemistry Letters*, *20*(2), 730–733. doi:10.1016/j.bmcl.2009.11.068
- Bassiouni, Y., & Faddah, L. (2012). Nanocarrier-Based Drugs: The Future Promise for Treatment of Breast Cancer. *Journal of Applied Pharmaceutical Science*, *2*(5), 225-232. doi:10.7324/japs.2012.2530
- Boeck, P., Falcão, C. A. B., Leal, P. C., Yunes, R. A., Filho, V. C., Torres-Santos, E. C., & Rossi-Bergmann, B. (2006). Synthesis of chalcone analogues with increased antileishmanial activity. *Bioorganic & Medicinal Chemistry*, *14*, 1538–1545. doi:10.1016/j.bmc.2005.10.005
- Boumendjel, A., Boccard, J., Carrupt, P.-A., Nicolle, E., Blanc, M., Geze, A., Choisnard, L., Wouessidjewe, D., Matera, E.-L., & Dumontet, C. (2008.). Antimitotic and Antiproliferative Activities of Chalcones: Forward Structure–Activity Relationship. *Journal of Medicinal Chemistry*, *51*(7), 2307–2310.
- Cailleau, R., Olivé, M., & Cruciger, Q. V. J. (1978). Long Term Human Breast Carcinoma Cell Lines of Metastatic Origin: Preliminary Characterization. *In Vitro*, *14*(11), 911-915.
- Carlo, G. D., Mascolo, N., Izzo, A. A., & Capasso, F. (1999). Minireview Flavonoids: Old And New Aspects of A Class of Natural Therapeutic Drugs. *Life Sciences*, *65*(4), 337-353.
- Chauhan, S. S., Singh, A. K., Meena, S., Lohani, M., Singh, A., Arya, R. K., Cheruvu, S. H., Sarkar, J., Gayen, J. R., Datta, D., & Chauhan, P. M. S. (2014). Synthesis of novel β -carboline based chalcones with high cytotoxic activity against breast cancer cells. *Bioorganic & Medicinal Chemistry Letters*, *24*, 2820–2824. doi:10.1016/j.bmcl.2014.04.109
- Chavez, K. J., Garimella, S. V., & Lipkowitz, S. (2010). Triple negative breast cancer cell lines: one tool in the search for better treatment of triple negative breast cancer. *Breast Disease*, *32*(1-2), 35-48. doi:10.3233/BD-2010-0307

- Chen, Z.-H., Zheng, C.-J., Sun, L.-P., & Piao, H.-R. (2010). Synthesis of new chalcone derivatives containing a rhodanine-3-acetic acid moiety with potential anti-bacterial activity. *European Journal of Medicinal Chemistry*, *45*, 5739-5743. doi:10.1016/j.ejmech.2010.09.031
- Chiaradia, L. D., Mascarello, A., Purificação, M., Vernal, J., Cordeiro, M. N. S., Zenteno, M. E., Villarino, A., Nunes, R. J., Yunes, R. A., & Terenzi, H. (2008). Synthetic chalcones as efficient inhibitors of *Mycobacterium tuberculosis* protein tyrosine phosphatase PtpA. *Bioorganic & Medicinal Chemistry Letters*, *18*, 6227–6230. doi:10.1016/j.bmcl.2008.09.105
- Chinthala, Y., Thakur, S., Tirunagari, S., Chinde, S., Domatti, A. K., Arigari, N. K., K.V.N.S., S., Alam, S., Jonnala, K. K., Khan, F., Tiwari, A., & Grover, P. (2015). Synthesis, docking and ADMET studies of novel chalcone triazoles for anti-cancer and anti-diabetic activity. *European Journal of Medicinal Chemistry*, *93*, 564-573. doi:10.1016/j.ejmech.2015.02.027
- Choudhary, A. N., & Juyal, V. (2011). Synthesis of chalcone and their derivatives as antimicrobial agents. *International Journal of Pharmacy and Pharmaceutical Sciences*, *3*(3), 125-128.
- Comşa, Ş., Cîmpean, A. M., & Raica, M. (2015). The Story of MCF-7 Breast Cancer Cell Line: 40 years of Experience in Research. *Anticancer Research*, *35*, 3147-3154.
- Coşkun, D., Tekin, S., Sandal, S., & Coşkun, M. F. (2016). Synthesis, Characterization, and Anticancer Activity of New Benzofuran Substituted Chalcones. *Journal of Chemistry*, *2016*, 1-8. doi:10.1155/2016/7678486
- Detsi, A., Majdalani, M., Kontogiorgis, C. A., Hadjipavlou-Litina, D., & Kefalas, P. (2009). Natural and synthetic 2'-hydroxy-chalcones and aurones: synthesis, characterization and evaluation of the antioxidant and soybean lipoxygenase inhibitory activity. *Bioorganic & Medicinal Chemistry*, *17*(23), 8073–8085. doi:10.1016/j.bmc.2009.10.002
- Dhar, D. N. (1981). *The chemistry of chalcones and related compounds*: John Wiley & Sons.
- Dharmaratne, H. R. W., Nanayakkara, N. P. D., & Khan, I. A. (2002). Kavalactones from *Piper methysticum*, and their ¹³C NMR spectroscopic analyses. *Phytochemistry*, *59*, 429–433. doi:http://dx.doi.org/10.1016/S0031-9422(01)00443-5
- Dias, T. A., Duarte, C. L., Lima, C. F., Proença, M. F., & Pereira-Wilson, C. (2013). Superior anticancer activity of halogenated chalcones and flavonols over the natural flavonol quercetin. *European Journal of Medicinal Chemistry*, *65*, 500-510. doi:10.1016/j.ejmech.2013.04.064

- Doan, T. N., & Tran, D. T. (2011). Synthesis, Antioxidant and Antimicrobial Activities of a Novel Series of Chalcones, Pyrazolic Chalcones, and Allylic Chalcones. *Pharmacology & Pharmacy*, 2(4), 282-288. doi:10.4236/pp.2011.24036
- Dyrager, C., Wickström, M., Fridén-Saxin, M., Friberg, A., Dahlén, K., Wallén, E. A. A., Gullbo, J., Grøtli, M., & Luthman, K. (2011). Inhibitors and promoters of tubulin polymerization: Synthesis and biological evaluation of chalcones and related dienones as potential anticancer agents. *Bioorganic & Medicinal Chemistry*, 19, 2659-2665. doi:10.1016/j.bmc.2011.03.005
- Eddarir, S., Cotellet, N., Bakkour, Y., & Rolando, C. (2003). An efficient synthesis of chalcones based on the Suzuki reaction. *Tetrahedron Letters*, 44, 5359–5363. doi:10.1016/S0040-4039(03)01140-7
- Feild, T. S., Lee, D. W., & Holbrook, N. M. (2001). Why Leaves Turn Red in Autumn. The Role of Anthocyanins in Senescing Leaves of Red-Osier Dogwood. *Plant Physiology*, 127(2), 566-574. doi:10.1104/pp.010063
- Ferreira, M. L. F., Rius, S. P., & Casati, P. (2012). Flavonoids: biosynthesis, biological functions, and biotechnological applications. *Frontiers in Plant Science*, 3, 1-15. doi:10.3389/fpls.2012.00222
- Ghasemi, F., Rostami, S., Nabavinia, M. S., & Meshkat, Z. (2016). Developing Michigan Cancer Foundation 7 Cells with Stable Expression of E7 Gene of Human Papillomavirus Type 16. *Iranian Journal of Pathology*, 11(1), 41-46.
- Go, M., Wu, X., & Liu, X. (2005). Chalcones: an update on cytotoxic and chemoprotective properties. *Current medicinal chemistry*, 12(4), 483-499.
- Gopi, C., Dhanaraju, M. D., & Sastry, V. G. (2016). Synthesis and spectroscopic characterisation of novel bioactive molecule of 3-(2-substituted)-1H-indol-3-yl)-1-(thiophen-2yl)prop-2-en-1-one chalcone derivatives as effective anti-oxidant and anti-microbial agents. *Beni-Suef University Journal of Basic and Applied Sciences*, 5, 236–243. doi:10.1016/j.bjbas.2016.08.004
- Gu, X., Ren, Z., Tang, X., Peng, H., Ma, Y., Lai, Y., Peng, S., & Zhang, Y. (2012). Synthesis and biological evaluation of bifendate–chalcone hybrids as a new class of potential P-glycoprotein inhibitors. *Bioorganic & Medicinal Chemistry*, 20, 2540–2548. doi:10.1016/j.bmc.2012.02.050
- Gupta, S., Shivhare, R., Korthikunta, V., Singh, R., Gupta, S., & Tadigoppula, N. (2014). Synthesis and biological evaluation of chalcones as potential antileishmanial agents. *European Journal of Medicinal Chemistry*, 81, 359-366. doi:10.1016/j.ejmech.2014.05.034
- Hans, R. H., Guantai, E. M., Lategan, C., Smith, P. J., Wan, B., Franzblau, S. G., Gut, J., Rosenthal, P. J., & Chibale, K. (2010). Synthesis, antimalarial and antitubercular activity of acetylenic chalcones. *Bioorganic & Medicinal Chemistry Letters*, 20, 942–944. doi:10.1016/j.bmcl.2009.12.062

- Herencia, F., Lo, M. P., Ubeda, A., & Ferrándiz, M. L. (2002). Nitric oxide-scavenging properties of some chalcone derivatives. *Nitric oxide*, 6(2), 242-246.
- Hufford, C. D., & Oguntimein, B. O. (1982). New dihydrochalcones and flavanones from *uvaria angolensis*. *Journal of Natural Products*, 45(3), 337-342. doi:http://pubs.acs.org/doi/pdf/10.1021/np50021a016
- Jadhav, S. Y., Bhosale, R. B., Shirame, S. P., Sonawane, V. D., Hublikar, M. G., Sonawane, K. D., & Shaikh, R. U. (2013). Synthesis and Biological Evaluation of Fluoro-Hydroxy Substituted Pyrazole Chalcones as Anti-Inflammatory, Antioxidant And Antibacterial Agents. *International Journal of Pharma and Bio Sciences*, 4(2), 390-397.
- Jayapal, M. R., & Sreedhar, N. Y. (2010). Anhydrous K₂CO₃ as Catalyst for the synthesis of Chalcones under Microwave Irradiation. *Journal of Pharmaceutical Sciences and Research*, 2(10), 644-647.
- Jin, C., Liang, Y.-J., He, H., & Fu, L. (2013). Synthesis and antitumor activity of novel chalcone derivatives. *Biomedicine & Pharmacotherapy*, 67, 215–217. doi:10.1016/j.biopha.2010.12.010
- Jin, F., Jin, X. Y., Jin, Y. L., Sohn, D. W., Kim, S.-A., Sohn, D. H., Kim, Y. C., & Kim, H. S. (2007). Structural Requirements of 2',4',6'-Tris(methoxymethoxy) chalcone Derivatives for Anti-inflammatory Activity: The Importance of a 2'-Hydroxy Moiety. *Archives of Pharmacal Research*, 30(11), 1359-1367.
- Jordan, V. C. (1993). A current view of tamoxifen for the treatment and prevention of breast cancer. *British Journal of Pharmacology*, 110, 307-517.
- Juvale, K., Stefan, K., & Wiese, M. (2013). Synthesis and biological evaluation of flavones and benzoflavones as inhibitors of BCRP/ABCG2. *European Journal of Medicinal Chemistry*, 67, 115-126. doi:http://dx.doi.org/10.1016/j.ejmech.2013.06.035
- Kamal, A., Ramakrishna, G., Raju, P., Viswanath, A., Ramaiah, M. J., Balakishan, G., & Pal-Bhadra, M. (2010). Synthesis and anti-cancer activity of chalcone linked imidazolones. *Bioorganic & Medicinal Chemistry Letters*, 20, 4865–4869. doi:10.1016/j.bmcl.2010.06.097
- Karthikeyan, C., Moorthy, N. S. H. N., Ramasamy, S., Vanam, U., Manivannan, E., Karunakaran, D., & Trivedi, P. (2015). Advances in Chalcones with Anticancer Activities. *Recent Patents on Anti-Cancer Drug Discovery*, 10, 97-115.
- Kim, R. B. (2002). Drugs As P-Glycoprotein Substrates, Inhibitors, and Inducers. *Drug Metabolism Reviews*, 34(1&2), 47–54
- Konieczny, M. T., Konieczny, W., Sabisz, M., Skladanowski, A., Wakieć, R., Augustynowicz-Kopeć, E., & Zwolska, Z. (2007). Acid-catalyzed synthesis of oxathiolone fused chalcones. Comparison of their activity toward various

- microorganisms and human cancer cells line. *European Journal of Medicinal Chemistry*, 42, 729-733. doi:10.1016/j.ejmech.2006.12.014
- Kraege, S., Stefan, K., Juvale, K., Ross, T., Willmes, T., & Wiese, M. (2016). The combination of quinazoline and chalcone moieties leads to novel potent heterodimeric modulators of breast cancer resistance protein (BCRP/ABCG2). *European Journal of Medicinal Chemistry*, 117, 212-229. doi:10.1016/j.ejmech.2016.03.067
- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N. K., Kalia, K., Sinha, A. K., & Sahal, D. (2010). Reinvestigation of structure-activity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural β -asarone. *European Journal of Medicinal Chemistry*, 45, 5292-5301. doi:10.1016/j.ejmech.2010.08.049
- Lee, A. V., Oesterreich, S., & Davidson, N. E. (2015). MCF-7 cells-changing the course of breast cancer research and care for 45 years. *Journal of the National Cancer Institute*, 107(7), 1-4. doi:10.1093/jnci/djv073
- Li, M., Tse, L. A., Chan, W.-c., Kwok, C.-h., Leung, S.-l., Wu, C., Yu, W.-c., Yu, I. T.-s., Yu, C. H.-T., & Wang, F. (2016). Evaluation of breast cancer risk associated with tea consumption by menopausal and estrogen receptor status among Chinese women in Hong Kong. *Cancer epidemiology*, 40, 73-78.
- Lin, J. H., & Yamazaki, M. (2003). Role of P-Glycoprotein in Pharmacokinetics: Clinical Implications. *Clinical Pharmacokinetics*, 42(1), 59-98.
- Lin, Y.-M., Zhou, Y., Flavin, M. T., Zhou, L.-M., Nie, W., & Chen, F.-C. (2002). Chalcones and flavonoids as anti-tuberculosis agents. *Bioorganic & Medicinal Chemistry*, 10(8), 2795-2802.
- Liu, H., Zang, C., Fenner, M. H., Possinger, K., & Elstner, E. (2003a). PPAR γ ligands and ATRA inhibit the invasion of human breast cancer cells in vitro. *Breast Cancer Research and Treatment*, 79, 63-74.
- Liu, M., Wilairat, P., Croft, S. L., Tan, A. L.-C., & Go, M.-L. (2003b). Structure-Activity Relationships of Antileishmanial and Antimalarial Chalcones. *Bioorganic & Medicinal Chemistry*, 11(13), 2729-2738. doi:10.1016/s0968-0896(03)00233-5
- Liu, M., Wilairat, P., & Go, M. (2001). Antimalarial alkoxyated and hydroxylated chalcones [corrected]: structure-activity relationship analysis. *Journal of Medicinal Chemistry*, 44(25), 4443. doi:10.1021/jm0101747
- Loganathan, R., Radhakrishnan, A. K., Selvaduray, K. R., & Nesaretnam, K. (2015). Selective anti-cancer effects of palm phytonutrients on human breast cancer cells. *Royal Society of Chemistry*, 5(3), 1745-1753. doi:10.1039/c4ra12343c

- Luo, Y., Song, R., Li, Y., Zhang, S., Liu, Z. J., Fu, J., & Zhu, H. L. (2012). Design, synthesis, and biological evaluation of chalcone oxime derivatives as potential immunosuppressive agents. *Bioorganic & Medicinal Chemistry Letters*, 22(9), 3039-3043. doi:10.1016/j.bmcl.2012.03.080
- Mai, C. W., Yaeghoobi, M., Abd-Rahman, N., Kang, Y. B., & Pichika, M. R. (2014). Chalcones with electron-withdrawing and electron-donating substituents: Anticancer activity against TRAIL resistant cancer cells, structure-activity relationship analysis and regulation of apoptotic proteins. *European Journal of Medicinal Chemistry*, 77, 378-387. doi:10.1016/j.ejmech.2014.03.002
- Mandge, S., Singh, H. P., Gupta, S. D., & Moorthy, N. S. N. (2007). Synthesis and Characterization of Some Chalcone Derivatives. *Trends in Applied Sciences Research*, 2(1), 52-56.
- Moses, S. L., Edwards, V. M., & Brantley, E. (2016). Cytotoxicity in MCF-7 and MDA-MB-231 Breast Cancer Cells, Without Harming MCF-10A Healthy Cells. *Journal of Nanomedicine & Nanotechnology*, 7(2), 1-11. doi:10.4172/2157-7439.1000369
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 65(1), 55-63. doi:http://dx.doi.org/10.1016/0022-1759(83)90303-4
- Mukherjee, S., Kumar, V., Prasad, A. K., Raj, H. G., Bracke, M. E., Olsen, C. E., Jain, S. C., & Parmar, V. S. (2001). Synthetic and biological activity evaluation studies on novel 1, 3-diarylpropenones. *Bioorganic & Medicinal Chemistry*, 9(2), 337-345.
- Nakhjiri, M., Safavi, M., Alipour, E., Emami, S., Atash, A. F., Jafari-Zavareh, M., Ardestani, S. K., Khoshneviszadeh, M., Foroumadi, A., & Shafie, A. (2012). Asymmetrical 2,6-bis(benzylidene)cyclohexanones: Synthesis, cytotoxic activity and QSAR study. *European Journal of Medicinal Chemistry*, 50, 113-123. doi:10.1016/j.ejmech.2012.01.045
- Narender, T., & Reddy, K. P. (2007). A simple and highly efficient method for the synthesis of chalcones by using borontrifluoride-etherate. *Tetrahedron Letters*, 48, 3177-3180. doi:10.1016/j.tetlet.2007.03.054
- Nowakowska, Z. (2007). A review of anti-infective and anti-inflammatory chalcones. *European Journal of Medicinal Chemistry*, 42, 125-137. doi:10.1016/j.ejmech.2006.09.019
- Ogawa, D., Hyodo, K., Suetsugu, M., Li, J., Inoue, Y., Fujisawa, M., Iwasaki, M., Takagi, K., & Nishihara, Y. (2013). Palladium-catalyzed and copper-mediated cross-coupling reaction of aryl- or alkenylboronic acids with acid chlorides under neutral conditions: efficient synthetic methods for diaryl ketones and chalcones at room temperature. *Tetrahedron*, 69, 2565-2571. doi:10.1016/j.tet.2013.01.058

- Park, C.-S., Ahn, Y., Lee, D., Moond, S. W., Kim, K. H., Yamabe, N., Hwang, G. S., Jang, H. J., Lee, H., Kang, K. S., & Lee, J. W. (2015). Synthesis of apoptotic chalcone analogues in HepG2 human hepatocellular carcinoma cells. *Bioorganic & Medicinal Chemistry Letters*, *25*, 5705–5707. doi:10.1016/j.bmcl.2015.10.093
- Petrov, O., Ivanova, Y., & Gerova, M. (2008). SOCl₂/EtOH: Catalytic system for synthesis of chalcones. *Catalysis Communications*, *9*(2), 315-316. doi:10.1016/j.catcom.2007.06.013
- Pouget, C., Lauthier, F., Simon, A., Fagnere, C., Basly, J.-P., Delage, C., & Chulia, A.-J. (2001). Flavonoids: Structural Requirements for Antiproliferative Activity on Breast Cancer Cells. *Bioorganic & Medicinal Chemistry Letters*, *11*, 3095–3097.
- Prasad, Y. R., Kumar, P. R., Smiles, D. J., & Babu, P. A. (2008a). QSAR studies on chalcone derivatives as antibacterial agents against *Bacillus pumilis*. *ARKIVOC*, *xi*, 266-276.
- Prasad, Y. R., Rao, A. L., & Rambabu, R. (2008b). Synthesis and Antimicrobial Activity of Some Chalcone Derivatives. *Journal of Chemistry*, *5*(3), 461-466. doi:http://dx.doi.org/10.1155/2008/876257
- Rahman, M. (2011). Chalcone: A Valuable Insight into the Recent Advances and Potential Pharmacological Activities. *Chemical Sciences Journal*, *29*, 1-16.
- Rao, Y. K., Fang, S.-H., & Tzeng, Y.-M. (2004). Differential effects of synthesized 2'-oxygenated chalcone derivatives: modulation of human cell cycle phase distribution. *Bioorganic & Medicinal Chemistry*, *12*(10), 2679-2686. doi:10.1016/j.bmc.2004.03.014
- Rapado, L. N., Freitas, G. C., Polpo, A., Rojas-Cardozo, M., Rincón, J. V., Scotti, M. T., Kato, M. J., Nakano, E., & Yamaguchi, L. F. (2014). A Benzoic Acid Derivative and Flavokawains from Piper species as Schistosomiasis Vector Controls. *Molecules*, *19*, 5205-5218. doi:10.3390/molecules19045205
- Reddy, M. V. B., Su, C.-R., Chiou, W.-F., Liu, Y.-N., Chen, R. Y.-H., Bastow, K. F., Lee, K.-H., & Wu, T.-S. (2008). Design, synthesis, and biological evaluation of Mannich bases of heterocyclic chalcone analogs as cytotoxic agents. *Bioorganic & Medicinal Chemistry*, *16*, 7358–7370. doi:10.1016/j.bmc.2008.06.018
- Rivera-Guevara, C., & Camacho, J. (2011). Tamoxifen and its new derivatives in cancer research. *Recent Patents on Anti-Cancer Drug Discovery*, *6*(2), 237-245.
- Rojas, J., Payá, M., Dominguez, J. N., & Ferrándiz, M. L. (2002). The Synthesis and Effect of Fluorinated Chalcone Derivatives on Nitric Oxide Production. *Bioorganic & Medicinal Chemistry Letters*, *12*, 1951–1954. doi:http://dx.doi.org/10.1016/S0960-894X(02)00317-7

- Roman, B. I., Ryck, T. D., Dierickx, L., Vanhoecke, B. W. A., Katritzky, A. R., Bracke, M., & Stevens, C. V. (2012). Exploration of the SAR of anti-invasive chalcones: Synthesis and biological evaluation of conformationally restricted analogues. *Bioorganic & Medicinal Chemistry*, *20*, 4812–4819. doi:10.1016/j.bmc.2012.05.069
- Roussaki, M., Lima, S. C., Kypreou, A.-M., Kefalas, P., Silva, A. C. d., & Detsi, A. (2012). Aurones: a promising heterocyclic scaffold for the development of potent antileishmanial agents. *International Journal of Medicinal Chemistry*, *2012*, 1-8. doi:10.1155/2012/196921
- Ruiz, C., Haddad, M., Alban, J., Bourdy, G., Reategui, R., Castillo, D., Sauvain, M., Deharo, E., Estevez, Y., Arevalo, J., & Rojas, R. (2011). Activity-guided isolation of antileishmanial compounds from *Piper hispidum*. *Phytochemistry Letters*, *4*(3), 363-366. doi:10.1016/j.phytol.2011.08.001
- Sabzevari, O., Galati, G., Moridani, M. Y., Siraki, A., & O'Brien, P. J. (2004). Molecular cytotoxic mechanisms of anticancer hydroxychalcones. *Chemico-Biological Interactions*, *148*(1-2), 57-67. doi:10.1016/j.cbi.2004.04.004
- Sekizaki, H. (1988). Synthesis of 2-Benzylidene -3(2H)-benzofuran-3-ones (Aurones) by oxidation of 2'-Hydroxychalcone with Mercury(II) Acetate. *Bulletin of the Chemical Society of Japan*, *61*, 1407-1409.
- Seo, Y. H., & Oh, Y. J. (2013). Synthesis of Flavokawain B and its Anti-proliferative Activity Against Gefitinib-resistant Non-small Cell Lung Cancer (NSCLC). *Bulletin of the Korean Chemical Society*, *34*(12), 3782-3786. doi:10.5012/bkcs.2013.34.12.3782
- Sharma, G. N., Dave, R., Sanadya, J., Sharma, P., & Sharma, K. K. (2010). Various types and management of breast cancer: an overview. *Journal of advanced pharmaceutical technology & research*, *1*(2), 109-126.
- Shenvi, S., Kumar, K., Hatti, K. S., Rijesh, K., Diwakar, L., & Reddy, G. C. (2013). Synthesis, anticancer and antioxidant activities of 2,4,5-trimethoxy chalcones and analogues from asaronaldehyde: Structureactivity relationship. *European Journal of Medicinal Chemistry*, *62*, 435-442. doi:10.1016/j.ejmech.2013.01.018
- Siegel, R. L., Miller, K. D., & Jemal, A. (2016). Cancer statistics, 2016. *CA: A Cancer Journal for Clinicians*, *66*(1), 7-30. doi:10.3322/caac.21332
- Siegel, R. L., Miller, K. D., & Jemal, A. (2017). Cancer Statistics, 2017. *CA: A Cancer Journal for Clinicians*, *67*(1), 7-30. doi:10.3322/caac.21387
- Singh, A. K., & Gupta, B. (2015). A Novel Approach for Breast Cancer Detection and Segmentation in a Mammogram. *Procedia Computer Science*, *54*, 676-682. doi:10.1016/j.procs.2015.06.079

- Srinivas, K. V. N. S., Koteswara Rao, Y., Mahender, I., Das, B., Rama Krishna, K. V. S., Hara Kishore, K., & Murty, U. S. N. (2003). Flavanoids from *Caesalpinia pulcherrima*. *Phytochemistry*, *63*(7), 789-793. doi:10.1016/s0031-9422(03)00325-x
- Srinivasarao, V., Krishna, C. R., Ramesh, M., & Parthasarathy, T. (2013). Synthesis, *in vitro* anticancer activity evaluation and docking investigations of novel aromatic chalcones. *Modern Chemistry*, *1*(1), 1-7. doi:10.11648/j.mc.20130101.11
- Syam, S., Abdelwahab, S. I., Al-Mamary, M. A., & Mohan, S. (2012). Synthesis of Chalcones with Anticancer Activities. *Molecules*, *17*, 6179-6195. doi:10.3390/molecules17066179
- Tadigoppula, N., Korthikunta, V., Gupta, S., Kancharla, P., Khaliq, T., Soni, A., Srivastava, R. K., Srivastava, K., Puri, S. K., & Raju, K. S. R. (2012). Synthesis and insight into the structure–activity relationships of chalcones as antimalarial agents. *Journal of Medicinal Chemistry*, *56*(1), 31-45.
- Tiwari, B., Pratapwar, A. S., Tapas, A. R., Butle, S. R., & Vatkar, B. S. (2010). Synthesis and Antimicrobial Activity of Some Chalcone Derivatives. *International Journal of ChemTech Research*, *2*(1), 499-503.
- Tran, T. D., Nguyen, T. T., Do, T. H., Huynh, T. N., Tran, C. D., & Thai, K. M. (2012). Synthesis and antibacterial activity of some heterocyclic chalcone analogues alone and in combination with antibiotics. *Molecules*, *17*(6), 6684-6696. doi:10.3390/molecules17066684
- Truong, V. V., Nam, T. D., Hung, T. N., Nga, N. T., Quan, P. M., Chinh, L. V., & Jung, S.-H. (2015). Synthesis and anti-proliferative activity of novel azazerumbone conjugates with chalcones. *Bioorganic & Medicinal Chemistry Letters*, *25*, 5182–5185. doi:10.1016/j.bmcl.2015.09.069
- Unoh, Y., Hirano, K., Satoh, T., & Miura, M. (2013). Palladium-Catalyzed Decarboxylative Arylation of Benzoylacrylic Acids toward the Synthesis of Chalcones. *The Journal of Organic Chemistry*, *78*, 5096–5102. doi:10.1021/jo400716e
- Valdameri, G., Gauthier, C., Terreux, R., Kachadourian, R., Day, B. J., Winnischofer, S. M. B., Rocha, M. E. M., Frachet, V., Ronot, X., Pietro, A. D., & Boumendjel, A. (2012). Investigation of chalcones as selective inhibitors of the breast cancer resistance protein: critical role of methoxylation in both inhibition potency and cytotoxicity. *Journal of Medicinal Chemistry*, *55*(7), 3193-3200. doi:10.1021/jm2016528
- Weldon, D. J., Saulsbury, M. D., Goh, J., Rowland, L., Campbell, P., Robinson, L., Miller, C., Christian, J., Amis, L., Taylor, N., Dill, C., Jr., W. D., Evans, S. L., & Brantley, E. (2014). One-pot synthesis of cinnamylideneacetophenones and their *in vitro* cytotoxicity in breast cancer cells. *Bioorganic & Medicinal Chemistry Letters*, *24*, 3381–3384. doi:10.1016/j.bmcl.2014.05.089

- Won, S.-J., Liu, C.-T., Tsao, L.-T., Weng, J.-R., Ko, H.-H., Wang, J.-P., & Lin, C.-N. (2005). Synthetic chalcones as potential anti-inflammatory and cancer chemopreventive agents. *European Journal of Medicinal Chemistry*, *40*, 103–112. doi:10.1016/j.ejmech.2004.09.006
- Yerragunta, V., T.Kumaraswamy, D.Suman, V.Anusha, Patil, P., & T. Samhitha. (2013). A review on Chalcones and its importance. *PharmaTutor*, *1*(2), 54-59.
- Zheng, Z., Zeng, W., Huang, Y., Yang, Z., Li, J., Cai, H., & Su, W. (2000). Detection of antitumor and antimicrobial activities in marine organism associated actinomycetes isolated from the Taiwan Strait, China. *FEMS Microbiology Letters*, *188*, 87-91. doi:10.1111/j.1574-6968.2000.tb09173.x
- Zwaagstra, M. E., Korthouwer, R. E. M., Timmerman, H., & Zhang, M.-Q. (1998). Synthesis of 3- and 5'-substituted flavone-8-carboxylic acids as 'three-armed' leukotriene *CysLT₁* receptor antagonists. *European Journal of Medicinal Chemistry*, *33*, 95-102. doi:https://doi.org/10.1016/S0223-5234(98)80034-2