

REFERENCES

- Abdulkareem, A.S., Jimoh, A., Afolabi, A.S., Odigire, J.O. & Patience, D. (2012). Production and characterization of biofuel from non-edible oils: An alternative energy sources to petrol diesel. In Dr. Azni Zain Ahmed (Ed), *Energy Conversion*, 171-196. DOI: 10.5772/51341
- Adnan, H. (2 Jan 2018). Challenging outlook for palm oil market in 2018. *The Star Online*. Retrieved from <https://www.thestar.com.my/business/business-news/2018/01/02/challenging-outlook-for-palm-oil-market/>
- Ahmad, A.L., Yasin, N.H.M., Derek, C.J.C. & Lim, J.K. (2011). Microalgae as a sustainable energy source for biodiesel production: A review. *Renewable & Sustainable Energy Reviews*, 15 (1), 584–593.
- Adi, G., Hall, C., Snyder, D., Bunce, M., Satkoski, C., Kumar, S., Garimella, P., Stanton, D. & Shaver, G. (2009). Soy-biodiesel impact on NO_x emissions and fuel economy for diffusion-dominated combustion in a turbo-diesel engine incorporating exhaust gas recirculation and common rail fuel injection. *Energy Fuels*, 23, 5821–5829.
- Alonso, D.M., Vila, F., Ojeda, M., Granados, M.L. & Santamaría-González, J. (2010). Relevance of the physicochemical properties of CaO catalysts for the methanolysis of triglycerides to obtain biodiesel. *Catalysis Today*, 158 (1-2), 114-120.
- Atapour, M., Kariminia, H.-R. & Moslehabadi, P.M. (2014). Optimization of biodiesel production by alkali-catalyzed transesterification of used frying oil. *Process Safety and Environmental Protection*, 92 (2), 179–185.
- Azdarpour, A., Asadullah, M., Junin, R., Manan, M., Hamidi, H. & Mohammadian, E. (2014). Direct carbonation of red gypsum to produce solid carbonates. *Fuel Processing Technology*, 126, 429-434.
- Banga, S. & Varshney, P.K. (2010). Effect Of Impurities On Performance Of Biodiesel: A Review. *Journal of Scientific and Industrial Research*, 69, 575-579.
- Bejarano, C.A. & Jia, C.Q. (2001). A Study on Carbothermal Reduction of Sulfur Dioxide to Elemental Sulfur Using Oilsands Fluid Coke. *Environmental Science & Technology*, 35 (4), 800-804.
- Boey, P.-L., Maniam, G.P., Hamid, S.A. & Ali, D.M.H. (2011). Utilization of waste cockle shell (*Anadara granosa*) in biodiesel production from palm olein: Optimization using response surface methodology. *Fuel*, 90 (7), 2353-2358.

- Bujang, K.B., Ying, A.S. & Adeni, D.S.B.A. (2006). *Effects of Filtration Volume Using Powdered Activated Charcoal on the Recovery of L (+)-Lactic Acid from Sago Starch*. Proceedings of the 1st International Conference on Natural Resources Engineering & Technology, Putrajaya, Malaysia, 201-205. Retrieved from <http://eprints.utm.my/215/>
- Canakci, M. & Gerpen, J. V. (2001). Biodiesel production from oils and fats with high free fatty acids. *Transactions of the American Society of Agricultural Engineers*, 44 (6), 1429–1436.
- CEU, Council of the European Union (2003). Overview of landfilling options provided by the landfill directive. *Official Journal of the European Communities*. 16/01/2003, 0027 - 0049. Retrieved from <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex:32003D0033> [accessed August 2015]
- Chern, T.L. (28 Jul 2017). Cash in on used cooking oil. *The Star Online*. Retrieved from <https://www.thestar.com.my/metro/community/2017/07/28/cash-in-on-used-cooking-oil-residents-encouraged-to-recycle-waste-for-reuse-as-biodiesel-and-soap/>
- Cowan, D., Holm, H.C. & Yee, H.S. (2012). Reduction in free fatty acids in crude palm oil by enzymatic remediation. *Journal of Oil Palm Research*, 24, 1492–1496.
- Demirbaş, A. (2008). Relationships derived from physical properties of vegetable oil and biodiesel fuels. *Fuel*, 87 (8-9), 1743–1748.
- DOE, Department of Environment Malaysia (2012a). Control of transboundary movement of hazardous wastes in Malaysia. Retrieved from http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops/2012_PDF/D1S1-2%5BMALAYSIA%5Drev.pdf [accessed December 2014]
- DOE, Department of Environment Malaysia (2012b). Current practice of recycling and treatment of hazardous wastes in Malaysia. Retrieved from http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops/2012_PDF/D1S2-4%5BMALAYSIA%5Drev.pdf [accessed December 2014]
- Duvekot, C. (2011). Determination of Total FAME and Linolenic Acid Methyl Esters in Biodiesel According to EN-14103. Retrieved from <https://www.agilent.com/cs/library/applications/5990-8983EN.pdf> [accessed January 2018]
- Ebiura, T., Echizen, T., Ishikawa, A., Murai, K. & Baba, T. (2005). Selective transesterification of triolein with methanol to methyl oleate and glycerol using alumina loaded with alkali metal salt as a solid-base catalyst. *Applied Catalysis A: General*, 283 (1-2), 111-116.
- EN 14103:2003. British Standards Institution. Fat and oil derivatives - fatty acid methyl esters (FAME): Determination of ester and linolenic acid methyl ester contents.

- EN 14538:2006. British Standards Institution. Fat and oil derivatives - Fatty acid methyl esters (FAME) - Determination of Ca, K, Mg and Na content by optical emission spectral analysis with inductively coupled plasma (ICP OES).
- Endalew, A.K. & Kiros, Y. (2014). Catalytic Autoxidation of Fatty Acid Methyl Esters from *Jatropha* Oil. *Journal of Fuels*, DOI:10.1155/2014/470790
- Fauziah, I., Zauyah, S. & Jamal, T. (1996). Characterization and land application of red gypsum: A waste product from the titanium dioxide industry. *Science of the Total Environment*, 188 (2-3), 243-251.
- Gazquez, M.J., Bolivar, J.P., Vaca, F., García-Tenorio, R. & Caparros, A. (2013). Evaluation of the use of TiO₂ industry red gypsum waste in cement production. *Cement and Concrete Composites*, 37, 76-81.
- Granados, M.L., Alonso, D.M., Sádaba, I., Mariscal, R. & Ocón, P. (2009). Leaching and homogeneous contribution in liquid phase reaction catalysed by solids: The case of triglycerides methanolysis using CaO. *Applied Catalysis B: Environmental*, 89 (1-2), 265-272.
- Gülşen, E., Olivetti, E., Freire, F., Dias, L. & Kirchain, R. (2014). Impact of feedstock diversification on the cost-effectiveness of biodiesel. *Applied Energy*. 126, 281-296.
- Hayyan, A., Mjalli, F.S., Hashim, M.A., Hayyan, M. & Al-Nashef, I.M.(2013). Conversion of free fatty acids in low grade crude palm oil to methyl esters for biodiesel production using chromosulfuric acid. *Bulgarian Chemical Communications*, 45, 394 – 399.
- Hoekman, S.K. & Robbins, C. (2012). Review of the effects of biodiesel on NO_x emissions. *Fuel Processing Technology*, 96, 237–249.
- Hoteit, A., Bouquet, E., Schönnenbeck, C. & Gilot, P. (2007). Sulfate decomposition from circulating fluidized bed combustors bottom ash. *Chemical Engineering Science*, 62 (23), 6827-6835.
- Ismail, R. (2005). Palm oil and palm olein frying applications. *Asia Pacific Journal of Clinical Nutrition*, 14 (4), 414-419.
- Kalyani, G. & Rao, H.J. (2012). Process development studies on biodiesel from palm kernel, palm and gingelly oils. *International Journal of Engineering Science, Res.* 3 (7), 1–7.
- Kamarudin, R.A. & Zakaria, M.S. (2007). The utilization of red gypsum waste for glazes. *Malaysian Journal of Analytical Sciences*, 11 (1), 57-64.
- Karnib, M., Kabbani, A., Holail, H. & Olama, Z. (2014). Heavy Metals Removal Using Activated Carbon, Silica and Silica Activated Carbon Composite. *Energy Procedia*, 50, 113-120.

- Kato, T., Murakami, K. & Sugawara, K. (2012). Carbon reduction of gypsum produced from flue gas desulfurization. *Chemical Engineering Journal*, 29, 805-810.
- Keskinler, B., Tanriseven, A., Dizge, N. & Pakdemirli, E. (2008). WIPO Publication No. WO2008140432. Geneva 20, Switzerland: World Intellectual Property Organization.
- Kirakosyan A., Cseke, L.J., Podila G.K., Peter B. Kaufman P.B. 2009. Plants as Sources of Energy. In, *Recent Advances in Plant Biotechnology*, 163-210. DOI: 10.1007/978-1-4419-0194-1_9
- Kouzu, M., Kasuno, T., Tajika, M. & Sugimoto, Y. 2008. Calcium oxide as a solid base catalyst for transesterification of soybean oil and its application to biodiesel production. *Fuel*. 87, 2798–2806.
- Lam, M.K., Lee, K.T., Mohamed, A.R., 2010. Homogeneous, heterogeneous and enzymatic catalysis for transesterification of high free fatty acid oil (waste cooking oil) to biodiesel: A review. *Biotechnology Advances*. 28 (4): 500–518.
- Lancia, A., Musmarra, D. & Prisciandaro, M. (2002). Calcium Sulfate. In, *Kirk-Othmer Encyclopedia of Chemical Technology*. DOI: 10.1002/0471238961
- Li, G., Shang, J., Wang, Y., Li, Y. & Gao, H. (2013). Effect of calcium on adsorption capacity of powdered activated carbon. *Journal of Environmental Sciences*, 25, S101-S105
- Lim, B.P., Maniam, G.P. & Hamid, S.A. (2009). Biodiesel from adsorbed waste oil on spent bleaching clay using CaO as a heterogeneous catalyst. *European Journal of Scientific Research*, 33 (2), 347-357.
- Liu, X., He, H., Wang, Y., Zhu, S. & Piao, X. (2008). Transesterification of soybean oil to biodiesel using CaO as a solid base catalyst. *Fuel*. 87 (2), 216-221.
- Maina, P., 2014. Engine emissions and combustion analysis of biodiesel from East African countries. *South African Journal of Science*, 110 (3/4), 1–8.
- Malaysia Biofuels Annual., 2017. United States Department of Agriculture, Foreign Agricultural Service. Retrieved from https://gain.fas.usda.gov/Recent%20GAIN%20Publications/Biofuels%20Annual_Kuala%20Lumpur_Malaysia_10-24-2017.pdf [accessed January 2018]
- Mohankumar, S. & Senthilkumar, P. (2017). Particulate matter formation and its control methodologies for diesel engine: A comprehensive review. *Renewable & Sustainable Energy Reviews*, 80, 1227–1238.
- Ohimain, E.I., Daokoru-Olukole, C., Izah, S.C. & Alaka, E.E. (2012). Assessment of the Quality of Crude Palm Oil Produced by Smallholder Processors in Rivers State, Nigeria . *Nigerian Journal of Agriculture, Food and Environment*, 8, 28–34.

- Okumura, S., Mihara, N., Kamiya, K., Ozawa, S., Onyango, M.S., Kojima, Y. & Matsuda, H. (2003). Recovery of CaO by reductive decomposition of spent gypsum in a CO-CO₂-N₂ atmosphere. *Industrial & Engineering Chemistry Research*, 42, 6046-6052.
- Panumati, S., Chudecha, K., Vankhaew, P., Choolert, V., Chuenchom, L., Innajitara W. & Sirichote, O. (2008). Adsorption efficiencies of calcium (II) ion and iron (II) ion on activated carbon obtained from pericarp of rubber fruit. *Songklanakarin Journal of Science and Technology*, 30 (2), 179-183
- PORIM test method 1995. Palm Oil Research Institute of Malaysia. Bangi, Selangor, Malaysia.
- Refaat, A.A. (2011). Biodiesel production using solid metal oxide catalysts. *International Journal of Environmental Science & Technology*, 8 (1), 203–221.
- Roper, L.D., 2012. World Energy. Retrieved from <http://www.roperld.com/science/energyfuture.htm> [accessed January 2018]
- Singh, M., 2015. *Gypsum and Gypsum Products: Their Science and Technology*. 1st ed. Manakin Press Pvt. Ltd.
- Sivaramakrishnan, K. & Ravikumar, P. (2011). Determination of higher heating value of biodiesels. *International Journal of Engineering Science*, 3, 7981–7987
- Statista., 2018a. Biofuels production in selected countries in Europe in 2016. Retrieved from <https://www.statista.com/statistics/332510/biofuels-production-in-selected-countries-in-europe/> [accessed January 2018]
- Statista., 2018b. Biodiesel Production in Selected Countries. Retrieved from <https://www.statista.com/statistics/271472/biodiesel-production-in-selected-countries/> [accessed January 2018]
- Tan, K.T., Lee, K.T. & Mohamed, A.R. (2011). Potential of waste palm cooking oil for catalyst-free biodiesel production. *Energy*. 36 (4), 2085–2088.
- Talebian-Kiakalaieh, A., Amin, N.A.S. & Mazaheri, H. (2013). A review on novel processes of biodiesel production from waste cooking oil. *Applied Energy*, 104 (2013), 683-710.
- Tekade, P. V., Mahodaya, O.A. & Khandeshwar, G.R. (2012). Green synthesis of biodiesel from various vegetable oil and characterisation by FT-IR spectroscopy. *Scientific Reviews and Chemical Communications*, 2 (3), 208–211.
- van der Merwe, E.M., Strydom, C.A. & Potgieter, J.H. (1999). Thermogravimetric analysis of the reaction between carbon and CaSO₄.2H₂O, gypsum and phosphogypsum in an inert atmosphere. *Thermochimica Acta*, 340-341, 431-437.

- Vimmrová, A., Keppert, M., Svoboda, L. & Cerny, R. (2011). Lightweight gypsum composites: Design strategies for multi-functionality. *Thermochimica Acta*, 33(1), 84-89.
- Watcharathamrongkul, K., Jongsomjit, B. & Phisalaphong, M. (2010). CaO based catalysts for ethanolysis of soybean oil. *Songklanakarin Journal of Science and Technology*, 32 (6), 627-634.
- Wikimedia. Flue gas desulfurization unit [Image file]. Retrieved from https://upload.wikimedia.org/wikipedia/commons/d/d0/Flue_gas_desulfurization_unit_EN.svg [accessed January 2018]
- Wirsching, F., 2000. Calcium Sulfate. In, *Ullmann's Encyclopedia of Industrial Chemistry* (pp. 519-550). DOI: 10.1002/14356007.a04_555
- Yan, Y., Dong, X., Sun, X., Sun, X., Li, J., Shen, J., Han, W., Liu, X. & Wang, L. (2014). Conversion of waste FGD gypsum into hydroxyapatite for removal of Pb^{2+} and Cd^{2+} from wastewater. *Journal of Colloid and Interface Science*, 429, 68-76.
- Yuan, T., Wang, J. & Li, Z. (2010). Measurement and modelling of solubility for calcium sulfate dihydrate and calcium hydroxide in NaOH/KOH solutions. *Fluid Phase Equilibria*, 297 (1), 129-137.
- Zhang, J., Lin, Z., Lan, Y., Ren, G., Chen, D., Huang, F. & Hong, M. (2006). A Multistep Oriented Attachment Kinetics: Coarsening of ZnS Nanoparticle in Concentrated NaOH. *Journal of the American Chemical Society*, 128 (39), 12981-12987.
- Zheng, D., Lu, H., Sun, X., Liu, X., Han, W. & Wang, L. (2013). Reaction mechanism of reductive decomposition of FGD gypsum with anthracite. *Thermochimica Acta*, 559, 23-31.
- ZWS, 2014. Zero Waste Scotland. Disposal and Recycling Plasterboard. Retrieved from <http://www.zerowastescotland.org.uk/content/disposal-and-recycling-plasterboard-0> [accessed December 2014]