

REFERENCES

- Action Plan Of Kuantan City (2010). Available at: <http://www.kicc.jp/auick/database/training/2006-1/AP/WS2006-1-AP-Kuantan.pdf>.
- Airmetrics. (2017a). MiniVol Basic Operation. Retrieved from <http://www.airmetrics.com/products/minivol/basicop.html>
- 'Air Quality Expert Group' (2012) *Fine Particulate Matter (PM_{2.5}) in the United Kingdom*. Available at: https://uk-air.defra.gov.uk/assets/documents/reports/cat11/1212141150_AQEG_Fine_Particiulate_Matter_in_the_UK.pdf.
- Amalin, N. *et al.* (2017) 'Estimating Particulate Matter using satellite based aerosol optical depth and meteorological variables in Malaysia', *Atmospheric Research*, 193, pp. 142–162. doi: 10.1016/j.atmosres.2017.04.019.
- Amil, N., Latif, M. T., Khan, F., & Mohamad, M. (2016). Seasonal variability of PM_{2.5} composition and sources in the Klang Valley urban-industrial environment, (1), 5357–5381. <https://doi.org/10.5194/acp-16-5357-2016>.
- ASTDR (2013) *Chromium (Cr) Toxicity: Where Is Chromium Found*, Agency for Toxic Substances and Disease Registry. Available at: <https://www.astdr.cdc.gov/csem/csem=10&po=5>
- ATSDR (2015) *Public Health Statement: Chromium*, Agency for Toxic Substances and Disease Registry. Available at: <https://www.atsdr.cdc.gov/phs/phs.asp?id=60&tid=17> (Accessed: 29 August 2017).
- A. Wallace Hayes, C. L. K. (2014) *Hayes' Principles and Methods of Toxicology*, Sixth Edition, CRC Press. Available at: <https://books.google.com.my/books> (Accessed: 5 December 2017).
- Cakmak, S. *et al.* (2014) 'Metal composition of fine particulate air pollution and acute changes in cardiorespiratory physiology', *Environmental Pollution*, 189, pp. 208–214. doi: 10.1016/j.envpol.2014.03.004.
- CDC (2014) Potassium - International Chemical Safety Cards - NIOSH, The National Institute for Occupational Safety and Health (NIOSH). Available at: <https://www.cdc.gov/niosh/ipcsneng/neng0716.html> (Accessed: 27 November 2017).
- CDC (2017) Calcium - International Chemical Safety Cards - NIOSH, The National Institute for Occupational Safety and Health (NIOSH). Available at: <https://www.cdc.gov/niosh/ipcsneng/neng1192.html> (Accessed: 27 November 2017).
- Celo, V. and Dabek-zlotorzynska, E. (2011) 'Concentration and Source Origin of Trace Metals in PM_{2.5} Collected at Selected Canadian Sites'. doi: 10.1007/978-3-642-12278-1.

Chen, L. C. and Lippmann, M. (2009) 'Effects of metals within ambient air particulate matter (PM) on human health', *toxicology*, pp. 1–31.

'Department of Environment' (2016) New Malaysia Ambient Air Quality Standard. Available at: <https://www.doe.gov.my/portalv1/wp-content/uploads/2013/01/Air-Quality-Standard-BI.pdf>

Department of Statistics Malaysia (2016). Available at: <https://www.citypopulation.de/php/malaysia-admin.php?afmmm2id=0604>.

Dockery, D. W. (2009) 'Health Effects of Particulate Air Pollution', *Annals of Epidemiology*, 19, pp. 257–263. doi: 10.1016/j.annepidem.2009.01.018.

EPA (2016) Lead (Pb) Toxicity: Standards for Lead Levels, Agency for Toxic Substances and Disease Registry. Available at: <https://www.atsdr.cdc.gov/csem/csem.asp?csem=34&po=8>

European Communities (2001) 'Ambient air pollution by AS, CD and NI compounds. Position Paper'. Available at: <http://europa.eu.int/comm/environment/pubs/home.htm> (Accessed: 29 August 2017).

Gao, Y. et al. (2016) 'Potential threat of heavy metals and PAHs in PM_{2.5} in different urban functional areas of Beijing', *Atmospheric Research*, 178–179, pp. 6–16. doi: 10.1016/j.atmosres.2016.03.015.

Garcia, R., Hart, J. E., Davis, M. E., Reaser, P., Natkin, J., Laden, F., Smith, T. J. (2007). Effects of Wind on Background Particle Concentrations at Truck Freight Terminals. *Journal of Occupational and Environmental Hygiene*, 4(1), 36–48. <https://doi.org/10.1080/15459620601070302>

Geiger, A., & Cooper, J. (2010). Overview of Airborne Metals Regulations, Exposure Limits, Health Effects, and Contemporary Research DRAFT Health Effects Summary. Retrieved from <https://www3.epa.gov/ttnemc01/prelim/otm31appC.pdf>

Gu, X.-Y. et al. (2017) 'Effects of PM_{2.5} exposure on the Notch signaling pathway and immune imbalance in chronic obstructive pulmonary disease'. doi: 10.1016/j.envpol.2017.03.070.

He, J. et al. (2017) 'Air pollution characteristics and their relation to meteorological conditions during 2014–2015 in major Chinese cities', *Environmental Pollution*, 223, pp. 484–496. doi: 10.1016/j.envpol.2017.01.050.

Hjortenkrans, D. (2008). *Road traffic metals – sources and emissions*. Retrieved from <https://www.diva-portal.org/smash/get/diva2:15019/FULLTEXT01.pdf>.

Hu, X. et al. (2011) 'Bioaccessibility and health risk of arsenic, mercury and other metals in urban street dusts from a mega-city, Nanjing, China', *Environmental Pollution*, 159, pp. 1215–1221. doi: 10.1016/j.envpol.2011.01.037.

- IARC. (2016). IARC classifications - National Cancer Control Policy. Retrieved August 24,2017, from http://wiki.cancer.org.au/policy/IARC_classifications
- IARC (2017) ‘Agents Classified by the IARC Monographs’, 1–119, pp. 1–102. Available at: <https://monographs.iarc.fr/ENG/Classification/ClassificationsAlphaOrder.pdf> (Accessed: 14 August 2017).
- ICdA (2013) Level of cadmium in the environment, International Cadmium Assosiation. Availa ble at: <http://www.cadmium.org/environment/level-of-cadmium-in-the-environment>
- Ismael Luis Schneider et al. (2015) ‘Atmospheric particle number concentration and size distrib ution in a traffic–impacted area’. doi: 10.5094/APR.2015.097.
- Jandacka, D., Durcanska, D., & Bujdos, M. (2017). The contribution of road traffic to particulate matter and metals in air pollution in the vicinity of an urban road. <https://doi.org/10.1016/j.trd.2016.11.024>
- Jo, E.J. et al. (2017) ‘Effects of particulate matter on respiratory disease and the impact of mete orological factors in Busan, Korea’, *Respiratory Medicine*. Elsevier Ltd, 124, pp. 79–87. doi: 10.1016/j.rmed.2017.02.010.
- Karagulian et al. (2015) ‘Contributions to cities’ ambient particulate matter (PM): A systematic revie w of local source contributions at global level’, pp. 475–483. Available at: https://ac.els-cdn.com/S1352231015303320/1-s2.0-S1352231015303320-main.pdf?_tid=849375b2-8321-11e79ff30000aacb362&acdnat=1502956745_8ac727c4bad9a840b35b1dcd8cebe18b (Accessed:17 August 2017).
- Keshavarzi, B., Tazarvi, Z., Rajabzadeh, M. A., & Najmeddin, A. (2015). Chemical speciation, human health risk assessment and pollution level of selected heavy metals in urban street dust of Shiraz, Iran. <https://doi.org/10.1016/j.atmosenv.2015.08.001>
- Kumar, P., Robins, A., Vardoulakis, S., & Britter, R. (2010). A review of the characteristics of nanoparticles in the urban atmosphere and the prospects for developing regulatory controls *Atmospheric Environment*, 44, 5035–5052.<https://doi.org/10.1016/j.atmosenv.2010.08.016>
- Ledoux, F. et al. (2017) ‘Contributions of local and regional anthropogenic sources of metals in PM_{2.5} at an urban site in northern France’, *Chemosphere*, 181, pp. 713–724. doi:10.1016/j.chemosphere.2017.04.128.
- Lee, B. J., Kim, B. and Lee, K. (2014) ‘Air pollution exposure and cardiovascular disease’,*toxic ology*, pp. 71–75.
- Lenntech (2017) Heavy Metals. Available at: <http://www.lenntech.com/processes/heavy/heavy-metals/heavy-metals.htm> (Accessed: 2 August 2017).

- Li, H.-H., Chen, L.-J., Yu, L., Guo, Z.-B., Shan, C.-Q., Lin, J.-Q., Cheng, Z. (2017). Pollution characteristics and risk assessment of human exposure to oral bioaccessibility of heavy metals via urban street dusts from different functional areas in Chengdu, China. *Science of the Total Environment*, 586, 1076–1084. <https://doi.org/10.1016/j.scitotenv.2017.02.092>
- Lilieveld, J. et al. (2013) ‘Model calculated global, regional and megacity premature mortality due to air pollution’, *Atmos. Chem. Phys. Atmospheric Chemistry and Physics*.
- Mahajan, S. P. (2006). *Air pollution control*. (T. V. Ramachandra, Ed.). New Delhi: Capital Publishing. Available at: https://books.google.com.my/books/about/Air_Pollution_Control.html?id=Io9rMQAACAAJ&redir_esc=y
- Manual Air Quality Monitoring (MAQM) (2010). Available at: <http://www.doe.gov.my/portals/1/wp-content/uploads/2013/01/Air-Quality.pdf>.
- Malaysian Meteorological Department. (2017). Hourly RH, MSPD, Dry TT of Station Kuantan. Selangor.
- Meng, Q. et al. (2013) ‘Cardiovascular outcomes and the physical and chemical properties of metal ions found in particulate matter air pollution: a QICAR study’, *Environment Health Perspect*, pp. 558–564.
- Niu, J. et al. (2013) ‘The role of metal components in cardiovascular effects of PM_{2.5}’, *Plos One* 8. Available at: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0083782>
- Oliver König, J. K. (2017). Wind speed units & wind directions. Retrieved December 3, 2017, from <https://www.windfinder.com/wind/windspeed.html>
- Pant, P. and Harrison, R. . (2013) ‘Estimation of the contribution of road traffic emissions to particulate matter concentrations from field measurements: a review’, *Atmospheric Environment*, pp. 77, 78–97.
- PubChem (2017a) Lead Pb, U.S. National Library of Medicine. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/5352425#section=Information-Sources> (Accessed: 28 August 2017).
- PubChem (2017b) Magnesium. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/5462224#section=Toxicity> (Accessed: 27 November 2017).
- PubChem (2017c) Potassium K, U.S National Library of Medicine. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/potassium#section=Color> (Accessed: 27 November 2017).
- PubChem (2017d) Zinc Zn, U.S. National Library of Medicine. Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/23994#section=Skin-Symptoms> (Accessed: 29 August 2017).

- Rasyidah, H., & Othman, B. (2010). Wind Environment Evaluation On Major Town Of Malaysia. Retrieved from [http://umpir.ump.edu.my/2527/Hafezatul_Rasyidah_Bt_Othman .pdf](http://umpir.ump.edu.my/2527/Hafezatul_Rasyidah_Bt_Othman.pdf)
- Sekhvatjou, M. S., Rostami, A. and Hoseini Alhashemi, A. S. (2010) 'Assessment of elemental concentrations in the urban air (case study: Tehran city)', *Environmental Monitoring and Assessment*, 163(1–4), pp. 467–476. doi: 10.1007/s10661-009-0850-8.
- Singh, N. et al. (2013) 'Potassium as a Marker in Air Particulate Matter After Crop Residue Burning Events in Patiala, India', *Chitkara Chemistry Review*, 1(2), pp. 47–58. doi: 10.15415/ccr.2013.12010.
- Sites, T., & Trends, S. (2000). Quality Assurance Guidance Document EPA, (December).<https://doi.org/EPA-454/B-16-001>
- Srimuruganandam, B., & Shiva Nagendra, S. M. (2011). Characteristics of particulate matter and heterogeneous traffic in the urban area of India. *Atmospheric Environment*, 45, 3091–3102. <https://doi.org/10.1016/j.atmosenv.2011.03.014>
- Talbi, A. et al. (2017) 'Assessment of annual air pollution levels with PM₁, PM_{2.5}, PM₁₀ and associated heavy metals in Algiers, Algeria', *Environmental Pollution*. doi:10.1016/j.envpol.2017.09.041.
- Torres, M. et al. (2017) 'A review of emissions and concentrations of particulate matter in the three major metropolitan areas of Brazil', *Journal of Transport & Health*. Elsevier. doi: 10.1016/j.jth.2017.01.008.
- US EPA (2016). Human Health Risk Assessment. Retrieved from <https://www.epa.gov/risk/human-health-risk-assessment>
- US EPA (2016). Particulate Matter (PM) Basics. Retrieved from <https://www.epa.gov/pm-pollution/particulate-matter-pm-basics#PM>
- USEPA (1989). Risk Assessment: Guidance for Superfund Volume 1 Human Health Evaluation Manual (Part A). Retrieved from https://www.epa.gov/sites/production/files/2015-09/documents/rags_a.pdf
- USEPA (2001). Risk Assessment Guidance for Superfund: Volume III -Part A, Process for Conducting Probabilistic Risk Assessment. Retrieved from https://www.epa.gov/sites/production/files/2015-09/documents/rags3adt_complete.pdf
- USEPA (2004) U.S. EPA. Air Quality Criteria for Particulate Matter (Final Report, 2004). Washington, DC. doi: EPA 600/P-99/002aF-bF, 2004.

- USEPA. (2006). A framework for assessing health risks of environmental exposures to children EPA/600/R-05/093F. National Center for Environmental Assessment, USEPA, Washington, DC, EEUU., (September).
- Velali, E. et al. (2016) 'Redox activity and in vitro bioactivity of the water-soluble fraction of urban particulate matter in relation to particle size and chemical composition', *Environmen Pollution*. Elsevier Ltd, 208, pp. 774–786. doi: 10.1016/j.envpol.2015.10.058.
- Vojtesek, M., Mikuska, P. and Vecera, Z. (2009) 'Presence, Sources and Classification of metals present in the Air', *Chem*, pp. 136–144.
- Wan, D. et al. (2016) 'Heavy metal pollution in settled dust associated with different urban functional areas in a heavily air-polluted city in North China', *International Journal of Environmental Research and Public Health*, 13(11). doi: 10.3390/ijerph13111119.
- Wang, L. K. et al. (2009) *Heavy metals in the environment*. CRC Press. Available at: <https://www.crcpress.com/Heavy-Metals-in-the-Environment/Wang-Chen-Hung-Shammas/p/book/9781138112575>
- Wei, X., Gao, B., Wang, P., Zhou, H., & Lu, J. (2014). Pollution characteristics and health risk assessment of heavy metals in street dusts from different functional areas in Beijing, China *Ecotoxicology and Environmental Safety*, 112, 186–192. <https://doi.org/10.1016/j.ecoenv.2014.11.005>
- WHO (2005). WHO Air quality guidelines for particulate matter, ozone, nitrogen dioxide and sulfur dioxide. Retrieved from http://apps.who.int/iris/bitstream/10665/69477/1/WHO_SDE_PHE_OEH_06.02_eng.pdf
- WHO (2012) 'GHO | By category | Burden of disease - Data by country', WHO. World Health Organization. Available at: <http://apps.who.int/gho/data/node.main.156?lang=en> (Accessed: 2 August 2017).
- WHO (2016). WHO | Air pollution. WHO. Retrieved from <http://www.who.int/topics/en/>
- WHO (2016a) 'Ambient Air Pollution: a global assessment of exposure and burden of disease', Ambient Air Pollution: a global assessment of exposure and burden of disease. Available at: <http://apps.who.int/iris/bitstream/10665/250141/1/9789241511353-eng.pdf> (Accessed: 2 August 2017).
- WHO (2016b) 'WHO | Air pollution', WHO. World Health Organization. Available at: http://www.who.int/topics/air_pollution/en/ (Accessed: 30 July 2017).
- WHO (2017) 'WHO | Air pollution levels rising in many of the world's poorest cities', WHO. World Health Organization. Available at: <http://www.who.int/mediacentre/news/releases/2016/air-pollution-rising/en/> (Accessed: 21 August 2017).

World City Populations (2017) World Population Review. Available at: <http://worldpopulationreview.com/world-cities/> (Accessed: 3 August 2017).

Zhang, J. J., & Liou, P. J. (2002). Human Exposure Assessment in Air Pollution Systems, 497–513. <https://doi.org/10.1100/tsw.2002.119>

Zhang, J. J. and Liou, P. J. (2002) 'Human Exposure Assessment in Air Pollution Systems', pp. 497–513. doi: 10.1100/tsw.2002.119.

Zhang, Z. et al. (2015) 'Evolution of surface O₃ and PM_{2.5} concentrations and their relationships with meteorological conditions over the last decade in Beijing'. doi:10.1016/j.atmosenv.2015.02.071.

Zhang, Y., Ji, X., Ku, T., Li, G., & Sang, N. (2016). Heavy metals bound to fine particulate matter from northern China induce season-dependent health risks: A study based on myocardial toxicity. <https://doi.org/10.1016/j.envpol.2016.05.072>