

## REFERENCES

- Abbadi, A., Koutsawa, Y., Carmasol, a., Belouettar, S., & Azari, Z. (2009). Experimental and numerical characterization of honeycomb sandwich composite panels. *Simulation Modelling Practice and Theory*, 17(10), 1533–1547. <https://doi.org/10.1016/j.simpat.2009.05.008>
- Aktay, L., Johnson, A. F., & Kröplin, B.-H. (2008). Numerical modelling of honeycomb core crush behaviour. *Engineering Fracture Mechanics*, 75(9), 2616–2630. <https://doi.org/10.1016/j.engfracmech.2007.03.008>
- Bartolozzi, G., Baldanzini, N., & Pierini, M. (2014). Equivalent properties for corrugated cores of sandwich structures: A general analytical method. *Composite Structures*, 108(1), 736–746. <https://doi.org/10.1016/j.compstruct.2013.10.012>
- Bartolozzi, G., Baldanzini, N., Pierini, M., & Zonfrillo, G. (2015). Static and dynamic experimental validation of analytical homogenization models for corrugated core sandwich panels. *Composite Structures*, 125, 343–353. <https://doi.org/10.1016/j.compstruct.2015.02.014>
- Bartolozzi, G., Pierini, M., Orrenius, U., & Baldanzini, N. (2013). An equivalent material formulation for sinusoidal corrugated cores of structural sandwich panels. *Composite Structures*, 100, 173–185. <https://doi.org/10.1016/j.compstruct.2012.12.042>
- Belingardi, G., Martella, P., & Peroni, L. (2007). Fatigue analysis of honeycomb-composite sandwich beams. *Composites Part A: Applied Science and Manufacturing*, 38(4), 1183–1191. <https://doi.org/10.1016/j.compositesa.2006.06.007>
- Belouettar, S., Abbadi, a., Azari, Z., Belouettar, R., & Freres, P. (2009). Experimental investigation of static and fatigue behaviour of composites honeycomb materials using four point bending tests. *Composite Structures*, 87(3), 265–273. <https://doi.org/10.1016/j.compstruct.2008.01.015>
- Bin, H., Bo, Y., Yu, X., Chang-Qing, C., Qian-Cheng, Z., & Tian Jian, L. (2015). Foam filling radically enhances transverse shear response of corrugated sandwich plates. *Materials and Design*, 77, 132–141. <https://doi.org/10.1016/j.matdes.2015.03.050>
- Bisagni, C. (2000). Numerical analysis and experimental correlation of composite shell buckling and post-buckling. *Composites Part B: Engineering*, 31(8), 655–667. [https://doi.org/10.1016/S1359-8368\(00\)00031-7](https://doi.org/10.1016/S1359-8368(00)00031-7)
- Buannic, N., Cartraud, P., & Quesnel, T. (2003). Homogenization of corrugated core sandwich panels. *Composite Structures*, 59(3), 299–312. [https://doi.org/10.1016/S0263-8223\(02\)00246-5](https://doi.org/10.1016/S0263-8223(02)00246-5)

- Burlayenko, V. N., & Sadowski, T. (2009). Analysis of structural performance of sandwich plates with foam-filled aluminum hexagonal honeycomb core. *Computational Materials Science*, *45*, 658–662. <https://doi.org/10.1016/j.commatsci.2008.08.018>
- Burman, M., & Zenkert, D. (1997). Fatigue of foam core sandwich beams—1: undamaged specimens. *International Journal of Fatigue*, *19*(7), 551–561. [https://doi.org/10.1016/S0142-1123\(97\)00069-8](https://doi.org/10.1016/S0142-1123(97)00069-8)
- Chang, W., Ventsel, E., Krauthammer, T., & John, J. (2005). Bending behavior of corrugated-core sandwich plates, *70*, 81–89. <https://doi.org/10.1016/j.compstruct.2004.08.014>
- Che, L., Xu, G. D., Zeng, T., Cheng, S., Zhou, X. W., & Yang, S. C. (2014). Compressive and shear characteristics of an octahedral stitched sandwich composite. *Composite Structures*, *112*(1), 179–187. <https://doi.org/10.1016/j.compstruct.2014.02.012>
- Chen, C., Harte, A. M., & Fleck, N. A. (2001). Plastic collapse of sandwich beams with a metallic foam core. *International Journal of Mechanical Sciences*, *43*, 1483–1506. [https://doi.org/10.1016/S0020-7403\(00\)00069-2](https://doi.org/10.1016/S0020-7403(00)00069-2)
- Choi, H. S., & Jang, Y. H. (2010). Bondline strength evaluation of cocure/precured honeycomb sandwich structures under aircraft hygro and repair environments. *Composites Part A: Applied Science and Manufacturing*, *41*(9), 1138–1147. <https://doi.org/10.1016/j.compositesa.2010.04.012>
- Côté, F., Deshpande, V. S., Fleck, N. A., & Evans, A. G. (2006). The compressive and shear responses of corrugated and diamond lattice materials. *International Journal of Solids and Structures*, *43*, 6220–6242. <https://doi.org/10.1016/j.ijsolstr.2005.07.045>
- Crupi, V., & Montanini, R. (2007). Aluminium foam sandwiches collapse modes under static and dynamic three-point bending. *International Journal of Impact Engineering*, *34*(3), 509–521. <https://doi.org/10.1016/j.ijimpeng.2005.10.001>
- Dayyani, I., & Friswell, M. I. (2017). Multi-objective optimization for the geometry of trapezoidal corrugated morphing skins. *Structural and Multidisciplinary Optimization*, *55*(1), 331–345. <https://doi.org/10.1007/s00158-016-1476-4>
- Dayyani, I., Ziaei-rad, S., & Salehi, H. (2012). Numerical and Experimental Investigations on Mechanical Behavior of Composite Corrugated Core, 705–721. <https://doi.org/10.1007/s10443-011-9238-3>
- Dayyani, I., Ziaei-Rad, S., & Salehi, H. (2011). Numerical and Experimental Investigations on Mechanical Behavior of Composite Corrugated Core. *Applied Composite Materials*, *19*(3–4), 705–721. <https://doi.org/10.1007/s10443-011-9238-3>
- Elanchezhian, C., Ramnath, B. V., & Hemalatha, J. (2014). Mechanical Behaviour of Glass and

- Carbon Fibre Reinforced Composites at Varying Strain Rates and Temperatures. *Procedia Materials Science*, 6(Icmpc), 1405–1418. <https://doi.org/10.1016/j.mspro.2014.07.120>
- Evans, A. G., Hutchinson, J. W., Fleck, N. A., Ashby, M. F., & Wadley, H. N. G. (2001). The topological design of multifunctional cellular metals. In *Progress in Materials Science* (Vol. 46, pp. 309–327). [https://doi.org/10.1016/S0079-6425\(00\)00016-5](https://doi.org/10.1016/S0079-6425(00)00016-5)
- Foo, C. C., Chai, G. B., & Seah, L. K. (2007). Mechanical properties of Nomex material and Nomex honeycomb structure. *Composite Structures*, 80(4), 588–594. <https://doi.org/10.1016/j.compstruct.2006.07.010>
- Frank Xu, X., & Qiao, P. (2002). Homogenized elastic properties of honeycomb sandwich with skin effect. *International Journal of Solids and Structures*, 39(8), 2153–2188. [https://doi.org/10.1016/S0020-7683\(02\)00111-7](https://doi.org/10.1016/S0020-7683(02)00111-7)
- George, T., Deshpande, V. S., Sharp, K., & Wadley, H. N. G. (2014). Hybrid core carbon fiber composite sandwich panels: Fabrication and mechanical response. *Composite Structures*, 108(1), 696–710. <https://doi.org/10.1016/j.compstruct.2013.10.002>
- Grujicic, M., Galgalikar, R., Snipes, J. S., Yavari, R., & Ramaswami, S. (2013). Multi-physics modeling of the fabrication and dynamic performance of all-metal auxetic-hexagonal sandwich-structures. *Materials and Design*, 51, 113–130. <https://doi.org/10.1016/j.matdes.2013.04.004>
- Han, B., Qin, K., Yu, B., Zhang, Q., Chen, C., & Jian, T. (2015). Design optimization of foam-reinforced corrugated sandwich beams, 130, 51–62. <https://doi.org/10.1016/j.compstruct.2015.04.022>
- Harte, A., Fleck, N. A., & Ashby, M. F. (2001). The fatigue strength of sandwich beams with an aluminium alloy foam core, 23, 499–507.
- He, C., Chen, J., Wu, Z., Xie, J., Zu, Q., & Lu, Y. (2015). Simulated effect on the compressive and shear mechanical properties of bionic integrated honeycomb plates. *Materials Science & Engineering C*, 50, 286–293. <https://doi.org/10.1016/j.msec.2015.02.011>
- He, M., & Hu, W. (2008). A study on composite honeycomb sandwich panel structure. *Materials & Design*, 29(3), 709–713. <https://doi.org/10.1016/j.matdes.2007.03.003>
- He, W., Liu, J., Tao, B., Xie, D., Liu, J., & Zhang, M. (2016). Experimental and numerical research on the low velocity impact behavior of hybrid corrugated core sandwich structures. *Composite Structures*, 158, 30–43. <https://doi.org/10.1016/j.compstruct.2016.09.009>
- Heimbs, S. (2009). Virtual testing of sandwich core structures using dynamic finite element simulations. *Computational Materials Science*, 45, 205–216.

<https://doi.org/10.1016/j.commatsci.2008.09.017>

- Hou, S., Shu, C., Zhao, S., Liu, T., Han, X., & Li, Q. (2015). Experimental and numerical studies on multi-layered corrugated sandwich panels under crushing loading. *Composite Structures*, *126*, 371–385. <https://doi.org/10.1016/j.compstruct.2015.02.039>
- Hou, S., Zhao, S., Ren, L., Han, X., & Li, Q. (2013). Crashworthiness optimization of corrugated sandwich panels. *Materials and Design*, *51*, 1071–1084. <https://doi.org/10.1016/j.matdes.2013.04.086>
- Hu, Y., Li, W., An, X., & Fan, H. (2016). Fabrication and mechanical behaviors of corrugated lattice truss composite sandwich panels. *Composites Science and Technology*, *125*, 114–122. <https://doi.org/10.1016/j.compscitech.2016.02.003>
- Isaksson, P., Krusper, A., & Gradin, P. A. (2007). Shear correction factors for corrugated core structures, *80*, 123–130. <https://doi.org/10.1016/j.compstruct.2006.04.066>
- Ivañez, I., Santiuste, C., & Sanchez-Saez, S. (2010). FEM analysis of dynamic flexural behaviour of composite sandwich beams with foam core. *Composite Structures*, *92*, 2285–2291. <https://doi.org/10.1016/j.compstruct.2009.07.018>
- Jen, Y., & Chang, L. (2008). Evaluating bending fatigue strength of aluminum honeycomb sandwich beams using local parameters. *International Journal of Fatigue*, *30*(6), 1103–1114. <https://doi.org/10.1016/j.ijfatigue.2007.08.006>
- Kazemahvazi, S., Tanner, D., & Zenkert, D. (2009). Corrugated all-composite sandwich structures . Part 2 : Failure mechanisms and experimental programme. *Composites Science and Technology*, *69*(7–8), 920–925. <https://doi.org/10.1016/j.compscitech.2008.11.035>
- Kazemahvazi, S., & Zenkert, D. (2009). Corrugated all-composite sandwich structures. Part 1: Modeling. *Composites Science and Technology*, *69*, 913–919. <https://doi.org/10.1016/j.compscitech.2008.11.030>
- Kesler, O., & Gibson, L. . (2002). Size effects in metallic foam core sandwich beams. *Materials Science and Engineering: A*, *326*(2), 228–234. [https://doi.org/10.1016/S0921-5093\(01\)01487-3](https://doi.org/10.1016/S0921-5093(01)01487-3)
- Kiliçaslan, C., Güden, M., Odaci, I. K., & Taşdemirci, A. (2013). The impact responses and the finite element modeling of layered trapezoidal corrugated aluminum core and aluminum sheet interlayer sandwich structures. *Materials and Design*, *46*, 121–133. <https://doi.org/10.1016/j.matdes.2012.09.059>
- Kiliçaslan, C., Güden, M., Odaci, I. K., & Taşdemirci, A. (2014). Experimental and numerical studies on the quasi-static and dynamic crushing responses of multi-layer trapezoidal aluminum corrugated sandwiches. *Thin-Walled Structures*, *78*, 70–78.

<https://doi.org/10.1016/j.tws.2014.01.017>

- Konka, H. P., Wahab, M. a., & Lian, K. (2012). On Mechanical Properties of Composite Sandwich Structures With Embedded Piezoelectric Fiber Composite Sensors. *Journal of Engineering Materials and Technology*, 134(1), 11010. <https://doi.org/10.1115/1.4005349>
- Kooistra, G. W., & Wadley, H. N. G. (2007). Hierarchical Corrugated Core Sandwich Panel Concepts, 74(March). <https://doi.org/10.1115/1.2198243>
- Li, C., Ueno, R., & Lefebvre, V. (2006). Investigation of an Accelerated Moisture Removal Approach of a Composite Aircraft Control Surface. *Society for the Advancement*. Retrieved from [http://people.physics.carleton.ca/~rueno/files/ge\\_lic.pdf](http://people.physics.carleton.ca/~rueno/files/ge_lic.pdf)
- Lim, J. Y., & Bart-Smith, H. (2015). An analytical model for the face wrinkling failure prediction of metallic corrugated core sandwich columns in dynamic compression. *International Journal of Mechanical Sciences*, 92, 290–303. <https://doi.org/10.1016/j.ijmecsci.2015.01.002>
- Lim, J. Y., & Bart-Smith, H. (2016). High velocity compressive response of metallic corrugated core sandwich columns. *International Journal of Mechanical Sciences*, 106, 78–94. <https://doi.org/10.1016/j.ijmecsci.2015.12.010>
- Magnucka-blandzi, E., Magnucki, K., & Wittenbeck, L. (2015). Mathematical modeling of shearing effect for sandwich beams with sinusoidal corrugated cores. *Applied Mathematical Modelling*, 39(9), 2796–2808. <https://doi.org/10.1016/j.apm.2014.10.069>
- Magnucki, K., Magnucka-Blandzi, E., & Wittenbeck, L. (2014). Elastic bending and buckling of a steel composite beam with corrugated main core and sandwich faces-Theoretical study. *Applied Mathematical Modelling*, 40(2), 1276–1286. <https://doi.org/10.1016/j.apm.2015.06.035>
- Malcom, A. J., Aronson, M. T., Deshpande, V. S., & Wadley, H. N. G. (2013). Composites : Part A Compressive response of glass fiber composite sandwich structures. *Composites Part A*, 54, 88–97. <https://doi.org/10.1016/j.compositesa.2013.07.007>
- Mallick, P. K. (2007). *Fiber- Reinforced Composites* (Third). Michigan: Taylor & Francis Group.
- McElroy, M., Leone, F., Ratcliffe, J., Czabaj, M., & Yuan, F. G. (2015). Simulation of delamination-migration and core crushing in a CFRP sandwich structure. *Composites Part A: Applied Science and Manufacturing*, 79, 192–202. <https://doi.org/10.1016/j.compositesa.2015.08.026>
- Mohammadi, H., Ziaei-Rad, S., & Dayyani, I. (2015). An equivalent model for trapezoidal corrugated cores based on homogenization method. *Composite Structures*, 131, 160–170.

<https://doi.org/10.1016/j.compstruct.2015.04.048>

- Mohan, K., Yip, T. H., Idapalapati, S., & Chen, Z. (2011). Impact response of aluminum foam core sandwich structures. *Materials Science and Engineering A*, 529, 94–101. <https://doi.org/10.1016/j.msea.2011.08.066>
- Petras, A., & Sutcliffe, M. P. F. (1999). Failure mode maps for honeycomb sandwich panels. *Composite Structures*, 44, 237–252.
- Pora, J. (2001). Composite Materials in the Airbus A380 - From History to Future -. *Proceedings ICCM-13*, 1–10.
- Reany, J., & Grenestedt, J. L. (2009). Corrugated skin in a foam core sandwich panel. *Composite Structures*, 89(3), 345–355. <https://doi.org/10.1016/j.compstruct.2008.08.008>
- Rejab, M. R. M., & Cantwell, W. J. (2013). The mechanical behaviour of corrugated-core sandwich panels. *Composites Part B: Engineering*, 47, 267–277. <https://doi.org/10.1016/j.compositesb.2012.10.031>
- Rejab, M. R. M., Hassan, W. a. W., Siregar, J. P., & Bachtiar, D. (2014). Specific Properties of Novel Two-Dimensional Square Honeycomb Composite Structures. *Applied Mechanics and Materials*, 695, 694–698. <https://doi.org/10.4028/www.scientific.net/AMM.695.694>
- Rejab, M. R. M., Zaid, N. Z. M., Siregar, J. P., & Bachtiar, D. (2016). Scaling Effects for Compression Loaded of Corrugated-Core Sandwich Panels. *Advanced Materials Research*, 1133(November), 241–245. <https://doi.org/10.4028/www.scientific.net/AMR.1133.241>
- Rizov, V. I. (2006). Elastic–plastic response of structural foams subjected to localized static loads. *Materials & Design*, 27(10), 947–954. <https://doi.org/10.1016/j.matdes.2005.02.013>
- Saarimäki, E., & Ylinen, P. (2008). An investigation of non-destructive thermographic inspection exploiting phase transition of water for moisture detection in aircraft structures. *Review Literature And Arts Of The Americas*. <https://doi.org/10.1117/12.818114>
- Simulia. (2012). Getting Started with Abaqus: Interactive Edition. *Getting Started with Abaqus: Interactive Edition*, 4.50-4.54. Retrieved from [http://www.maths.cam.ac.uk/computing/software/abaqus\\_docs/docs/v6.12/pdf\\_books/GET\\_STARTED.pdf](http://www.maths.cam.ac.uk/computing/software/abaqus_docs/docs/v6.12/pdf_books/GET_STARTED.pdf)
- Smith, W. F., & Hashemi, J. (2001). *Foundations of Material Science and Engineering* (5th ed.). New York: McGraw-Hill.
- Styles, M., Compston, P., & Kalyanasundaram, S. (2007). The effect of core thickness on the

- flexural behaviour of aluminium foam sandwich structures. *Composite Structures*, 80, 532–538. <https://doi.org/10.1016/j.compstruct.2006.07.002>
- Thill, C., Etches, J. A., Bond, I. P., Potter, K. D., Weaver, P. M., & Wisnom, M. R. (2010). Investigation of trapezoidal corrugated aramid/epoxy laminates under large tensile displacements transverse to the corrugation direction. *Composites Part A: Applied Science and Manufacturing*, 41(1), 168–176. <https://doi.org/10.1016/j.compositesa.2009.10.004>
- Tian, Y. S., & Lu, T. J. (2005). Optimal design of compression corrugated panels. *Thin-Walled Structures*, 43(3), 477–498. <https://doi.org/10.1016/j.tws.2004.07.014>
- Vaidya, S., Zhang, L., Maddala, D., Hebert, R., Wright, J. T., Shukla, A., & Kim, J. (2015). Quasi-static response of sandwich steel beams with corrugated cores. *Engineering Structures*, 97, 80–89. <https://doi.org/10.1016/j.engstruct.2015.04.009>
- Xu, G., Yang, F., Zeng, T., Cheng, S., & Wang, Z. (2016). Bending behavior of graded corrugated truss core composite sandwich beams. *Composite Structures*, 138, 342–351. <https://doi.org/10.1016/j.compstruct.2015.11.057>
- Yan, L. L., Han, B., Yu, B., Chen, C. Q., Zhang, Q. C., & Lu, T. J. (2014). Three-point bending of sandwich beams with aluminum foam-filled corrugated cores, 60, 510–519. <https://doi.org/10.1016/j.matdes.2014.04.014>
- Yan, L. L., Yu, B., Han, B., Chen, C. Q., Zhang, Q. C., & Lu, T. J. (2013). Compressive strength and energy absorption of sandwich panels with aluminum foam-filled corrugated cores, 86, 142–148. <https://doi.org/10.1016/j.compscitech.2013.07.011>
- Yazici, M., Wright, J., Bertin, D., & Shukla, A. (2014). Experimental and numerical study of foam filled corrugated core steel sandwich structures subjected to blast loading. *Composite Structures*, 110, 98–109. <https://doi.org/10.1016/j.compstruct.2013.11.016>
- Yokozeiki, T., Takeda, S. ichi, Ogasawara, T., & Ishikawa, T. (2006). Mechanical properties of corrugated composites for candidate materials of flexible wing structures. *Composites Part A: Applied Science and Manufacturing*, 37, 1578–1586. <https://doi.org/10.1016/j.compositesa.2005.10.015>
- Zhang, P., Liu, J., Cheng, Y., Hou, H., Wang, C., & Li, Y. (2015). Dynamic response of metallic trapezoidal corrugated-core sandwich panels subjected to air blast loading – An experimental study. *Journal of Materials & Design*, 65, 221–230. <https://doi.org/10.1016/j.matdes.2014.08.071>
- Zhao, H., Elnasri, I., & Girard, Y. (2007). Perforation of aluminium foam core sandwich panels under impact loading-An experimental study. *International Journal of Impact Engineering*, 34, 1246–1257. <https://doi.org/10.1016/j.ijimpeng.2006.06.011>