

REFERENCES

- Almeida, G., Brito, J. O., & Perré, P. (2010). Alterations in energy properties of eucalyptus wood and bark subjected to torrefaction: the potential of mass loss as a synthetic indicator. *Bioresource technology*, 101(24), 9778-9784.
- Asadullah, M., Adi, A. M., Suhada, N., Malek, N. H., Saringat, M. I., & Azdarpour, A. (2014). Optimization of palm kernel shell torrefaction to produce energy densified bio-coal. *Energy Conversion and Management*, 88, 1086-1093.
- Bach, Q. V., Chen, W. H., Chu, Y. S., & Skreiberg, Ø. (2016). Predictions of biochar yield and elemental composition during torrefaction of forest residues. *Bioresource technology*, 215, 239-246.
- Bates, R. B., & Ghoniem, A. F. (2012). Biomass torrefaction: modeling of volatile and solid product evolution kinetics. *Bioresource technology*, 124, 460-469.
- Bridgeman, T. G., Jones, J. M., Shield, I., & Williams, P. T. (2008). Torrefaction of reed canary grass, wheat straw and willow to enhance solid fuel qualities and combustion properties. *Fuel*, 87(6), 844-856.
- Chen, W. H., Liu, S. H., Juang, T. T., Tsai, C. M., & Zhuang, Y. Q. (2015). Characterization of solid and liquid products from bamboo torrefaction. *Applied Energy*, 160, 829-835.
- Chen, W. H., & Kuo, P. C. (2011). Torrefaction and co-torrefaction characterization of hemicellulose, cellulose and lignin as well as torrefaction of some basic constituents in biomass. *Energy*, 36(2), 803-811.
- Chin, K. L., H'ng, P. S., Go, W. Z., Wong, W. Z., Lim, T. W., Maminski, M., ... & Luqman, A. C. (2013). Optimization of torrefaction conditions for high energy density solid biofuel from oil palm biomass and fast growing species available in Malaysia. *Industrial crops and products*, 49, 768-774.
- Chiou, B. S., Valenzuela-Medina, D., Bilbao-Sainz, C., Klamczynski, A. K., Avena-Bustillos, R. J., Milczarek, R. R., ... & Orts, W. J. (2015). Torrefaction of pomaces and nut shells. *Bioresource technology*, 177, 58-65.
- Dahlquist, E. & A. Lestander, T. (2013). *Biomass as energy source* (1st ed., pp. 43). Leiden, The etherlands: CRC Press/Balkema. Balkema.

Darwish, M., Aris, A., Puteh, M. H., Jusoh, M. N. H., & Kadir, A. A. (2016). Waste bones ash as an alternative source of P for struvite precipitation. *Journal of environmental management*.

Deng, J., Wang, G. J., Kuang, J. H., Zhang, Y. L., & Luo, Y. H. (2009). Pretreatment of agricultural residues for co-gasification via torrefaction. *Journal of Analytical and Applied Pyrolysis*, 86(2), 331-337.

Desideri, U. & Fantozzi, F. (2013). *technologies for converting biomass to useful energy* (4th ed., pp. 129-136). London: CRC Press Taylor & Francis Group.

Dhungana, A., Dutta, A., & Basu, P. (2012). Torrefaction of non-lignocellulose biomass waste. *The Canadian Journal of Chemical Engineering*, 90(1), 186-195.

Donahue, C. J., & Rais, E. A. (2009). Proximate analysis of coal. *J. Chem. Educ*, 86(2), 222.

Ghassemi, H., Beheshti, S. M., & Shahsavan-Markadeh, R. (2015). Mathematical modeling of extra-heavy oil gasification at different fuel water contents. *Fuel*, 162, 258-263.

Gomez, L. D., Steele-King, C. G., & McQueen-Mason, S. J. (2008). Sustainable liquid biofuels from biomass: the writing's on the walls. *New Phytologist*, 178(3), 473-485.

Gong, C., Huang, J., Feng, C., Wang, G., Tabil, L., & Wang, D. (2016). Effects and mechanism of ball milling on torrefaction of pine sawdust. *Bioresource technology*, 214, 242-247.

Grant, N., & Clarke, A. (2010). Biomass-a burning issue. *The Association for Environment*, 2-5.

Idris, A., B. Inane and M. N. Hassan. 2004. Overview of Waste Disposal and Landfills/Dumps in Asian Countries. *Journal of Material Cycles and Waste Management*. 6: 104–110.

Kaliyan, N., Morey, R. V., Tiffany, D. G., & Lee, W. F. (2014). Life cycle assessment of a corn stover torrefaction plant integrated with a corn ethanol plant and a coal fired power plant. *Biomass and Bioenergy*, 63, 92-100.

Kathiravale, S., Yunus, M. N. M., Sopian, K., Samsuddin, A. H., & Rahman, R. A. (2003). Modeling the heating value of Municipal Solid Waste ☆. *Fuel*, 82(9), 1119-1125.

Kathrivale, S., Yunus, M. N. M., Sopian, K., and Samsuddin, A. H. (2003) Energy potentation from municipal solid waste in Malaysia. *Renewable Energy*, 29, 559-567.

Kathirvale, S., Yunus, M. N. M., Sopian, K., & Samsuddin, A. H. (2004). Energy potential from municipal solid waste in Malaysia. *Renewable energy*, 29(4), 559-567.

Kim, M. H., and Kim, J. W. (2010) Comparison through a LCA evaluation analysis of food waste disposal options from the perspective of global warming and resource recovery. *Science of the Total Environment*, 408 (19), 3998-4006.

Lee, S. H., Choi, K. I., Osako, M. and Jong-In Dong, J. I. (2007) Evaluation of environmental burdens caused by changes of food waste management systems in Seoul, Korea. *Science of The Total Environment*, 387 (1-3) 42-53.

Lee, J. W., Kim, Y. H., Lee, S. M., & Lee, H. W. (2012). Optimizing the torrefaction of mixed softwood by response surface methodology for biomass upgrading to high energy density. *Bioresource technology*, 116, 471-476.

Mangut, V., Sabio, E., Gañán, J., González, J. F., Ramiro, A., González, C. M., ... & Al-Kassir, A. (2006). Thermogravimetric study of the pyrolysis of biomass residues from tomato processing industry. *Fuel Processing Technology*, 87(2), 109-115.

Mani, S., Tabil, L. G., & Sokhansanj, S. (2006). Effects of compressive force, particle size and moisture content on mechanical properties of biomass pellets from grasses. *Biomass and Bioenergy*, 30(7), 648-654.

McKendry, P. (2002). Energy production from biomass (part 1): overview of biomass. *Bioresource technology*, 83(1), 37-46.

Medic, D., Darr, M., Shah, A., Potter, B., & Zimmerman, J. (2012). Effects of torrefaction process parameters on biomass feedstock upgrading. *Fuel*, 91(1), 147-154.

Mohanty, P., Nanda, S., Pant, K. K., Naik, S., Kozinski, J. A., & Dalai, A. K. (2013). Evaluation of the physiochemical development of biochars obtained from pyrolysis of wheat straw, timothy grass and pinewood: effects of heating rate. *Journal of Analytical and Applied Pyrolysis*, 104, 485-493.

Omar, R., Idris, A., Yunus, R., Khalid, K., & Isma, M. A. (2011). Characterization of empty fruit bunch for microwave-assisted pyrolysis. *Fuel*, 90(4), 1536-1544. 1544.

Pandey, A., Negi, S., Binod, P., & Larroche, C. (2015). *Pretreatment of biomass* (1st ed., pp.173-185). Amsterdam, Netherlands.

Parikh, J., Channiwala, S. A., & Ghosal, G. K. (2005). A correlation for calculating HHV from proximate analysis of solid fuels. *Fuel*, 84(5), 487-494.

Pimchuai, A., Dutta, A., & Basu, P. (2010). Torrefaction of agriculture residue to enhance combustible properties†. *Energy & Fuels*, 24(9), 4638-4645.

Poudel, J., Ohm, T. I., & Oh, S. C. (2015). A study on torrefaction of food waste. *Fuel*, 140, 275-281.

Prins, M. J., Ptasiński, K. J., & Janssen, F. J. (2006). Torrefaction of wood: Part 1. Weight loss kinetics. *Journal of analytical and applied pyrolysis*, 77(1), 28-34.

Rossini, G., Toscano, G., Duca, D., Corinaldesi, F., Pedretti, E. F., & Riva, G. (2013). Analysis of the characteristics of the tomato manufacturing residues finalized to the energy recovery. *Biomass and Bioenergy*, 51, 177-182.

Rousset, P., Fernandes, K., Vale, A., Macedo, L., & Benoist, A. (2013). Change in particle size distribution of Torrefied biomass during cold fluidization. *Energy*, 51, 71-77.

Sabil, K. M., Aziz, M. A., Lal, B., & Uemura, Y. (2013). Effects of torrefaction on the physiochemical properties of oil palm empty fruit bunches, mesocarp fiber and kernel shell. *Biomass and Bioenergy*, 56, 351-36.

Saeed, M. O., Hassan, M.N., and Mujeebu, M. A.(2009) Assessment of municipal solid wastegeneration and recyclacle materials potential inKuala Lumpur, Malaysia. *Waste Management*,29, 2209-2213. recovery. *Science of theTotal Environment*, 408 (19), 3998-4006.

Singh, Y. D., Mahanta, P., & Bora, U. (2016). Comprehensive characterization of lignocellulosic biomass through proximate, ultimate and compositional analysis for bioenergy production. *Renewable Energy*.

Sulaiman, M. H., Uemura, Y., & Azizan, M. T. (2016). Torrefaction of Empty Fruit Bunches in Inert Condition at Various Temperature and Time. *Procedia Engineering*, 148, 573-579.

Toscano, G., Pizzi, A., Pedretti, E. F., Rossini, G., Ciceri, G., Martignon, G., & Duca, D. (2015). Torrefaction of tomato industry residues. *Fuel*, 143, 89-97.

Tumuluru, J. S., Boardman, R., & Wright, C. (2010). 2010 AIChE Annual Meeting.

Tumuluru, J. S. (2015). Comparison of Chemical Composition and Energy Property of Torrefied Switchgrass and Corn Stover. *Frontiers in Energy Research*, 3, 46.

Uemura, Y., Omar, W. N., Tsutsui, T., & Yusup, S. B. (2011). Torrefaction of oil palm wastes. *Fuel*, 90(8), 2585-2591.

Uemura, Y., Omar, W., Othman, N. A., Yusup, S., & Tsutsui, T. (2013). Torrefaction of oil palm EFB in the presence of oxygen. *Fuel*, 103, 156-160.

Uemura, Y., Matsumoto, R., Saadon, S., & Matsumura, Y. (2015). A study on torrefaction of *Laminaria japonica*. *Fuel Processing Technology*, 138, 133-138.

Werner, K., Pommer, L., & Broström, M. (2014). Thermal decomposition of hemicelluloses. *Journal of Analytical and Applied Pyrolysis*, 110, 130-137.

Yang, Z., Sarkar, M., Kumar, A., Tumuluru, J. S., & Huhnke, R. L. (2014). Effects of torrefaction and densification on switchgrass pyrolysis products. *Bioresource technology*, 174, 266-273.

Zhang, L., Xu, C. C., & Champagne, P. (2010). Overview of recent advances in thermochemical conversion of biomass. *Energy Conversion and Management*, 51(5), 969-982.