

Photovoltaic power system simulation for small industry area

M. Anwari^a; M. I. M. Rashid^b; H. I. Hui^c; T. W. Yee^c; C. K. Wee^c

^aElectrical Engineering Department Umm Al-Qura University Makkah 21955, Saudi Arabia

^bFaculty of Electrical and Electronics Engineering Universiti Malaysia Pahang 26600 Pekan,
Pahang, Malaysia

^cFaculty of Electrical Engineering Universiti Teknologi Malaysia 81310 UTM Skudai, Malaysia

ABSTRACT

In this paper, modeling and simulation of 1MW grid connected PV system is simulated using National Renewable Energy Laboratory's (NREL) HOMER software, and the optimum system is analyzed to see the economic feasibility of the system in a small industry area in Malacca, Malaysia. The system is expected to foresee reduced grid energy consumption. Emphasis is also placed on reduction of green house gases emission. HOMER will simulate the system and perform optimization of system according to the available usage data and the available renewable energy (sun radiation) data. The lifecycle and cost of each system modules will also affect the optimization duly. In addition, HOMER also performs optimizations according to different assumption of uncertain factors to gauge the effect of sensitivity list.

KEYWORDS

PV; Solar power; Grid Connected; Renewable Energy; HOMER simulation

REFERENCES

1. K.Y. Lau, M.F.M. Yousof, S.N.M. Arshad, M. Anwari, A.H.M. Yatim, "Performance analysis of hybrid photovoltaic/diesel energy system under Malaysian conditions" Elsevier Energy 35 (2010).
2. Malaysia Building Integrated Photovoltaic Project, <http://www.mbipv.net.my>.
3. Ministry of Energy, Green Technology and Water, National Renewable Energy Policy and Action Plan, April 2010.
4. Berita Harian (newspaper), "Rembia-Melaka Pindah kawasan pembangunan teknologi hijau", 28 May 2010
5. HOMER, National Renewable Energy Laboratory (NREL), <http://www.nrel.gov/homer>