

## Effect of thermolysis condition on characteristics and nonsteroidal anti-inflammatory drugs (NSAIDs) adsorbability of Fe-MIL-88B-derived mesoporous carbons

*Thuan Van Tran<sup>a,b</sup>, Duyen Thi Cam Nguyen<sup>a,c</sup>, Hanh T.N. Le<sup>d</sup>, Long Giang Bach<sup>a,e</sup>, Dai-Viet N.Vo<sup>a,f</sup>, To-Uyen T. Dao<sup>a,b</sup>, Kwon Taek Lim<sup>g</sup>, Trinh Duy Nguyen<sup>a,b</sup>*

<sup>a</sup> Center of Excellence for Green Energy and Environmental Nanomaterials (CE@GrEEN), Nguyen Tat Thanh University, 300A Nguyen Tat Thanh, District 4, Ho Chi Minh City 755414, Viet Nam

<sup>b</sup> NTT Hi-Tech Institute, Nguyen Tat Thanh University, 300A Nguyen Tat Thanh, District 4, Ho Chi Minh City 755414, Viet Nam

<sup>c</sup> Department of Pharmacy, Nguyen Tat Thanh University, 298–300A Nguyen Tat Thanh, Ward 13, District 4, Ho Chi Minh City 700000, Viet Nam

<sup>d</sup> Institute of Hygiene and Public Health, 159 Hung Phu, Ward 8, District 8, Ho Chi Minh City 700000, Viet Nam

<sup>e</sup> Center of Excellence for Functional Polymers and NanoEngineering, Nguyen Tat Thanh University, 300A Nguyen Tat Thanh, District 4, Ho Chi Minh City 755414, Viet Nam

<sup>f</sup> Faculty of Chemical & Natural Resources Engineering, Universiti Malaysia Pahang, Lebuhraya Tun Razak, 26300 Gambang, Kuantan, Pahang, Malaysia

<sup>g</sup> Department of Display Engineering, Pukyong National University, Busan, 608-737, South Korea

### ABSTRACT

Discharge of nonsteroidal anti-inflammatory drugs (NSAIDs) from wastewater has been increasingly alarmed, led to the advent of the treatment techniques. Among these methods, adsorption is regarded as a tunable and green approach with the utilization of mesoporous carbon (MC) as an efficient and recyclable adsorbent. Herein, we described the strategy for the synthesis of novel MC from Fe-MIL-88B as a self-sacrificial template. Three thermolysis temperatures (550, 750, and 950 °C) were investigated to compare the structural characteristics and adsorbability towards selected NSAIDs compounds including diclofenac sodium (DCF), aspirin (APR), and ibuprofen (IBU). Effect of contact time (0–480 min), concentration (10–40 mg/L), pH (2–10), and MC dosage (0.1–0.5 g/L) was systematically studied. Kinetic and isotherm models were also used to find out the adsorption mechanism and behavior of NSAIDs pharmaceutical over MC materials. Proposed mechanism and recyclability test were rigorously studied to gain more insight into how the NSAIDs molecules adsorb on the MC materials and their potential towards drug treatment.

**KEYWORDS**

Nonsteroidal anti-inflammatory drugs; Metal-organic frameworks; Mesoporous carbon; Pyrolysis; Fe-MIL-88B

**ACKNOWLEDGMENT**

This research is funded by Vietnam National Foundation for Science and Technology Development (NAFOSTED) under grant number 104.05-2018.336.