

## Current research and development status of dissimilar materials laser welding of titanium and its alloys

*M. M. Quazi<sup>a</sup>, M. Ishak<sup>a</sup>, M. A. Fazal<sup>b</sup>, A. Arslan<sup>c</sup>, Saeed Rubaiee<sup>b,d</sup>, Abdullah Qaban<sup>e</sup>, M. H. Aiman<sup>a</sup>, Tipu Sultan<sup>f</sup>, M. M. Ali<sup>g</sup>, S. M. Manladan<sup>h</sup>*

<sup>a</sup> Faculty of Mechanical and Automotive Engineering Technology, Universiti Malaysia Pahang, 26600 Pekan, Pahang, Malaysia

<sup>b</sup> Department of Mechanical and Materials Engineering, University of Jeddah, Saudi Arabia

<sup>c</sup> Department of Mechanical Engineering, COMSATS University Islamabad, Sahiwal Campus, Sahiwal 57000, Pakistan

<sup>d</sup> Department of Industrial and Systems Engineering, University of Jeddah, Saudi Arabia

<sup>e</sup> Department of Mechanical Engineering and Aeronautics, City, University of London, London, UK

<sup>f</sup> Department of Restorative Dentistry, Faculty of Dentistry, University of Malaya, Kuala Lumpur, Malaysia

<sup>g</sup> Optical Fibre Sensors Research Centre, Department of Electronic and Computer Engineering, University of Limerick, Limerick, Ireland

<sup>h</sup> Department of Mechanical Engineering, Faculty of Engineering, Bayero University, Kano, 3011 Kano, Nigeria

### ABSTRACT

Since its inception, laser beam welding as a high-quality fusion joining process has ascertained itself as an established and state of art technology exhibiting tremendous growth in a broad range of industries. This article provides a current state of understanding and detailed review of laser welding of titanium (Ti) alloys with corresponding dissimilar counterparts including steel, aluminium, magnesium, nickel, niobium, copper, etc. Particular emphasis is placed on the influence of critical processing parameters on the metallurgical features, tensile strength, hardness variation, percentage elongation and residual stress. Process modifications to improve dissimilar laser weldability by virtue of techniques such as laser offsetting, split beam, welding-brazing, hybrid welding and materials modifications by means of the introduction of single or multiple interlayers, fillers and pre-cut grooves are exploited. Detailed and comprehensive investigations on the phenomena governing the formation and distribution of the intermetallic phase, material flow mechanisms, their relations with laser parameters and their corresponding impact on the microstructural, geometrical and mechanical aspects of the welds are thoroughly examined. The critical issues related to the evolution of defects and the corresponding remedial measures applied are explored and the characteristics of fracture features reported in the literature are summarised in thematic tables. The purpose of this review is tantamount to emphasise the benefits and the growing trend of laser welding of Ti alloys in the academic sector to better exploit the process in the industry so that the applications are explored to a greater extent.

### KEYWORDS

Airport; Glare impact; PV potential; Site suitability; Solar

**ACKNOWLEDGEMENT**

The work was supported by Ministry of Higher Education Malaysia, RDU192608 (RACER /1/2019/TK03/UMP//3). This work was also funded by University Malaysia Pahang, Grant No.RDU1903119 and RDU1903118.