

Factors influencing the success of information systems in flood early warning and response systems context

Waleed A. Hammood¹, Salwana Mohamad @Asmara², Ruzaini A Arshah³, Omar A. Hammood⁴, Hussam Al Halbusi⁵, Mohammed Abdullah Al-Sharafi⁶

^{1,2,3,4,6}Faculty of Computing, College of Computing and Applied Sciences, Universiti Malaysia Pahang, Malaysia

⁵Department of Business Strategy and Policy, Faculty of Business and Accountancy, University of Malaya, Malaysia

Article Info

Article history:

Received Nov 24, 2019

Revised Jul 6, 2020

Accepted Jul 29, 2020

Keywords:

Disaster management

Flood

Flood early warning and response system

Information systems success

Technology adoption

ABSTRACT

Flash flood is a natural disaster that often occurs after heavy rain, and it is getting more common nowadays. The flood early warning and response system (FEWRS) can be installed to minimize the level of damage and the number of casualties due to flood by providing accurate and reliable flood data. Unfortunately, the existing number of studies detailing on the factors affecting the efficiency of FEWRS in flood disaster is quite limited. The above issue is addressed in the current work, which involves conducting a comprehensive literature review on the factors that drive the effectiveness of information systems (IS) in FEWRS. The current analysis was based on the Wymer and Regan's standards. From the 66 factors identified from the previous studies on IS adoption, the most significant factors affecting the effectiveness of FEWRS are: system quality, information quality, user satisfaction, service quality, use, perceived usefulness, intention to use, net benefits, perceived ease of use, compatibility, user experience, relative advantage, complexity, perceived risks, educational quality, and confirmation, these factors can be constructed to the success model to address the effectiveness of FEWRS in disaster management.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Waleed A. Hammood,

Faculty of Computing, College of Computing and Applied Sciences,

Universiti Malaysia Pahang,

Lebuhraya Tun Razak, 26300 Gambang, Kuantan, Pahang, Malaysia.

Email: engwaleed54@yahoo.com

1. INTRODUCTION

Flood is a natural phenomenon caused by earthquakes, tsunamis, hurricanes, etc. [1, 2]. The rising number of flash floods has endangered the lives of villagers along the river bank due to urban modernization. Over the last two decades, flash floods have become more frequent and damaging [3], due to the climate change (greenhouse effect) [4]. It is estimated that a global loss in major coastal cities due to flood alone could exceed \$1 trillion per annum by 2050 due to flood alone 2050 [3], building dike can mitigate the amount of flood damage; however, construction work can be expensive. The level of risk due to flooding is currently more severe now than that of other weather-related disasters [5], as more casualties are anticipated in the former. Previous studies have shown that structural engineering strategy alone cannot overcome flood hazard completely. Annually, the number of victims due to floods is increased. Hence, the significance of the flood early warning and response system (FEWRS) is a crucial in-flood risk. In this context of the study, it is necessary to address the factors that contribute to the success of FEWRS in the system to improve the

efficiency and effectiveness of the system [6]. Although the FEWRS has been established in which its reliability is guided by the quality of information, degree of knowledge-sharing culture, and efficacy of communication but still not dramatically efficient to those in danger. This non-structural method is assumed to help reduce the expense of flood control and the number of casualties [7]. In developing countries including those in Asia, the population level is comparatively high in the area of flood-prone rivers. Unfortunately in these countries, the potential for FEWRS is very small. Undoubtedly, the precise forecast of water movement dynamics of flood-prone areas is essential to the creation of a successful flood alarm and flood control plan. Over the last 3 decades [8, 9], Many mitigation measures (i.e programs designed to inform people about potential hazards, disaster preparedness plans, and legislation designed to limit risk by building standards) have elements of local public goods in that they provide benefits to a community as a whole. In fact, local governments play an important role in the mitigation flood risk as

The FEWRS is essentially a part of information system (IS) that can be used to minimize the risk due to flood [10]. FEWRS is used to provide instant flood information using the signal transmitted by early warning centers. According to Sättele *et al.* [11], there are three stages of flood disaster, i.e. pre-disaster, during-disaster, and post-disaster. These stages should be considered in the design of FEWRS. Of course, advance warning and pre-planning measures can be included in FEWRS to further reduce the level of damage due to flood. The advantage of IS that can deploy on the model of FEWRS will provide information on the factors affecting the success of the FEWRS. According to Baudoin *et al.* and Meyer [8, 12], information-based disaster tool such as FEWRS can be adopted to forecast and to provide recommendation to decision makers on natural disasters based on factors that contribute to the success of FEWRS [8, 13, 14]. Hence, information-based disaster tools should be able to predict the likelihood of a disaster and to provide ample time for evacuation purpose. In fact, existing FEWRSs are unable to provide information on natural disasters effectively [7, 15], and they are ineffective in mitigating flood disasters during pre-disaster, during-disaster, and post-disaster stages [16, 17]. To this end, IS academicians such as Baudoin *et al.* [8] argued that information system is useful for improving the efficiency and the effectiveness of disaster-handling activities. IS success becoming a significant problem in the IS sector. Many experiments have sought to clarify whether an organization succeeds, but what is most important for us is to consider how an IS influences organizational success. Therefore, factors affecting the effectiveness of FEWRS should be properly studied; however, the factors on this area is rather limited. A model should be developed to address the factors affecting the system's effectiveness and to evaluate the effectiveness of FEWRS [3]. The current systems are ineffective in reducing the impact of flood disaster [2, 18], mainly due to the lack of information on the factors that contribute to the success of these systems [19-25].

In this paper, the success factors affecting the FEWRS has been addressing since there are limited study focuses on this issue, the success factors help the disaster management to evaluate the system of FEWRS easily and the weak of the design of the system. Many IS models have been developed to predicting and explaining the user behavior in IS field. As such, these factors can be constructed to the success model to address the effectiveness of FEWRS in disaster management. For instance, the popular IS success model is the one proposed by DeLon & McLean (D&M) [26]. The D&M model is built by assuming that the overall system use is an indication of IS success [27], which is supported by other researchers. In such a study the issue of how we assess success is important. In 1992 William H. DeLone and Ephraim R. McLean [26] developed their first IS success model to be able to recognize and measure IS success in an e-commerce context.

Centered on a taxonomy that incorporates all the multiple metrics used to determine IS success in the IS literature, their model aims to explain how each of the suggested dimensions of IS success is linked to each other. Assume that the e-commerce environment is a specific setting for analyzing the success of DeLone and McLean's IS model, as the system itself is important for the market, without it there will be no company-customer relationship. The system is therefore not unique to the organization; it serves the client in its main application, not corporate workers. Finally, the website's features are standard, easy to interpret, and match the various dimensions of the DeLone and McLean models. Their model offers a point of starting from which to develop and improve all the further work. Researchers have shown strong interest in this model, as cited in over 300 publications aimed at explaining IS success [26, 28]. This study has been selected 16 factors from the previous study which in an IS success field to help the researchers in selecting the most relevant factors to apply in the FEWRS model [29].

2. RESEARCH METHOD

The primary aim of this study is to incorporate the most crucial factors affecting the effectiveness of IS in context of FEWRS model. In order to meet this objective, literature review on IS success adoption is conducted. The factors affecting the effectiveness of IS are taken from Hong and Kim [30]. The first step is to identify all the relevant factors. From the literature review (40 papers), there are 66 factors as shown in Table 1 reported to date. The exclusion/inclusion criteria have been developed for the selection process. Only articles published from 2014-2019 are included in the search criter

The second step is to reorganize and alphabetize the factor, consolidate them and eliminate those repeating factors defined with different terminology. Then, the collection of unified factors was defined. This will subsequently map to the data of all authors who examined those variable and excluded the factors contained in the list at the individual level. Finally, a total of 16 factors are classified based on the frequency appeared in the literature and the relative importance of the research findings are subsequently reported.

Table 1. Factors extracted from the literature

Factors	Sources	F*	Factors	Sources	F*
System Quality	[19, 21-23, 27, 31-53]	29	Focused Immersion	[48]	1
Information Quality	[21-23, 27, 31-54]	28	Knowledge of Data Science	[47]	1
User Satisfaction	[19, 21-23, 27, 31, 33-40, 42-44, 48, 51, 53, 55-57]	26	Social Norms	[47]	1
Service Quality	[19, 21, 23, 27, 31-43, 46, 50, 51, 55, 57]	23	Stickiness Intention	[34]	1
Use	[19, 21-23, 33, 37, 40, 44, 45, 48, 50, 51, 57]	13	Behavioral Control	[47]	1
Perceived Usefulness	[19, 27, 33, 36, 37, 39, 45, 48, 49, 55, 56]	12	Computer Web Skills	[55]	1
Intention to Use	[19, 27, 31-33, 35, 38, 41, 42, 46, 47, 55]	12	Habit	[23]	1
Net Benefits	[22, 31, 33, 36, 38, 39, 44, 47]	8	Referent Network Size	[45]	1
Perceived Ease of Use	[19, 35, 48, 49, 55]	7	Flow	[45]	1
User Experience	[35, 36, 50]	3	IS Project Success	[40]	1
Compatibility	[52, 53, 58]	3	IS Utilization	[54]	1
Perceived Risks	[23, 55]	2	Perceived KMS Output Quality	[56]	1
Relative Advantage	[52, 53]	2	Goals	[54]	1
Complexity	[52, 58]	2	Challenges	[54]	1
Educational Quality	[19, 35]	2	Extrinsic Rewards	[56]	1
Confirmation	[23, 48]	2	Organizational Trust	[56]	1
Transformational Leadership	[21]	1	Attitude	[42]	1
Performance Impact	[21]	1	Management Support	[43]	1
Decision Making Process	[32]	1	Compatibility	[43]	1
Trust in Sellers	[57]	1	Perceived Behavioral Control	[43]	1
Trust in Website	[57]	1	Complexity	[43]	1
Reputation of Sellers	[57]	1	Individual Impact	[43]	1
Reputation of Website	[57]	1	Organizational Impact	[43]	1
Perceived Size of Sellers	[57]	1	managerial IT Capability	[59]	1
Perceived Size of Website	[57]	1	Technical IT Capability	[59]	1
Perceived Value	[34]	1	Relational IT Capability	[59]	1
Effort Expectancy	[27]	1	Cloud Success	[59]	1
Trust Government	[36]	1	RL Cost Effectiveness	[54]	1
Temporal dissociation	[48]	1	Social Influence	[33]	1
Relationship Commitment	[34]	1	Trust in E-government Website	[36]	1
Organizational Results	[51]	1	Firm Performance	[59]	1
Perceived Complementarity	[45]	1			
Adoption Intention	[49]	1			
Focused Immersion	[48]	1			

F* Frequency

3. RESULTS AND ANALYSIS

In this This section presents the findings of this study. Many decision makers are unable to get the best return from FEWRS due to the lack of comprehensive understanding of factors affecting the effectiveness of IS in meeting the requirement of FEWRS. The most crucial factors affecting the effectiveness of IS in disaster management are sought in this research. As stated earlier, a total of 66 factors have been extracted. Table 2 shows the most popular factors. As seen, there are sixteen popular factors affecting IS adoption [6, 19, 21-23, 27, 31-43, 46, 50-53, 55, 57].

From Table 2, the information quality and the system quality are the most important factors. These factors determine the successful adoption of IS in both individual and organization levels. In literature, different terminologies are used to address the same factor. For instance, terms such as net benefits [51], success of IS [21], and technology characteristics [60, 61] have been used to describe the system quality along information quality. Also, the term compatibility has been used to describe the compatibility of human characteristics in using IS [60].

Table 2. Most popular success factors

Factors	Sources	Factors	Sources
System Quality	[19, 21-23, 27, 31-53]	Perceived Ease of Use	[19, 35, 48, 49, 55]

Information Quality	[21-23, 27, 31-54]	Compatibility	[52, 53, 58]
User Satisfaction	[19, 21-23, 27, 31, 33-40, 42-44, 48, 51, 53, 55-57]	User Experience	[35, 36, 50]
Service Quality	[19, 21, 23, 27, 31-43, 46, 50-53, 55, 57]	Relative Advantage	[52, 53]
Use	[19, 21-23, 33, 37, 40, 44, 45, 48, 50, 51, 57]	Complexity	[52, 58]
Perceived Usefulness	[19, 27, 33, 36, 37, 39, 45, 48, 49, 55, 56]	Perceived Risks	[23, 55]
Intention to Use	[19, 27, 31-33, 35, 38, 41, 42, 46, 47, 55]	Educational Quality	[19, 35]
Net Benefits	[22, 31, 33, 36, 38, 39, 44, 47]	Confirmation	[23, 48]

4. CONCLUSION

The flood hazard mitigation technique mainly involves the use of an engineering approach which could be costly and challenging. For example, it is difficult to find suitable areas for constructing dikes. Apparently, the risk due to flood is more severe than those due to other types of natural disasters, as excessive urbanization has led to global climate change inevitably. The FEWRS is one of the non-structural examples introduced to reduce the risk of flood hazards. The main aim of FEWRS is to save lives and to reduce the level of flood damage. However, due to information lacking, the implementation of FEWRS is still unsuccessful. To address this gap, factors affecting the success of FEWRS are identified. Information system success is one of the most crucial creations in the history of IS [26]. In most cases, organizations using FEWRS find that it is challenging to evaluate the effectiveness of these systems, as practical understanding on how quality factors are related to the use of information within the systems is rather limited. Factors such as quality, information, service, and use are commonly evaluated [23]. The goal of any information system is to improve job performance, in which improvement is only visible when a proper IT system is used.

This paper has comprehensively reviewed the existing IS success adoptions, which can help researchers to identify relevant adoption factors in the context of FEWRS. The findings of this study should have a significant effect on researchers dealing with IS. This research may be expanded by identifying the conditions most commonly followed by scientific analysts and practitioners to influence the success of the FEWRS. Such chosen factors will then be used to formulate a computational model for the performance of FEWRS.

ACKNOWLEDGEMENTS

The authors would like to sincerely thank Faculty of Computing, Universiti Malaysia Pahang as this research has been supported by RACER 2019-1 Grant Vote: RDU192606.

REFERENCES

- [1] J. Ntajal, B. L. Lamptey, I. B. Mahamadou, and B. K. Nyarko, "Flood disaster risk mapping in the lower mono river basin in Togo, West Africa," *International journal of disaster risk reduction*, vol. 23, pp. 93-103, August 2017.
- [2] R. A. Arshah, W. A. Hammood, and A. Kamaludin, "An integrated flood warning and response model for effective flood disaster mitigation management," *Advanced Science Letters*, vol. 24, no. 10, pp. 7819-7823, Oct 2018.
- [3] C. L. Yang, *et al.*, "A derivation of factors influencing the successful integration of corporate volunteers into public flood disaster inquiry and notification systems," *Sustainability*, vol. 10, pp. 1973, 2018.
- [4] M. Acosta-Coll, *et al.*, "Real-time early warning system design for pluvial flash floods—A review," *Sensors*, vol. 18, no. 7, pp. 2255, July 2018.
- [5] Z. W. Kundzewicz, "Flood protection—sustainability issues", *Hydrological Sciences Journal*, vol. 44, no. 4, pp. 559-571, August 1999.
- [6] O. A. Hammood, *et al.*, "An effective transmit packet coding with trust-based relay nodes in VANETs," *Bulletin of Electrical Engineering and Informatics*, vol. 9, pp. 685-697, April 2020.
- [7] O. A. Hammood, N. Nizam, M. Nafaa, and W. A. Hammood, "RESP: Relay Suitability-based Routing Protocol for Video Streaming in Vehicular Ad Hoc Networks," *International Journal of Computers, Communications & Control*, vol. 14, no. 1, pp. 21-38, February 2019.
- [8] M. A. Baudoin, S. Henly-Shepard, N. Fernando, A. Sitati, and Z. Zommers, "Early warning systems and livelihood resilience: Exploring opportunities for community participation," *UNU-EHS Working Paper Series*, 2014.
- [9] O. A. Hammood, *et al.*, "The VANET-solution approach for data packet forwarding improvement," *Advanced Science Letters*, vol. 24, no. 10, pp. 7423-7427, Oct 2018.
- [10] W. A. Hammood, *et al.*, "A review of user authentication model for online banking system based on mobile IMEI number," in *IOP Conference Series: Materials Science and Engineering*, June 2020.
- [11] M. Sättele, M. Bründl, and D. Straub, "Reliability and effectiveness of early warning systems for natural hazards: concept and application to debris flow warning," *Reliability Engineering & System Safety*, vol. 142, pp. 192-202, 2015.
- [12] V. Meyer, N. Becker, *et al.*, "Assessing the costs of natural hazards-state of the art and knowledge gaps," *Natural Hazards and Earth System Sciences*, vol. 13, pp. 1351-1373, January 2013.
- [13] Z. Zommers, "Follow the Spiders: Ecosystems as Early Warnings," in *Reducing disaster: Early warning systems for climate change*, ed: Springer, pp. 339-353, 2014.

- [14] L. M. Bouwer, *et al.*, "The costing of measures for natural hazard mitigation in Europe," *Natural Hazards Review*, vol. 15, no. 4, November 2014.
- [15] C. Fearnley, A. E. G. Winson, J. Pallister, and R. Tilling, "Volcano crisis communication: challenges and solutions in the 21st century," 2017.
- [16] D. Lumbroso, "How can policy makers in sub-Saharan Africa make early warning systems more effective? The case of Uganda," *International journal of disaster risk reduction*, vol. 27, pp. 530-540, March 2018.
- [17] S. K. Jain, *et al.*, "A Brief review of flood forecasting techniques and their applications," *International Journal of River Basin Management*, pp. 1-16, Dec 2018.
- [18] W. A. Hammood, K. Z. Zamil, and A. M. Ali, "A Review of bio-inspired algorithm." *Conference: (SOFTEC Asia 2017), at Kuala Lumpur Convention Centre*, vol. 12, January 2017.
- [19] H. Mohammadi, "Investigating users' perspectives on e-learning: An integration of TAM and IS success model," *Computers in Human Behavior*, vol. 45, pp. 359-374, April 2015.
- [20] S. Mardiana, J. H. Tjakraatmadja, and A. Aprianingsih, "DeLone-McLean information system success model revisited: The separation of intention to use-use and the integration of technology acceptance models," *International Journal of Economics and Financial Issues*, vol. 5, pp. 172-182, 2015.
- [21] A. H. Aldholay, O. Isaac, Z. Abdullah, and T. Ramayah, "The role of transformational leadership as a mediating variable in DeLone and McLean information system success model: The context of online learning usage in Yemen," *Telematics and Informatics*, vol. 35, no. 5, pp. 1421-1437, 2018.
- [22] X. Hu and K. Wu, "Assessing information technology systems in the environmental arena of china: a validation of the delone and mclean information systems success model," in *Proceedings of the 17th International Digital Government Research Conference on Digital Government Research*, pp. 276-280, June 2016.
- [23] N. Veeramootoo, R. Nunkoo, and Y. K. Dwivedi, "What determines success of an e-government service? validation of an integrative model of e-filing continuance usage," *Government Information Quarterly*, vol. 35, no. 2, pp. 161-174, 2018.
- [24] S. Eom, N. J. Ashill, J. Arbaugh, and J. L. Stapleton, "The role of information technology in e-learning systems success," *Human Systems Management*, vol. 31, no. 3-4, pp. 147-163, January 2012.
- [25] O. A. Hammood, M. N. M. Kahar, and M. N. Mohammed, "Enhancement the video quality forwarding using Receiver-Based Approach (URBA) in Vehicular Ad-Hoc Network," in *2017 International Conference on Radar, Antenna, Microwave, Electronics, and Telecommunications (ICRAMET)*, pp. 64-67, October 2007.
- [26] W. H. DeLone and E. R. McLean, "The DeLone and McLean model of information systems success: a ten-year update," *Journal of management information systems*, vol. 19, no. 4, pp. 9-30, April 2003.
- [27] S. Mardiana, J. H. Tjakraatmadja, and A. Aprianingsih, "Validating the conceptual model for predicting intention to use as part of information system success model: the case of an Indonesian government agency," *Procedia Computer Science*, vol. 72, pp. 353-360, 2015.
- [28] A. Popovič, R. Hackney, P. S. Coelho, and J. Jaklič, "How information-sharing values influence the use of information systems: An investigation in the business intelligence systems context," *The Journal of Strategic Information Systems*, vol. 23, no. 4, pp. 270-283, Dec 2014.
- [29] A. R. Ahlan, M. Kartiwi, and H. T. Sukmana, "Measurement of information system project success based on perceptions of the internal stakeholders," *International Journal of Electrical and Computer Engineering (IJECE)*, vol. 5, no.2, pp. 271-279, April 2015.
- [30] K. K. Hong and Y. G. Kim, "The critical success factors for ERP implementation: an organizational fit perspective," *Information & management*, vol. 40, no.1, pp. 25-40, October 2002.
- [31] K. W. Cho, S. K. Bae, J. H. Ryu, K. N. Kim, *et al.*, "Performance evaluation of public hospital information systems by the information system success model," *Healthcare informatics research*, vol. 21, no. 1, pp. 43-48, 2015.
- [32] M. Mukred and Z. M. Yusof, "The DeLone-McLean information system success model for electronic records management system adoption in higher professional education institutions of yemen," *International Conference of Reliable Information and Communication Technology*, pp. 812-823, April 2017.
- [33] S. Mardiana, J. H. Tjakraatmadja, and A. Aprianingsih, "DeLone-McLean information system success model revisited: The separation of intention to use-use and the integration of technology acceptance models," *International Journal of Economics and Financial Issues*, vol. 5, July 2015.
- [34] W. T. Wang, Y. S. Wang, and E. R. Liu, "The stickiness intention of group-buying websites: The integration of the commitment-trust theory and e-commerce success model," *Information & Management*, vol. 53, no. 5, pp. 625-642, 2016.
- [35] Q. Zheng and C. Y. Liang, "The path of new information technology affecting educational equality in the new digital divide—based on information system success model," *Eurasia Journal of Mathematics, Science and Technology Education*, vol. 13, no. 7, pp. 3587-3597, July 2017.
- [36] J. V. Chen, R. J. M. Jubilado, E. P. S. Capistrano, and D. C. Yen, "Factors affecting online tax filing—An application of the IS Success Model and trust theory," *Computers in Human Behavior*, vol. 43, pp. 251-262, February 2015.
- [37] E. Lwoga, "Critical success factors for adoption of web-based learning management systems in Tanzania," *International Journal of Education and Development using ICT*, vol. 10, no. 1, pp. 4-21, May 2014.
- [38] S. Choi, S. Kang, and T. Moon, "Realistic performing art information service: Based on IS success model," *Indian Journal of Science and Technology*, vol. 8, no. 25, Oct 2015.
- [39] H. J. Yeo, "Information system success disparity between developer and users," *Indian Journal of Science and Technology*, vol. 9, no. 20, May 2016.
- [40] A. R. Ahlan, M. Kartiwi, and H. T. Sukmana, "Measurement of information system project success based on perceptions of the internal stakeholders," *International Journal of Electrical and Computer Engineering*, vol. 5, no. 2, 2015.

- [41] A. Dos Santos, A. J. Santoso, and D. B. Setyohadi, "The analysis of academic information system success: a case study at Instituto Profissional De Canossa (IPDC) Dili Timor-Leste," in *2017 International Conference on Soft Computing, Intelligent System and Information Technology (ICSIT)*, pp. 196-201, September 2017.
- [42] J. J. Hew, *et al.*, "The dawning of mobile tourism: what contributes to its system success?," *International Journal of Mobile Communications*, vol. 14, no. 2, pp. 170-201, January 2016.
- [43] N. A. Galanis and P. D. Chatzoglou, "Assessing the success of an information system: the case of audits for OPEKEPE," *HAICTA*, pp. 798-813, 2015.
- [44] H. Xinli, "Effectiveness of information technology in reducing corruption in China: a validation of the DeLone and McLean information systems success model," *The Electronic Library*, vol. 33, no. 1, pp. 52-64, February 2015.
- [45] L. Gao and X. Bai, "An empirical study on continuance intention of mobile social networking services: Integrating the IS success model, network externalities and flow theory," *Asia Pacific Journal of Marketing and Logistics*, vol. 26, no. 2, pp. 168-189, April 2014.
- [46] H. Rizal, S. Yussof, H. Amin, and K. Chen-Jung, "EWOM towards homestays lodging: extending the information system success model," *Journal of Hospitality and Tourism Technology*, vol. 9, no. 1, pp. 94-108, 2018.
- [47] H. Wimmer and C. Aasheim, "Examining factors that influence intent to adopt data science," *Journal of Computer Information Systems*, pp. 43-51, April 2017.
- [48] M. Venter and A. J. Swart, "An integrated model for the continuous use intention of Microsoft Office simulation software," *Global Engineering Education Conference (EDUCON), 2018 IEEE*, pp. 320-329, April 2018.
- [49] C. L. Gan and V. Balakrishnan, "Mobile technology in the classroom: what drives student-lecturer interactions?," *International Journal of Human-Computer Interaction*, vol. 34, pp. 666-679, 2018.
- [50] M. Wani, V. Raghavan, D. Abraham, and V. Kleist, "Beyond utilitarian factors: User experience and travel company website successes," *Information Systems Frontiers*, vol. 19, pp. 769-785, 2017.
- [51] D. A. Almazán, *et al.*, "Influence of information systems on organizational results," *Contaduría y Administración*, vol. 62, no. 2, pp. 321-338, June 2017.
- [52] A. I. S. Al Zoubib, M. Z. Jali, and N. Fabil, "E-learning adoption successfully among adult workers in Arab Open University Jordan," *International Journal of Technology Enhancements and Emerging Engineering Research*, vol. 2, no. 4, pp. 81-84, 2014.
- [53] S. Sang and J. D. Lee, "A conceptual model of e-government acceptance in public sector," in *2009 Third International Conference on Digital Society*, pp. 71-76, February 2009.
- [54] B. T. Hazen, *et al.*, "Reverse logistics information system success and the effect of motivation," *International Journal of Physical Distribution & Logistics Management*, vol. 44, no. 3, pp. 201-220, April 2014.
- [55] G. Gupta, S. K. Zaidi, G. Udo, and K. Bagchi, "The influence of theory of planned behavior, technology acceptance model, and information system success model on the acceptance of electronic tax filing system in an emerging economy," *The International Journal of Digital Accounting Research*, vol. 15, pp. 155-185, January 2015.
- [56] A. U. Jan and V. Contreras, "Success model for knowledge management systems used by doctoral researchers," *Computers in Human Behavior*, vol. 59, pp. 258-264, June 2016.
- [57] M. H. Hsu, C. M. Chang, K. K. Chu, and Y. J. Lee, "Determinants of repurchase intention in online group-buying: The perspectives of DeLone & McLean IS success model and trust," *Computers in Human Behavior*, vol. 36, pp. 234-245, 2014.
- [58] M. Dibra, "Rogers theory on diffusion of innovation-the most appropriate theoretical model in the study of factors influencing the integration of sustainability in tourism businesses," *Procedia-Social and Behavioral Sciences*, vol. 195, pp. 1453-1462, July 2015.
- [59] G. Garrison, R. L. Wakefield, and S. Kim, "The effects of IT capabilities and delivery model on cloud computing success and firm performance for cloud supported processes and operations," *International Journal of Information Management*, vol. 35, no. 4, pp. 377-393, August 2015.
- [60] P. W. Handayani, *et al.*, "Acceptance model of a hospital information system" *International Journal of Medical Informatics*, vol. 99, pp. 11-28, 2017.
- [61] O. A. Hammood, *et al.*, "Enhance video quality through VANET based on Transmit Packet Coding (TPC)," *International Journal of Advanced Manufacturing Technology*, pp. 1-10, August 2018.