

**THE BEST INTERPOLATION METHOD FOR  
WIND SPEED BY USING GIS**

**SITI NUR' AISYAH BINTI JAMALLUDIN**

**B. ENG (HONS.) CIVIL ENGINEERING**

**UNIVERSITI MALAYSIA PAHANG**



## **STUDENT'S DECLARATION**

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

---

(Student's Signature)

Full Name : SITI NUR' AISYAH BINTI JAMALLUDIN

ID Number : AA15135

Date : May 2019

THE BEST INTERPOLATION METHOD FOR  
WIND SPEED BY USING GIS

SITI NUR' AISYAH BINTI JAMALLUDIN

Thesis submitted in partial fulfillment of the requirements  
for the award of the  
B. Eng (Hons.) Civil Engineering

Faculty of Civil Engineering & Earth Resources  
UNIVERSITI MALAYSIA PAHANG

MAY 2019

## ACKNOWLEDGEMENTS

I have taken efforts in this research. However, it would not have been possible without kind help and support of many individuals. I would like to extend my sincere thanks to all of them.

First of all, I would like to express my sincere gratitude to my lovely supervisor, Mr. Noram Irwan bin Ramli, whose understanding, expertise, generous guidance and possible support for me to complete this research. This study was not only wider my mind when discussion information but developed me to more understanding in this field. Therefore, without his persistent help and guidance, tis research impossible to be complete.

Besides that, I would like to express my appreciation to Dr. Mohammad Idris bin Ali, the lecturer of my Geographical Information System (GIS) for his support and guideline in delivering knowledge about GIS.

Other than that, I would like to thank my Final Year Project Presentation's panels, Ir. Dr. Fadzil bin Mat Yahaya and Dr. Mohd Faizal bin Md Jaafar for their valuable comments and suggestions to improve my research outcome and meet my objectives of this research.

Furthermore, thanks to all lecturer of University Malaysia Pahang that had been taught me in every semester. The knowledge given was improving my basic knowledge and skills in field of civil engineering. Meanwhile, special thanks to my fellow friends were who willing to help me while complete this research.

Last but not least, I am very grateful to my lovely parents, Mr. Jamalludin bin Mujir and Mrs. Nor'aida binti Jamiran for their support, encouragement and love for all the way to completion my research.

## **ABSTRAK**

Kelajuan angin telah memainkan peranan yang sangat penting dalam pengaji cuaca kerana kerosakan bahaya angin meningkat setiap tahun. Menganggarkan kelajuan angin adalah penting dengan menggunakan kaedah interpolasi terutamanya lokasi tidak mempunyai pengaji cuaca atau stesen meteorologi. Dalam kajian ini, tiga kaedah interpolasi spatial yang berbeza adalah Weightring Distance Inverse (IDW), Spline dan Kriging dibandingkan dengan menentukan kesesuaian untuk menganggarkan kelajuan angin. Oleh itu, semua kaedah dinilai dengan analisis regresi dan analisis koefisien korelasi. Berdasarkan hasil yang diperoleh, Kriging ditunjukkan lebih sesuai untuk memperkirakan kecepatan angin diikuti kaedah lain yang merupakan IDW dan Spline. Kajian masa depan dengan lebih banyak data yang dikumpulkan, titik sampel yang lebih padat dan kes-kes yang berlainan boleh dijalankan untuk mendapatkan hasil yang lebih tepat.

## **ABSTRACT**

The wind speed had played the very vital role in weather forest because wind hazard damages increased every year. When estimating the wind speed is important to use the interpolation method especially the location do not has a weather forest or meteorological stations. In this research, the three different method of spatial interpolation which was Inverse Distance Weighting (IDW), Spline and Kriging were compared to determine the suitability for estimating wind speed. Therefore, the all methods were evaluated with the regression analysis and correlation coefficient analysis. Based on the results obtained, Kriging was shown the more suitable to estimate the wind speed by followed the other methods which are IDW and Spline. Future studies with more data collected, denser sample points and different cases can be carried out to obtain a more accurate result.

## TABLE OF CONTENT

<b>DECLARATION</b>	
<b>TITLE PAGE</b>	
<b>ACKNOWLEDGEMENTS</b>	<b>ii</b>
<b>ABSTRAK</b>	<b>iii</b>
<b>ABSTRACT</b>	<b>iv</b>
<b>TABLE OF CONTENT</b>	<b>v</b>
<b>LIST OF TABLES</b>	<b>viii</b>
<b>LIST OF FIGURES</b>	<b>ix</b>
<b>LIST OF SYMBOLS</b>	<b>x</b>
<b>LIST OF ABBREVIATIONS</b>	<b>xi</b>
<b>CHAPTER 1 INTRODUCTION</b>	<b>1</b>
1.1 Background	1
1.2 Problem Statement	2
1.3 Objectives	3
1.4 Scope of study	3
1.5 Research Significant	5
1.6 Thesis layout	5
<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>6</b>
2.1 Introduction	6
2.2 Wind	6
2.2.1 Types of Wind	6

2.2.2	Wind Speed	7
2.2.3	Wind Speed	7
2.3	Spatial Interpolation	8
2.3.1	Inverse Distance Weighting (IDW)	10
2.3.2	Kriging	12
2.3.3	Spline	14
<b>CHAPTER 3 METHODOLOGY</b>		<b>15</b>
3.1	Introduction	15
3.2	Data Collection	16
3.2.1	Locations of Research Station	17
3.2.2	Location of Meteorological Station	17
3.2.3	Wind Speed	18
3.3	Pre-processing Data	20
3.3.1	Database for Locations and Wind Speed	20
3.3.2	Marking the Research Locations and Meteorological Stations	23
3.4	Processing Data	24
3.4.1	Map for Different Spatial Interpolation Methods in GIS	24
3.4.2	Marking the Research Locations and Meteorological Stations	26
<b>CHAPTER 4 RESULTS AND DISCUSSION</b>		<b>29</b>
4.1	Introduction	29
4.2	Interpolated Wind Speed	29
4.3	Standard Error Regression and Correlation Coefficient Analysis	33
4.4	Summary	37
<b>CHAPTER 5 CONCLUSION</b>		<b>38</b>



5.1	Introduction	38
5.2	Conclusion	38
5.2.1	Conclusion Based on Objective 1	39
5.2.2	Conclusion Based on Objective 2	39
5.3	Recommendation	39
	<b>REFERENCES</b>	<b>41</b>
	<b>APPENDIX A SAMPLE APPENDIX 1</b>	<b>44</b>

## LIST OF TABLES

Table 3.1	The coordinate five research locations	17
Table 3.2	The coordinates of 17 meteorological stations	18
Table 3.3	Maximum wind speed for each month at research locations in Year 2018	19
Table 3.4	Maximum wind speed for each month t meteorological stations in year 2018	19
Table 4.1	Interpolated wind speed results	33
Table 4.2	Standard Error Regression and correlation coefficient analysis of IDW	34
Table 4.3	Standard Error Regression and correlation coefficient analysis of Spline	35
Table 4.4	Standard Error Regression and correlation coefficient analysis s of Kriging	36

## LIST OF FIGURES

Figure 1.1	Damages caused by the tornado in Kampung Sungai Nonang	2
Figure 1.2	Five locations chosen for this research	4
Figure 2.1	The waterspout whirling ashore of Penang Island Malaysia	8
Figure 2.2	The wind hazard damage at the house	8
Figure 2.3	Inverse Distance Weighting	11
Figure 2.4	Kriging	13
Figure 2.5	Spline	14
Figure 3.1	Research methodology flowchart	16
Figure 3.2	Example of spread sheet for Step 1 and Step 2 in research locations	21
Figure 3.3	Example of spread sheet for Step 1 and Step 2 in meteorological stations	21
Figure 3.4	Example of spread sheet for Step 3 and Step 4 in research locations	22
Figure 3.5	Example of spread sheet for Step 3 and Step 5 in meteorological stations	22
Figure 3.6	Example of marking the research locations	23
Figure 3.7	Example of marking the meteorological stations	24
Figure 3.8	Input the map of Peninsular Malaysia	25
Figure 3.9	Maps of Peninsular Malaysia in GIS	25
Figure 3.10	The location of research and meteorological stations	26
Figure 3.11	Input the wind speed data.	26
Figure 3.12	IDW	27
Figure 3.13	Kriging.	27
Figure 3.14	Spline	28
Figure 4.1	The interpolated wind speed value in the map of IDW	30
Figure 4.2	The interpolated wind speed value in the map of Kriging	30
Figure 4.3	The interpolated wind speed value in the map of Spline	31
Figure 4.4	The interpolated wind speed value in the table of IDW	31
Figure 4.5	The interpolated wind speed value in the table of Kriging	32
Figure 4.6	The interpolated wind speed value in the table of Spline	32
Figure 4.7	Linear regression graph with standard error and correlation coefficient of IDW	34
Figure 4.8	Linear regression graph with standard error and correlation coefficient of Spline	35
Figure 4.9	Linear regression graph with standard error and correlation coefficient of Kriging	36

## LIST OF SYMBOLS

S	Standard Error Regression
r	Correlation Coefficient
$\hat{Z}(s_o)$	Predicted and observed value at location $s_o$
Z( $s_i$ )	Predicted and observed value at location $s_i$ ,
N	Number of measured sample points used in the prediction
w(d)	Weighting function
$d_i$	Distance from $s_o$ to $s_i$
N(h)	Number of pairs of measurement points with distance $h$ apart $\Sigma$ Sum
°E	Longitude
°N	Latitude

## **LIST OF ABBREVIATIONS**

GIS	Geographical Information System
IDW	Inverse Distance Weighting
ESRI	Environmental System Research Institute
MMD	Malaysian Meteorological Department

## CHAPTER 1

### INTRODUCTION

#### 1.1 Background

The wind speed or wind velocity is about the air moving in particular area from high to low pressure that classified as fundamental atmospheric rate usually happen due to changes of temperature. The wind speed and wind directions were characteristics of wind. It is recorded in knots or statute miles per hour or nautical miles per hour that were measured by using a tool that called as anemometer and the data can be collected at meteorology station. A gentle of wind is pleasure but the damages will occur because of strong wind. There are many types of wind such as typhoon, monsoon, tornado, gust, windstorm, whirlwind, breeze and crosswind.

Every year, Malaysian Meteorology Department (MMD) was reported the increasing of wind hazard damages that happen in Malaysia. In the west zone of Peninsular Malaysia, a strong wind that called as tornado was hitting the Kampung Sungai Nonang in Simpang Kuala happen on 12<sup>th</sup> November 2014 around 2.30 pm. The freak storm was giving the several consequences of damages were shown the results in uprooted trees, blew off the roof panels of several buildings and vehicles. In the same time, the villager's car was carried away from his porch around 10 m. On the other hand, it is very dangerous because the situation will become worse to surrounding areas and public. Hence, the volume of injuries and accidents were higher.

Besides, torrential rain was coming in afternoon followed by strong winds on 1st October 2018 in Klang. This was wreaked havoc with more than 20 places experienced the damages that were fallen trees and branches. By this cause, the several damages of vehicles were occurred. This is shown in the windscreen car was cracked and the roof car

was dented. This is because the car was getting smashed by the falling branches. Meanwhile, the vehicles were still off-limits becoming the stretch on Jalan Pekan Baru.



Figure 1.1: Damages caused by the tornado in Kampung Sungai Nonang

Source: The Star Online, 13th November 2014

This shows the wind had played a vital role in weather forecast. This is very important to forecast the wind speed at every location, in order to prevent and reduce more wind hazard damages occurred. However, the meteorological stations around Malaysia have in certain locations only. To obtain the wind speed at a location without the meteorological station was required some form of spatial interpolation method. In addition, spatial interpolation methods by using Geographical Information System (GIS) to estimate the value of wind speed for each location. There are variety of interpolation methods are available in GIS. Thus, the accuracy of each method was varying depending on data of spatial attributes.

## 1.2 Problem Statement

It is very important to determine the wind speed and wind direction for the location before doing the any construction of building or structure. The best wind speed usually was followed Malaysian Meteorological Department (MMD) by using the sampling point method. Nowadays, Geographical Information System (GIS) technic can

analysis the value in the spatial area. Meanwhile, miss interpolate of the value wind speed usually happen when taking the data.

There are several interpolation methods which widely used in Geo Spatial Analysis such as Kriging, Inverse Distance Weighting (IDW), Spline, Trend, Topo for Raster and Natural Neighbour. Every method had different conditions and the results will be showing a different too. Moreover, the wind speed of unknown locations will be estimated by using value of the wind speed data that already required from known locations.

### **1.3 Objectives**

The wind speed of known location with different spatial interpolation methods can determine and estimate the suitability wind speed for the unknown locations. Therefore, there are two objectives in this study which are:

1. To interpolate the wind speed in Peninsular Malaysia
2. To validate and identify the best interpolation method.

### **1.4 Scope of study**

The scope of study will be used to determine the ways to success the objectives of this study. The scopes of this study are:

The five research locations were selected to be unknown locations.

- a. Senggarang, Johor (seaside).
- b. Rawang, Selangor (town).
- c. Gebeng, Pahang (top hill).
- d. Teluk Intan, Perak (palm oil).
- e. Kuala Perlis, Perlis (paddy field)

There are 15 nearest stations were selected to interpolation the wind speed. The average of maximum wind speed will be used to estimate the annual maximum wind



## REFERENCES

This thesis is prepared based on the following references:

Chen, S., & Guo, J. (2017). Spatial interpolation techniques: their applications in regionalizing climate-change series and associated accuracy evaluation in Northeast China evaluation in Northeast China, 5705. <https://doi.org/10.1080/19475705.2016.1255669>

Sankar, G., Kumar, P., & Maiti, R. (2018). Comparison of GIS-based interpolation methods for spatial distribution of soil organic carbon ( SOC ). *Journal of the Saudi Society of Agricultural Sciences*, 17(2), 114–126. <https://doi.org/10.1016/j.jssas.2016.02.001>

Deraman, S. N. C., A, W. C. F., Muhammad, M. K. A., Ramli, N. I., Majid, T. A., & Ahamad, M. S. S. (2014). Case Study : Wind Speed Estimation of High-Rise Building Using Surface Interpolation Methods, 4, 145–148. <https://doi.org/10.5923/c.jce.201402.25>

Ibrahim, M. Z., Yong, K. H., Ismail, M., & Albani, A. (2014). Wind Speed Modeling for Malaysia, 4(4).

Panhalkar, S., & Jarag, A. P. (2016). Assessment of Spatial Interpolation Techniques for River Bathymetry Generation of Panchganga River Basin Using Geoinformatic Techniques, (January).

Chai, H., Cheng, W., Zhou, C., Chen, X., Ma, X., & Zhao, S. (2011). Analysis and comparison of spatial interpolation methods for temperature data in Xinjiang Uygur Autonomous Region , China, 3(12), 999–1010.

ASSESSMENT OF WIND ENERGY POTENTIAL MAPPING FOR PENINSULAR MALAYSIA MOHAMMAD RAFIQU L ISLAM DISSERTATION SUBMITTED IN FULFILLMENT OF THE REQUIREMENT FOR THE DEGREE OF MASTER OF ENGINEERING SCIENCE FACULTY OF ENGINEERING UNIVERSITY OF MALAYA. (2011).

- Frost, J. 2014. Regression Analysis: How to Interpret S, The Standard Error of The Regression. *The Minitab Blog* (online). <http://blog.minitab.com/blog/adventures-in-statistics/regression-analysis-how-to-interpret-s-the-standard-error-of-the-regression> (23 January 2014).
- Curtarelli, M., Leão, J., Ogashawara, I., Lorenzzetti, J., & Stech, J. (2015). Assessment of Spatial Interpolation Methods to Map the Bathymetry of an Amazonian Hydroelectric Reservoir, *di*, 220–235. <https://doi.org/10.3390/ijgi4010220>
- National Geographic Education. 2015. Wind. *Encyclopedia Entry* (online). [http://education.nationalgeographic.com/education/encyclopedia/wind/?ar\\_a=1](http://education.nationalgeographic.com/education/encyclopedia/wind/?ar_a=1)
- Progress In Electromagnetics Research M, Vol. 14, 135–145, 2010. (2010), *14*(September), 135–145.
- Banik, P. (2017). Comparison of spatial interpolation methods for estimation of weekly rainfall in West Bengal , India, *1*(January), 41–50.
- Park, J., Engineering, R., & Korea, S. (2013). Global Journal on Advances in Pure & Applied Sciences Comparison of spatial interpolation methods for the estimation of solar radiation in South Korea, *1*(1), 555–561.
- Energy, R. (2014). Application of artificial neural networks for the wind speed prediction of target station using reference stations data, (November). <https://doi.org/10.1016/j.renene.2006.12.001>
- Mohandes, M. A., Rehman, S., & Rahman, S. M. (2010). Spatial estimation of wind speed. <https://doi.org/10.1002/er>
- Von, Y. A. P. Y. E. E. (2015). ESTIMATION AND VALIDATION OF WIND SPEED, (June).
- Kastanas, I., Georgiou, A., Zavros, P., & Akylas, E. (2014). An integrated GIS-based method for wind-power estimation: application to western Cyprus, *6*(1), 79–87. <https://doi.org/10.2478/s13533-012-0162-3>

Ibrahim, M. Z., Yong, K. H., Ismail, M., Albani, A., & Muzathik, A. M. (2014). WIND CHARACTERISTICS AND GIS-BASED SPATIAL WIND MAPPING STUDY IN MALAYSIA, 9(2), 1–20.

Oh Chin Eng. 2014. Fourth Mini Tornado Strikes Kedah. The Star Online.

13<sup>th</sup> November 2014.

Massive Waterspout Appears in Penang, Damaging at least 50 Houses. 2019.

ChannelNewAsia.1<sup>st</sup> April 2019