Classification of Facial Nerve Paralysis Based on Regional Evaluation

Wan Syahirah W Samsudin¹, Rosdiyana Samad¹, Kenneth Sundaraj², Mohamed Rizon³, Mohd Zaki Ahmad⁴

¹ Faculty of Electrical & Electronics Technology Engineering,
Universiti Malaysia Pahang,
26600 Pekan, Pahang, Malaysia.
E-mail: wansyahirahwsamsudin@yahoo.com, rosdiyana@ump.edu.my

² Faculty of Electronics & Computer Engineering, Universiti Teknikal Malaysia Melaka, Hang Tuah Jaya, 76100 Durian Tunggal, Melaka, Malaysia. E-mail: kenneth@utem.edu.my

³Faculty of Engineering, Technology and Built Environment UCSI University, No 1, Jalan Menara Gading, Taman Connaught, 56000 Kuala Lumpur, Malaysia E-mail: rizonkun@hotmail.com

⁴Department of Otorhinolaryngology, Hospital Tuanku Ampuan Afzan, Jalan Tanah Putih, 25100 Kuantan, Pahang, Malaysia E-mail: drmohdzaki@yahoo.com.my

Abstract

This paper present an approach of regional evaluation using Kanade - Lucas - Tomasi (KLT) method and extract feature points to classify the normal and patients subjects and also to determine the severity level of paralysis for each region of face. There are Individual Score Table, Total Score Table and Paralysis Score Table were presented. A 100% of accuracy has been obtained in identifying the paralysis with k=3 using k-NN classifier for the Individual Score.

Keywords: Facial Nerve Paralysis, Facial Nerve Evaluation, Bells' Palsy, Kanade-Lucas-Tomasi, Optical Flow

Acknowledgements

The authors would like to thank the Medical Research Committee (MREC) of Malaysia for the approval of the data collection (Ref. No.: NMRR-12-1195-14375). Thanks also goes to the Ministry of Higher Education of Malaysia (MoHE) for the financial support.

References

- M. May and B.M. Schaitkin, Reporting recovery of facial function, *The facial nerve*, 2nd edn. (Thieme Medical Publisher, New York, 2000).
- 2. P. Singhi and V. Jain, Bell's palsy in children, *Seminars in Pediatric Neurology* **10** (2003), 289-297.
- J.G. Neely, K.X. Wang, C.A. Shapland, A. Sehizadeh, A. Wang, Computerized objective measurement of facial motion: normal variation and test-retest reliability, *Otol Neurotol* 9 (2010), 1488-92.
- J.S. Brach and J.M. VanSwearingen, Physical Therapy for Facial Paralysis: A Tailored Treatment Approach, *Physical Therapy* 79 (1999), 397-404.
- 5. JR. JE. Benecke, Facial paralysis, *Otolaryngol Clin North Am* **2** (2002), 357-65.
- C.G. Jackson, P.G. Doersten, The facial nerve. Current trends in diagnosis: treatment, and rehabilitation, *Med Clin North Am* 1 (1999), 179-95.
- 7. US Census Bureau. International Database [Online], 2012, available at:
 - https://www.census.gov/population/international/data/idb/informationGateway.php
- W.S.W Samsudin, K. Sundaraj, Clinical and non-clinical initial assessment of facial nerve paralysis: A qualitative review, *Biocybernetics and Biomedical Engineering* 34 (2014), 71-78.
- 9. J.W.M. Botman and L.B.W. Jongkees, Physical Therapy for Facial Paralysis: A Tailored Treatment Approach, *Physical Therapy* 79 (1999), 397-404.
- M. Fradet, P. Robert, and P. Perez, Clustering Point Trajectories with Various Life-Spans, in: Conference for Visual Media Production, 2009. CVMP '09, 2009, pp. 7-14.
- 11. Y. Satoh, J. Kanzaki, and S. Yoshihara, A comparison and conversion table of 'the House–Brackmann facial nerve grading system' and 'the Yanagihara grading system', *Auris Nasus Larynx* 27 (2000)., 207-212.
- 12. W.S.W. Samsudin and K. Sundaraj, Evaluation and Grading Systems of Facial Paralysis for Facial Rehabilitation, *Journal of Physical Therapy Science* 25 (2013), 515-519.
- H. JW and B. DE, Facial nerve grading system, Otolaryngology Head Neck Surgery 93 (1985), 146-147.
- 14. L. Dunwald, Using two- and three-dimensional kinematic analysis to compare functional outcomes in patients who have undergone facial reanimation surgery. [M.S. thesis] Edmonton, Alberta: *Speech-Language Pathology and Audiology*, Alberta University, 2010.
- 15. B.D. Lucas and T. Kanade, An iterative image registration technique with an application to stereo vision, in: *Proceedings of the 7th international joint conference on Artificial intelligence Volume 2*, Morgan Kaufmann Publishers Inc., Vancouver, BC, Canada, 1981, pp. 674-679.

- C. Tomasi and T. Kanade, Detection and Tracking of Point Features, in, Carnegie Mellon University, Pennsylvania, 1991, pp. 91–132.
- H. Min, S. Ali, and M. Shah, Detecting global motion patterns in complex videos, in: 19th International Conference on Pattern Recognition, 2008, pp. 1-5.
- S. Ali, A Lagrangian Particle Dynamics Approach for Crowd Flow Segmentation and Stability Analysis, in: Computer Vision and Pattern Recognition (CVPR 2007), 2007, pp. 1-6.
- M. Fradet, P. Robert, and P. Perez, Clustering Point Trajectories with Various Life-Spans, in: Conference for Visual Media Production, 2009. CVMP '09, 2009, pp. 7-14.
- W. S. W. Samsudin, K. Sundaraj, A. Ahmad, and H. Salleh, "Initial assessment of facial nerve paralysis based on motion analysis using an optical flow method," *Technology and Health Care*, vol. 24, no. 2, pp. 287-294, 2016.