

CHARACTERIZATION OF LUBRICATING  
GREASE FORMULATED FROM WASTE  
ENGINE OIL

NURUL WAHEEDA BINTI ABDU RAHMAN

MASTER OF SCIENCE

UNIVERSITI MALAYSIA PAHANG

## SUPERVISOR'S DECLARATION

We hereby declare that we have checked this thesis and, in our opinion, this thesis is adequate in terms of scope and quality for the award of the degree of Master of Science.



---

(Supervisor's Signature)

Full Name : DR. MOHD AIZUDIN BIN ABD AZIZ  
Position : SENIOR LECTURER  
Date : 29/11/2021



ASSOC. PROF. IR. DR. NORAZWINA BT. ZAINOL  
DEPUTY DEAN  
ACADEMIC & STUDENT AFFAIR  
COLLEGE OF ENGINEERING  
UNIVERSITI MALAYSIA PAHANG  
LEBUHRAYA TUN RAZAK, 26300 KUANTAN  
TEL : +609-549 2690 FAX : +609-549 2689

---

(Co-supervisor's Signature)

Full Name : IR. DR. NORAZWINA BINTI ZAINOL  
Position : ASSOCIATE PROFESSOR  
Date : 29/11/2021



## STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

A handwritten signature in black ink, appearing to read 'Nurul Waheeda', is written above a horizontal line.

(Student's Signature)

Full Name : NURUL WAHEEDA BINTI ABDU RAHMAN

ID Number : MKC 19015

Date : 29/11/2021

CHARACTERIZATION OF LUBRICATING GREASE FORMULATED FROM  
WASTE ENGINE OIL

NURUL WAHEEDA BINTI ABDU RAHMAN

Thesis submitted in fulfilment of the requirements  
for the award of the degree of  
Master of Science

Faculty of Chemical and Process Engineering Technology  
UNIVERSITI MALAYSIA PAHANG

NOVEMBER 2021

## ACKNOWLEDGEMENTS

First and foremost, I want to express my gratitude to Allah SWT, the Cherisher and Sustainer of the Worlds, Most Gracious, Most Merciful, for His innumerable blessings that allowed me to conduct this research and complete this thesis. Alhamdulillah.

I would like to express my heartfelt appreciation to my supervisor, Dr Mohd Aizudin bin Abd Aziz for all the knowledge that I have gained throughout my journey on completing my Master's research. His support and knowledge have saved me many times during my time at UMP. Thank you for saving me again and again until I managed to complete my research. I also would like to extend my thanks to my co-supervisor, PM Ir. Dr Norazwina Binti Zainol, for the knowledge that has been passed to me.

Deepest gratitude also to my fellow FTKKP's postgraduates that have assisted me during my study. Their assistance regarding research material, equipment as well as idea have helped for too many to count.

Lastly, I would like to express my profound appreciation to my family, that are supporting me through this journey. My late mother, Norizan binti Yaakob and late father Abdurahman bin Alias convinced me to continue my study, although they did not manage to see me completing it. Also, to my sister Norsahira Azila and my brother Muhamad Izwan that always supporting me mentally, emotionally and financially. Thank you very much from the deepest of my heart.

## ABSTRAK

Penjanaan dan pelupusan minyak sisa meningkat dari tahun ke tahun menyebabkan masalah persekitaran serta kekurangan sumber semula jadi. Antara langkah terbaik untuk mengatasi isu ini adalah dengan menukar minyak sisa menjadi produk seperti minyak pelincir. Penyelidikan ini bertujuan untuk merumuskan gris dari WEO kerana tiada kajian yang dilakukan oleh penyelidikan terdahulu mengenai penghasilan gris dengan menggunakan campuran *waste engine oil (WEO)* dari pelbagai jenis. Rawatan minyak untuk menghilangkan bahan cemar dan pencirian (sifat bendalir, tahap komponen dan analisis komponen) juga dilakukan untuk memastikan bahawa *WEO* dapat digunakan sebagai minyak asas minyak. Proses rawatan *WEO* merangkumi pemendapan, penapisan dan pemanasan dapat menghilangkan bahan cemar sehingga tahap dan kelembapan yang dibenarkan menjadikannya sesuai untuk dijadikan minyak asas dalam perumusan gris. Analisis mengenai formulasi natrium dan *fumed silica (FS)* gris (SG<sub>96</sub>, SG<sub>94</sub>, SG<sub>92</sub>, SG<sub>90</sub>, SG<sub>88</sub>, FG<sub>85</sub>, FG<sub>84</sub>, FG<sub>83</sub>, FG<sub>82</sub>, FG<sub>81</sub> & FG<sub>80</sub>) menunjukkan bahawa kandungan WEO dalam gris berkadar sonsang dengan konsistensi gris tetapi berkadar terus dengan *oil bleeding* dan *oil separation* gris. SG<sub>96</sub> dan FG<sub>85</sub> mempunyai nombor konsistensi terendah iaitu NLGI 0 dan SG<sub>88</sub> dan FG<sub>80</sub> mempunyai nombor konsistensi tertinggi iaitu NLGI 4-5. *Oil bleeding* dari gris menunjukkan ianya berada dalam had kecuali FG<sub>84</sub> pada suhu bilik iaitu -16.48%. Ujian *oil separation* menunjukkan bahawa semua pemisahan minyak gris berada dalam had kecuali FG<sub>85</sub> yang memiliki 5.75%. Gris juga menunjukkan standard karat kelas 1 semasa diuji dengan jalur tembaga. Berdasarkan beberapa syarat, SG<sub>94</sub> dan FG<sub>83</sub> dipilih sebagai gris yang memenuhi kriteria yang diperlukan dan perbandingan dengan gris dari industri menunjukkan bahawa sifat gris yang dipilih adalah setanding dengan sifat gris industri. Gris yang dipilih dengan penambahan aditif (Polytetrafluoroethylene (PTFE) dan grafit) menunjukkan bahawa sifat gris tidak berubah kecuali untuk fungsi tambahan aditif. Perubahan hanya dapat dilihat pada spektrum *Fourier-transform infrared spectroscopy (FTIR)* gris natrium apabila terdapat puncak di kawasan cap jari ( $<600\text{ cm}^{-1}$ ) gris. Walau bagaimanapun, kehadiran aditif banyak mempengaruhi sifat tribologi gris di mana natrium gris mempunyai sifat anti-haus yang baik berbanding dengan gris FS. Gris natrium tanpa bahan tambahan juga menunjukkan sifat anti-haus lebih baik berbanding dengan gris natrium dengan aditif menjadikan penambahan aditif dalam gris natrium menjadi tidak relevan. Ini berbeza dengan gris FS di mana penambahan aditif menunjukkan bahawa sifat anti-haus dari gris bertambah baik. Walau bagaimanapun, sifat anti-haus kedua-dua gris masih lagi berada dalam standard industri. Sebagai kesimpulan, sifat gris yang dihasilkan dari WEO adalah baik dan setanding dengan standard industri, dan penambahan aditif dalam perumusan gris mempengaruhi sifat tribologi gris. Bagi kajian pada masa hadapan, sumber WEO didapatkan dari sumber yg pelbagai dan berbeza.

## ABSTRACT

The generation and disposal of waste oil increase year by year are causing environmental problems as well as depletion of natural resources. One of the ways to tackle this problem is by converting waste oil into a product such as lubricating grease. This research aimed to formulate lubricating grease from waste engine oil (WEO) as no study done on producing grease by using a mixture of WEO from a different type. Oil treatment to remove contamination and characterisation (fluid properties, components level and component analysis) also carried out in order to make sure that WEO can be used as the grease base oil. The treatment process of WEO include sedimentation, filtration, and heating is able to remove the contaminants until allowable level and moisture, making it is suitable to be base oil in grease formulating. Analysis on formulated sodium grease (SG) and fumed silica grease (FSG) (SG<sub>96</sub>, SG<sub>94</sub>, SG<sub>92</sub>, SG<sub>90</sub>, SG<sub>88</sub>, FG<sub>85</sub>, FG<sub>84</sub>, FG<sub>83</sub>, FG<sub>82</sub>, FG<sub>81</sub> & FG<sub>80</sub>) showed that WEO content in grease is inversely proportional to grease consistency but directly proportional to oil bleeding and separation of the grease. SG<sub>96</sub> and FG<sub>85</sub> have the lowest consistency number which is NLGI 0 and SG<sub>88</sub> and FG<sub>80</sub> have the highest consistency number which is NLGI 4-5. The oil bleeding of the greases are within the limit except for FG<sub>84</sub> in room temperature which is -16.48%. Oil separation test showed that all of the greases oil separation is within the limit except for FG<sub>85</sub> which have 5.75%. the greases also showed a corrosion standard of class 1 when tested with copper strip. Based on a few requirement, SG<sub>94</sub> and FSG<sub>83</sub> are selected as a grease that fulfilled the required criteria and comparison with industrial grease showed that the selected grease properties is comparable to industrial grease properties. The selected grease with the addition of additives (Polytetrafluoroethylene (PTFE) and graphite) showed that grease properties do not change except for intended additives used characteristic. The changes can be seen only on Fourier-transform infrared spectroscopy (FTIR) spectrum of sodium grease when there a presence of peak in fingerprint region ( $<600\text{ cm}^{-1}$ ) of the grease. However, the presence of additives heavily influenced the tribological properties of the grease where sodium grease have a good anti-wear property compared to FS grease. Sodium grease without additives also showed a better antiwear properties compared to sodium grease with additives making the addition of additives in sodium grease to be irrelevant. This is different from FS grease where addition of additives showed that the anti-wear properties of the grease improved. However, the anti-wear properties of both greases is still within the industrial standard. As a conclusion, the properties of greases produced from WEO is good and comparable to industrial standard, and addition of additives in grease formulation effect the tribological properties of the grease. It is recommended the collection of WEO is vary from different sources for future study.

## TABLE OF CONTENT

<b>DECLARATION</b>	
<b>TITLE PAGE</b>	
<b>ACKNOWLEDGEMENTS</b>	<b>iii</b>
<b>ABSTRAK</b>	<b>iv</b>
<b>ABSTRACT</b>	<b>v</b>
<b>TABLE OF CONTENT</b>	<b>vi</b>
<b>LIST OF FIGURES</b>	<b>xi</b>
<b>LIST OF SYMBOLS</b>	<b>xiii</b>
<b>LIST OF ABBREVIATIONS</b>	<b>xiv</b>
<b>LIST OF APPENDICES</b>	<b>xv</b>
<b>CHAPTER 1 INTRODUCTION</b>	<b>1</b>
1.1 Research Background	1
1.2 Problem Statement	3
1.3 Objective	4
1.4 Scope of the Study	5
<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>7</b>
2.1 Introduction	7
2.2 Lubrication	7
2.3 Lubricating grease	8
2.3.1 Application of Lubricating Grease	9
2.3.2 Current Demands for Lubricant Industry	10



2.4	Grease Composition and Its Structure	11
2.4.1	Base Oil	11
2.4.2	Thickener	18
2.4.3	Additive	23
2.4.4	Structure of Lubricating Grease	25
2.5	Grease Formulation	26
2.6	Grease Testing	32
2.6.1	Grease Properties	33
2.6.2	Tribological Properties of Grease	34
<b>CHAPTER 3 METHODOLOGY</b>		<b>38</b>
3.1	Introduction	38
3.2	Overview of Research Methodology and Materials Used	38
3.3	Waste Engine Oil Characterisation	40
3.3.1	Pre-treatment of WEO	40
3.3.2	WEO properties	41
3.4	Grease Production	45
3.4.1	Grease formulation	45
3.4.2	Preparation of Grease	46
3.5	Grease Characterisation	48
3.5.1	Physical Characterisation	49
3.5.2	Chemical Characterisation - FTIR	55
3.6	Selected Grease Production with Addition of Additives	55
3.6.1	Tribological Characterisation	56
<b>CHAPTER 4 RESULTS AND DISCUSSION</b>		<b>58</b>

4.1	Introduction	58
4.2	WEO Analysis	58
	4.2.1 WEO properties	59
	4.2.2 WEO as Grease Base Oil	70
4.3	Grease Formulation	71
4.4	Grease Characteristics	73
	4.4.1 Physical Characteristic	74
	4.4.2 Grease FTIR Characterisation	86
4.5	Selected Grease	90
4.6	Selected Grease Comparison to Commercial Grease	92
4.7	Selected Grease Formulation	95
	4.7.1 Final Grease Characteristic	95
4.8	Selected Grease Wear Preventive Characteristic	99
<b>CHAPTER 5 CONCLUSION</b>		<b>106</b>
5.1	Conclusion	106
5.2	Future Recommendation	107
<b>REFERENCES</b>		<b>108</b>

## REFERENCES

- A. Japar, N. S., A. Aziz, M. A., & Razali, M. N. (2019). Formulation of fumed silica grease from waste transformer oil as base oil. *Egyptian Journal of Petroleum*, 28(1), 91–96. <https://doi.org/10.1016/j.ejpe.2018.12.001>
- A.M. Siti Kholijah, S.L. Cheryl Yeung, S. S. and R. M. Y. (2012). Production of High Temperature Grease from Waste Lubricant Sludge and Silicone Oil. *Journal of Applied Sciences*, 1(4), 53. <https://doi.org/10.3923/jas.2012.1171.1175>
- Abdelbary, A. (2014). Sliding mechanics of polymers. *Wear of Polymers and Composites*, 37–66. <https://doi.org/10.1533/9781782421788.37>
- Abdu Rahman, N. W., Japar, N. S. A., Aziz, M. A. A., Razik, A. H. A., & Yunus, M. Y. M. (2019). Sodium grease formulation from waste engine oil. In *IOP Conference Series: Earth and Environmental Science* (Vol. 257, Issue 1, pp. 1–6). IOP. <https://doi.org/10.1088/1755-1315/257/1/012018>
- Abdulbari, H. A., Abid, R. T., & Mohammad, A. H. A. (2008). Fume Silica Base Grease. *Journal of Applied Sciences*, 8(4), 687–691.
- Abdulbari, H. A., & Zuhan, N. (2018). Grease Formulation from Palm Oil Industry Wastes. *Waste and Biomass Valorization*, 1–11. <https://doi.org/10.1007/s12649-018-0237-6>
- Abro, R., Chen, X., Harijan, K., Dhakan, Z. A., & Ammar, M. (2013). A Comparative Study of Recycling of Used Engine Oil Using Extraction by Composite Solvent, Single Solvent, and Acid Treatment Methods. *ISRN Chemical Engineering*, 2013(i), 1–5. <https://doi.org/10.1155/2013/952589>
- Adenan Satem. (2005). *Environmental Quality Act 1974*.
- Adhvaryu, A., Sung, C., & Erhan, S. Z. (2005). Fatty acids and antioxidant effects on grease microstructures. *Industrial Crops and Products*, 21(3), 285–291. <https://doi.org/10.1016/j.indcrop.2004.03.003>
- Affatato, S., & Grillini, L. (2013). Topography in bio-tribocorrosion. In *Bio-Tribocorrosion in Biomaterials and Medical Implants*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857098603.1>
- Akumefula, M. I., Eze, S. O., Igwe, J. C., Eziukwu, C. C., & Chikwe, I. C. (2019). Analysis of Sodium Greases from Three Recycled Engine Oil. *Chemical Science Journal*, 10(1), 1–7. <https://doi.org/10.4172/2150-3494.10000>
- AMETEK Brookfield. (2015). *Moisture in Oils: The Three-Headed Beast*. <https://www.azic.com/moisture-in-oils-the-three-headedbeast/>
- Arpa, O., Yumrutas, R., & Demirbas, A. (2010). Production of diesel-like fuel from waste engine oil by pyrolytic distillation [Article]. *Applied Energy*, 87(1), 122–127. <https://doi.org/10.1016/j.apenergy.2009.05.042>

- ASTM D130-18. (2018). *Standard Test Method for Corrosiveness to Copper from Petroleum Products by Copper Strip Test*. ASTM International. <https://doi.org/10.1520/D0130-19>
- ASTM D2266-01. (2015). *Standard Test Method for Wear Preventive Characteristics of Lubricating Grease (Four-Ball Method)*. ASTM International.
- ASTM D3704-96(2017). (2017). *Standard Test Method for Wear Preventive Properties of Lubricating Greases Using the (Falex) Block on Ring Test Machine in Oscillating Motion*. ASTM International.
- ASTM D4048-16e1. (2016). *Standard Test Method for Detection of Copper Corrosion from Lubricating Grease*. ASTM International.
- ASTM D5185-09. (2009). Standard Test Method for Determination of Additive Elements, Wear Metals, and Contaminants in Used Lubricating Oils and Determination of Selected Elements in Base Oils by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES). In *ASTM International*. ASTM International. <https://doi.org/10.1520/D5185-09>
- ASTM D5707-16. (2016). *Standard Test Method for Measuring Friction and Wear Properties of Lubricating Grease Using a High-Frequency, Linear-Oscillation (SRV) Test Machine*. ASTM International.
- ASTM International. (2016a). *Standard Practice for Calculating Viscosity Index from Kinematic Viscosity at 40 °C and 100 °C. i(Reapproved)*, 1–5. <https://doi.org/10.1520/D2270-10R16.2>
- ASTM International. (2016b). *Standard Test Method for Determination of Water in Petroleum Products , Lubricating Oils , and Additives by Coulometric Karl Fischer Titration. i*. <https://doi.org/10.1520/D6304-16.2>
- Bagi, S. D., & Aswath, P. B. (2015). Mechanism of friction and wear in MoS<sub>2</sub> and ZDDP/F-PTFE greases under spectrum loading conditions. *Lubricants*, 3(4), 687–711. <https://doi.org/10.3390/lubricants3040687>
- Bailey. (2017). Grease Bases Used in the Manufacture of Lubricants. *Lubricant Engineers Technical Department*, 56. <http://www.le-international.com/pdf/056-grease-bases.pdf>
- Barnes, M. (2002). *Oil Viscosity - How It's Measured and Reported*. Practicing Oil Analysis Magazine. <https://www.machinerylubrication.com/Read/411/oil-viscosity>
- Barthel, H., Rösch, L., & Weis, J. (1996). Fumed silica - Production, properties, and applications. *Organosilicon Chemistry II: From Molecules to Materials*, 761–778. <https://doi.org/10.1002/9783527619894.ch91>
- Barthel, Herbert, Dreyer, M., Gottschalk-Gaudig, T., Litvinov, V. M., & Nikitina, E. (2002). Fumed Silica - Rheological Additive for Adhesives, Resins, and Paints. *Macromolecular Symposia*, 187(September), 573–584. <https://doi.org/10.1002/9783527620777.ch117d>

- Bay, N. (2001). Metal Forming and Lubrication. *Encyclopedia of Materials: Science and Technology*, *i*, 5377–5380. <https://doi.org/10.1016/B978-0-12-803581-8.03565-7>
- Bhaskar, T., Uddin, M. A., Muto, A., Sakata, Y., Omura, Y., Kimura, K., & Kawakami, Y. (2004). Recycling of waste lubricant oil into chemical feedstock or fuel oil over supported iron oxide catalysts. *Fuel*, *83*(1), 9–15. [https://doi.org/10.1016/S0016-2361\(03\)00216-3](https://doi.org/10.1016/S0016-2361(03)00216-3)
- Biswas, S. K. (2000). Some mechanisms of tribofilm formation in metal / metal and ceramic / metal sliding interactions. *Wear*, *245*(1–2), 178–189. [https://doi.org/10.1016/S0043-1648\(00\)00477-4](https://doi.org/10.1016/S0043-1648(00)00477-4)
- Bots, S. (2014). *Best Methods for Analyzing Grease*. Machinery Lubrication.
- Buhlak, S., Ibrahim, B., & Alhamoui, M. (2014). Manufacturing (Lithium-Sodium) Lubricant Grease Based On Syrian Base Oil And studying Its Physical, Chemical, And Rheological Properties. *International Journal of ChemTech Research*, *6*(4), 2247–2254.
- Cash, W. (2012, February). What is lubrication? *Machinery Lubrication*.
- Casserly, E., Langlais, T., Springer, S. P., Kumar, A., & Mallory, B. (2018). The effect of base oils on thickening and physical properties of lubricating greases. *73rd Society of Tribologists and Lubrication Engineers Annual Meeting and Exhibition 2018*, *115*, 300–301.
- Chemtrec. (2001). *Mineral Oil (Highly Refined) Hazard Summary Reason for Citation How To Determine If You Are Being Exposed* (Issue June 2001). <http://www.nj.gov/health/eoh/rtkweb/documents/fs/1437.pdf>
- Chen, J. (2010). Tribological properties of polytetrafluoroethylene, nano-titanium dioxide, and nano-silicon dioxide as additives in mixed oil-based titanium complex grease. *Tribology Letters*, *38*(3), 217–224. <https://doi.org/10.1007/s11249-010-9593-5>
- Cortés-Triviño, E., Valencia, C., Delgado, M. A., & Franco, J. M. (2019). Thermo-rheological and tribological properties of novel bio-lubricating greases thickened with epoxidized lignocellulosic materials. *Journal of Industrial and Engineering Chemistry*, *80*, 626–632. <https://doi.org/10.1016/j.jiec.2019.08.052>
- Cressman, D. (2018). *Modeling the Effect Thickener Structure has on the Oil Release of Grease* (No. 677; Honors Research Projects).
- Cuffari, B. (2019). *The Difference Between Friction and Wear in Tribology*. <https://www.azom.com/article.aspx?ArticleID=17436>
- Cyriac, F., Lugt, P. M., Bosman, R., Padberg, C. J., & Venner, C. H. (2016). Effect of Thickener Particle Geometry and Concentration on the Grease EHL Film Thickness at Medium Speeds. *Tribology Letters*, *61*(2), 18. <https://doi.org/10.1007/s11249-015-0633-z>

- Czarny, R., & Paszkowski, M. (2007). The influence of graphite solid additives, MoS<sub>2</sub> and PTFE on changes in shear stress values in lubricating greases. *Journal of Synthetic Lubrication*, 24(1), 19–29. <https://doi.org/10.1002/jsl.26>
- Daham, G. R., AbdulRazak, A. A., Hamadi, A. S., & Mohammed, A. A. (2017). Re-refining of used lubricant oil by solvent extraction using central composite design method. *Korean Journal of Chemical Engineering*, 34(9), 2435–2444. <https://doi.org/10.1007/s11814-017-0139-5>
- De Boos, A. G. (1974). *Chemical testing and analysis*.
- Delgado, M. A., Sánchez, M. C., Valencia, C., Franco, J. M., & Gallegos, C. (2005). Relationship among microstructure, rheology and processing of a lithium lubricating grease. *Chemical Engineering Research and Design*, 83(9 A), 1085–1092. <https://doi.org/10.1205/cherd.04311>
- Delgado, M. A., Valencia, C., Sánchez, M. C., Franco, J. M., & Gallegos, C. (2006). Thermorheological behaviour of a lithium lubricating grease. *Tribology Letters*, 23(1), 47–54. <https://doi.org/10.1007/s11249-006-9109-5>
- Demirbas, A. (2008). Gasoline-like Fuel from Waste Engine Oil via Catalytic Pyrolysis [Article]. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 30(16), 1433–1441. <https://doi.org/10.1080/15567030701258469>
- Department of Environment. (2010). *Guidelines on Standard and Specification of Recovered Waste Oil in Malaysia* (1st ed.). Department of Environment Malaysia.
- Dhiman, C., Reddy, M. N., Gulati, K., & Khan, M. S. (2014). Detection of elemental composition of lubricating grease using laser induced breakdown spectroscopy. *Lubricants*, 2(4), 223–236. <https://doi.org/10.3390/lubricants2040223>
- Dittes, N. (2013). *Water in Grease Condition Monitoring Literature Review*.
- Doyle, D. (2015). *General Grease Overview and Bearing Lubrication*. ALS Tribology.
- Doyle, D. (2019). *The Changing Role of Sulfur in Today's Engine Oils*. [https://www.alsglobal.com/%2Fen-au%2Fnews%2Farticles%2F2019%2F03%2Fthe-changing-role-of-sulfur-in-todays-engine-oils#:~:text=Historically sulfur when used in,to-metal contact conditions](https://www.alsglobal.com/%2Fen-au%2Fnews%2Farticles%2F2019%2F03%2Fthe-changing-role-of-sulfur-in-todays-engine-oils#:~:text=Historically%20sulfur%20when%20used%20in,to-metal%20contact%20conditions)).
- Ducom. (2017). *The Effect of Water Molecules on Lubricity of Greases and Fuel*.
- Dunn, A. M., Hofmann, O. S., Waters, B., & Witchel, E. (2011). Introduction to Friction and Wear. In *Proceedings of the 20th USENIX Security Symposium* (pp. 395–410). <https://doi.org/10.1016/b978-0-444-42524-9.50005-3>
- Ebisike, K., Daniel, B., Anakaa, M., Kefas, H., & Olusunle, S. (2016). Effect of Sodium Hydroxide Thickener on Grease Production. *American Chemical Science Journal*, 13(3), 1–8. <https://doi.org/10.9734/ACSJ/2016/20624>
- Eldeen F. Hegazi, S. (2017). Recycling of Waste Engine Oils Using Different Acids as

- Washing Agents. *International Journal of Oil, Gas and Coal Engineering*, 5(5), 69. <https://doi.org/10.11648/j.ogce.20170505.11>
- Erik Oberg, Franklin D. Jones, Holbrook L. Horton, and H. H. R. C. (2012). *Machinery 's Handbook* (Christopher J. Mccauley (ed.); 29th ed.). Industrial Pres.
- F.Hegazi, S. E. (2015). Conversion of used Oil into Lubricating Grease and Characteristics Evaluation. *International Journal of Science and Research*, 4. <https://doi.org/10.13140/RG.2.1.3977.6249>
- Fallis, A.G, & Jerry, M. (2007). Machinery Lubrication. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9). Noria. <https://doi.org/10.1017/CBO9781107415324.004>
- Fan, X., Li, W., Li, H., Zhu, M., Xia, Y., & Wang, J. (2018). Probing the effect of thickener on tribological properties of lubricating greases. *Tribology International*, 118(August 2019), 128–139. <https://doi.org/10.1016/j.triboint.2017.09.025>
- Fastener Components. (2016). ASTM: What is It and Exactly What Does It Do? In *E&T Fasteners Industrial Fasteners & Components*. <http://www.fastenercomponents.com/news/what-is-astm/>
- Fish, G., & Brown, S. F. (2014). STLE Webinar: Performance additives for Lubricating Grease. *Stle*. [https://www.stle.org/images/pdf/STLE\\_ORG/BOK/OM\\_OA/Additives/Additives\\_for\\_Lubricating\\_Grease\\_Dec15\\_TLT.pdf](https://www.stle.org/images/pdf/STLE_ORG/BOK/OM_OA/Additives/Additives_for_Lubricating_Grease_Dec15_TLT.pdf)
- Fitch, B. (2013, December). FT-IR Analysis of Used Lubricating Oils – General Considerations. *Noria Corporation: Machinery Lubrication*, 25–27.
- Florea, O., Luca, M., & Steliean, C. (2004). Ecological lubricating greases. *Tribology in Industry*, 26(1–2), 52–57.
- Frédy, C., E, D. E. L. U., Fredy, C., Et, P., Curie, M., E, D. D. E. L. U., & Schmitt, N. (2016). Modeling of the mechanical behavior of polytetrafluoroethylene ( PTFE ) compounds during their compaction at room temperature To cite this version : HAL Id : tel-01336422 Modeling of the mechanical behavior of PolyTetraFluoroEthylene ( PTFE ) compounds du. In *Mechanics of Material*. Université Pierre et Marie Curie.
- Gallego, R., Cidade, T., Sánchez, R., Valencia, C., & Franco, J. M. (2016). Tribological behaviour of novel chemically modified biopolymer-thickened lubricating greases investigated in a steel-steel rotating ball-on-three plates tribology cell. *Tribology International*, 94, 652–660. <https://doi.org/10.1016/j.triboint.2015.10.028>
- Gamini, G. (2020). *Fingerprint Region*. [https://chem.libretexts.org/Ancillary\\_Materials/Reference/Organic\\_Chemistry\\_Glossary/Fingerprint\\_Region](https://chem.libretexts.org/Ancillary_Materials/Reference/Organic_Chemistry_Glossary/Fingerprint_Region)
- Garvey, R., & Employed, S. (2019). *Estimating Water Content in Oils: Moisture in Solution, Emulsified Water, and Free Water* (Issue April 1996).

- Gilbert, G. (1999). Lubricants and Hydraulic Fluids. In *USACE Publication* (Issue 4, pp. 3–11). CED Engineering.
- Godfrey, L. V., & Glass, J. B. (2011). The Geochemical Record of the Ancient Nitrogen Cycle, Nitrogen Isotopes, and Metal Cofactors. In *Methods in Enzymology: Research on Nitrification and Related Processes, Part A* (1st ed., Vol. 486, Issue 11). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-381294-0.00027-4>
- Gonçalves, D., Marques, R., Graça, B., Campos, A. V., Seabra, J. H. O., Leckner, J., & Westbroek, R. (2015). Formulation, rheology and thermal aging of polymer greases—Part II: Influence of the co-thickener content. *Tribology International*, 87, 171–177. <https://doi.org/10.1016/J.TRIBOINT.2015.01.012>
- Gurt, A., & Khonsari, M. M. (2021). Testing Grease Consistency. *Lubricants*, 9(2), 14. <https://doi.org/10.3390/lubricants9020014>
- GVS. (2016). *Lubricants Market Analysis By Product, Industrial (Process Oils, General Industrial Oils, Metal Working Fluids, Industrial Engine Oils), Automotive (Heavy-Duty Engine Oils, Hydraulic & Transmission Fluid, Gear Oil, Passenger Vehicle Engine Oils, Automatic*. Grand View Research.
- Hamawand, I., Yusaf, T., & Rafat, S. (2013). Recycling of waste engine oils using a new washing agent. *Energies*, 6(2), 1023–1049. <https://doi.org/10.3390/en6021023>
- Han, X. (2014). An investigation into the tribological property of coatings on micro- and nanoscale. In *Anti-Abrasive Nanocoatings: Current and Future Applications*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-85709-211-3.00002-9>
- Hegazi, S. E. F. (2015). Conversion of used Oil into Lubricating Grease and Characteristics Evaluation. *International Journal of Science and Research*, 4(4), 2319–7064. [www.ijsr.net](http://www.ijsr.net)
- Hua, X., Puoza, J. C., Zhang, P., Xie, X., & Yin, B. (2017). Experimental analysis of grease friction properties on sliding textured surfaces. *Lubricants*, 5(4), 1–11. <https://doi.org/10.3390/lubricants5040042>
- Huber, L. (2007). Certified Reference Standards. In *Validation and Qualification in Analytical Laboratories, Second Edition*. <https://doi.org/10.3109/9780849382680-15>
- Iheme, C., Chukwuma, F. O., & Offurum, J. C. (2014). Comparative Analysis on Sodium-Based and Polyethylene-Based Greases as Anti-Friction Agents. *The International Journal of Engineering and Science*, 3(8), 77–83.
- Iheme, C., Offurum, J. C., & Chukwuma, F. O. (2014). Production and Blending of Sodium Based Water-Resistant Lubricating Greases from Petroleum and Petrochemical By-Products. *American Journal of Computer Science and Engineering Survey*, 2(1), 70–78. [www.pubicon.co.inOriginalArticle](http://www.pubicon.co.inOriginalArticle)
- ITOPF. (2011). Disposal of Oil and Debris. *ITOPF Technical Information Paper*, 9. <https://www.itopf.org/knowledge-resources/documents-guides/technical->



information-papers/

- Jain, R., Urban, L., Balbach, H., & Webb, M. D. (2012). Energy and Environmental Implications. In *Handbook of Environmental Engineering Assessment*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-388444-2.00012-9>
- Jandhyala, H. (2019). *How the industrial lubricants market is evolving*.
- Japar, N. Suhaila A., Aziz, M. A. A., Razali, M. N., Zakaria, N. A., & Rahman, N. W. A. (2019). Preparation of Grease using Organic Thickener. *Materials Today: Proceedings*, 19, 1303–1308. <https://doi.org/10.1016/j.matpr.2019.11.141>
- Japar, N Suhaila A, Aziz, M. A. A., & Razali, M. N. (2018). Fundamental Study of Waste Oil Potential as Base Oil Alternative in Grease Formulation. In D. N. E. Phon, F. Ernawan, & S. Mohamad (Eds.), *Proceeding of 2018 National Conference for Postgraduate Research*. Universiti Malaysia Pahang.
- Japar, Nur Suhaila Anang, Aziz, M. A. A., & Rahman, N. W. A. (2020). Conversion of Waste Transformer Oil into Grease. In *Advances in Waste Processing Technology*. <https://doi.org/10.1007/978-981-15-4821-5>
- Jeremy Wright. (2008). Machinery Lubrication. *Machinery Lubrication*, 5, 1–12. <http://machinerylubricationindia.com/archives/92-2013/sep-oct/155-oil-condition-monitoring-using-electrical-conductivity>
- Kaneta, M., Ogata, T., Takubo, Y., & Naka, M. (2000). Tribology Effects of a thickener structure on grease elastohydrodynamic lubrication films. *Journal of Engineering Tribology*, 214, 327–336. <https://doi.org/10.1243/1350650001543214>
- Kaperick, J. (2018). Dawn of a New Antioxidant. *National Lubricating Grease Institute*, 82(5), 43.
- Kaperick, J. P. (2013). Grease Thickeners. In *Encyclopedia of Tribology* (pp. 1562–1567). [https://doi.org/10.1007/978-0-387-92897-5\\_928](https://doi.org/10.1007/978-0-387-92897-5_928)
- Kardoš, S., & Pietriková, A. (2016). Evaluation of Motor Oil Characteristics and Degradation Factors for Possibilities of Continuous Diagnostics. *Acta Electrotechnica et Informatica*, 16(2), 20–24. <https://doi.org/10.15546/aei-2016-0010>
- Keeling, J. (2017). Graphite: properties, uses and South Australian resources. *Mesa Journal*, 84(September), 28–41.
- Kholijah, A. M. S., Yeung, S. L. C., Sazwani, S., & Yunus, R. M. (2012). Production of High Temperature Grease from Waste Lubricant Sludge and Silicone Oil. *Journal of Applied Sciences*, 12(11), 1171–1175.
- Kumar A. (2012). What You Should Know About Environmentally Friendly Lubricants. In *Machinery Lubrication*. <https://www.machinerylubrication.com/Read/29229/environmentally-friendly-lubricants>

- Kumar, N., Saini, V., & Bijwe, J. (2020). Performance properties of lithium greases with PTFE particles as additive: Controlling parameter- size or shape? *Tribology International*, 148(December 2019), 106302. <https://doi.org/10.1016/j.triboint.2020.106302>
- Kyodo Yushi. (2016). *Classification and Characteristics of Grease*. Kyodo Yushi Co.
- Laurentis, N. De. (2017). The Influence of Base Oil Properties on the Friction Behaviour of Lithium Greases in Rolling / Sliding Concentrated Contacts. *Tribology Letters*, 65(4), 1–16. <https://doi.org/10.1007/s11249-017-0908-7>
- LibreTexts. (2020). *Infrared Interpretation*. [https://chem.libretexts.org/Bookshelves/Physical\\_and\\_Theoretical\\_Chemistry\\_Textbook\\_Maps/Supplemental\\_Modules\\_\(Physical\\_and\\_Theoretical\\_Chemistry\)/Spectroscopy/Vibrational\\_Spectroscopy/Infrared\\_Spectroscopy/Infrared%3A\\_ Interpretation](https://chem.libretexts.org/Bookshelves/Physical_and_Theoretical_Chemistry_Textbook_Maps/Supplemental_Modules_(Physical_and_Theoretical_Chemistry)/Spectroscopy/Vibrational_Spectroscopy/Infrared_Spectroscopy/Infrared%3A_ Interpretation)
- Lubricants, N. (2020). *Grease Oil Separation Test*.
- Ludwig, L. G. (2012, February). Storing Grease to Avoid Bleed and Separation. *Machinery Lubrication*. <https://www.machinerylubrication.com/Read/28761/storing-grease-to-avoid-bleed-separation->
- Ludwig, L. G. (2014). *Proper Storage and Use of Grease to Avoid Excessive Oil Bleeding And Separation*. [http://www.ghbook.ir/index.php?name=فرهنگ و رسانه های نوین&option=com\\_dbook&task=readonline&book\\_id=13650&page=73&chkhaskh=ED9C9491B4&Itemid=218&lang=fa&tmpl=component](http://www.ghbook.ir/index.php?name=فرهنگ و رسانه های نوین&option=com_dbook&task=readonline&book_id=13650&page=73&chkhaskh=ED9C9491B4&Itemid=218&lang=fa&tmpl=component)
- Lugt, P M. (2013). *Grease Lubrication in Rolling Bearings*. John Wiley & Sons, Inc.
- Lugt, Piet M. (2013). Grease Qualification Testing. In *Grease Lubrication in Rolling Bearings* (1st ed., pp. 346–347). John Wiley & Sons, Ltd.
- Maceiras, R., Alfonsín, V., & Morales, F. J. (2017). Recycling of waste engine oil for diesel production. In *Waste Management* (Vol. 60, pp. 351–356). Elsevier Ltd. <https://doi.org/10.1016/j.wasman.2016.08.009>
- Maheswari, M. (2014). Analysis of Lubricant for Prediction of Contact Surface Behavior of Metals. *Ijitr International Journal of Innovative Technology and Research*, 3, 933–939.
- Mang, T. (2014). *Encyclopedia of Lubricants and Lubrication* (T. Mang (ed.)). Springer-Verlag Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-22647-2>
- Mang, T., & Dresel, W. (2017). *Lubricants and Lubrication* (3rd Ed). Wiley. <https://doi.org/10.1002/9783527645565>
- Marinescu, I. D., Rowe, W. B., Dimitrov, B., & Ohmori, H. (2013). Process fluids for abrasive machining. *Tribology of Abrasive Machining Processes*, 441–481. <https://doi.org/10.1016/b978-1-4377-3467-6.00015-x>

- Martín-Alfonso, J. E., Valencia, C., Arteaga, J. F., Díaz, M. J., & Franco, J. M. (2013). Design of lubricating grease formulations using recycled polypropylene from postconsumer films as thickener agent. *Journal of Applied Polymer Science*, *127*(2), 1369–1376. <https://doi.org/10.1002/app.37726>
- Martín-Alfonso, J. E., Valencia, C., Sánchez, M. C., Franco, J. M., & Gallegos, C. (2011). Evaluation of different polyolefins as rheology modifier additives in lubricating grease formulations. *Materials Chemistry and Physics*, *128*(3), 530–538. <https://doi.org/10.1016/j.matchemphys.2011.03.046>
- Matrix. (2017). *Greases* (Issue 3).
- Mobil. (2009). *Grease Oil Bleed — An Essential Characteristic*.
- Mohammed, M. A. R. (2013). Effect of additives on the properties of different types of greases. *Iraqi Journal of Chemical and Petroleum Engineering*, *14*(3), 11–21.
- Mohd Sofi, S. N. A., Abd Aziz, M. A., Anang Japar, N. S., Abdu Rahman, N. W., Abdulhalim, A. R., & Mohd Yunus, M. Y. (2019). Preparation and characterization of grease formulated from waste transformer oil. *IOP Conference Series: Materials Science and Engineering*, *702*(1). <https://doi.org/10.1088/1757-899X/702/1/012034>
- Mortensen, M. (2010). *The Difference Between an oil and grease*. 7652(800), 2010.
- Must, O., & Moving, C. (2010). *Engine Oil Classifications Introduction*. 1–4.
- Nabi, M. N., Akhter, M. S., & Rahman, M. A. (2013). Waste Transformer Oil as an Alternative Fuel for Diesel Engine. *Procedia Engineering*, *56*, 401–406. <https://doi.org/10.1016/j.proeng.2013.03.139>
- Nagendramma, P., & Kumar, P. (2015). Eco-friendly multipurpose lubricating greases from vegetable residual oils. *Lubricants*, *3*(4), 628–636. <https://doi.org/10.3390/lubricants3040628>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, *4*(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Noria Corporation. (2001, July). Water In Oil Contamination. *Machinery Lubrication*, 1.
- Noria Corporation. (2017, December). Lubrication Regimes Explained. *Machinery Lubrication*.
- Noria Corporation. (2021). *Density's Role in Lubricant Performance*.
- NSK. (2017). Lubrication: Technical Information - Part A. In *NSK* (pp. 236–237). NSK Ltd.
- Nye Lubricants. (2015). Choosing the Right Grease Thickening System. In *Nye Lubeletter* (pp. 1–2). <https://www.nyelubricants.com/choosing-the-right-grease->

thickening-system

- Nye Lubricants. (2020a). *Oil Separation in Grease*.
- Nye Lubricants. (2020b). *Tribological Testing by 4 Ball Methods*.  
<https://www.nyelubricants.com/tribological-testing-by-4-ball-methods>
- Palub. (2020). *Understanding the viscosity index of a lubricant - Official Q8Oils Website*. <https://www.q8oils.com/energy/viscosity-index/>
- Paulus, T., Butterworth-heinemann, E., Uk, O., & Daniel, R. (2019). Lock Gates and Other Closures in Hydraulic Projects. In T. Van Der Ploeg, P. Jardim, & K. McCombs (Eds.), *Lock Gates and Other Closures in Hydraulic Projects* (Issue May). Matthew Deans. <https://doi.org/10.1016/c2015-0-05399-0>
- Percherancier, J. P., & Vuarchex, P. J. (1998). Fourier transform infrared (FT-IR) spectrometry to detect additives and contaminants in insulating oils. *IEEE Electrical Insulation Magazine*, 14(3), 23–29. <https://doi.org/10.1109/57.675574>
- Pierre, N. St. (2019). *Determine Grease Consistency*. Nye Lubricants.  
<https://www.nyelubricants.com/need-to-know-grease-consistency>
- Plant, E. (2009). Grease Basics - Efficient Plant. In *Efficient plant*. Efficient Plant.  
<https://www.efficientplantmag.com/2009/07/grease-basics/>
- Program, H. W. (2017). *Used Oil Burners – New Guidance for Rebuttable Presumption Used Oil Burners - Rebuttable Presumption* (Vol. 2737, Issue April).
- Rajvanshi, A., & Pandey, P. K. (2016). Lubricating Grease from Waste Cooking Oil and Waste Motor Sludge. *World Academy of Science, Engineering and Technology International Journal of Chemical and Molecular Engineering*, 10(9), 1171–1174.  
<https://doi.org/10.5281/zenodo.1126898>
- Rawat, S. S., Harsha, A. P., & Deepak, A. P. (2018). Tribological performance of paraffin grease with silica nanoparticles as an additive. *Applied Nanoscience*.  
<https://doi.org/10.1007/s13204-018-0911-9>
- Razali, M. N., Aziz, M. A. A., Hamdan, W. N. A. W. M., Salehan, N. A. M., & Rosli, M. Y. (2017). Synthesis of Grease from Waste Oils And Red Gypsum. *Australian Journal of Basic and Applied Sciences*, 11(3), 154–159.
- Rensselar, J. Van. (2016). *Lubricants and Grease Market Intelligence | Price, Forecast, Cost Models, Market Analysis – Market Research*.  
<https://www.beroeinc.com/category-intelligence/employee-benefits-management-market/%0Ahttps://www.beroeinc.com/category-intelligence/sulfur-and-sulfuric-acid-market/>
- Rensselar, J. Van. (2018). *Grease chemistry\_ why soap choice is so important*.
- Rensselar, J. Van. (2019). *The Importance of a Good Thickener in Grease*.
- Rensselar, J. Van, & Shiller, P. (2015). *Grease chemistry : Thickener Structure*.

- Rico, E. F., Minondo, I., & Cuervo, D. G. (2007). The effectiveness of PTFE nanoparticle powder as an EP additive to mineral base oils. *Wear*, 262(11–12), 1399–1406. <https://doi.org/10.1016/j.wear.2007.01.022>
- Rizkon Fajar, S., Bismo, S., & Nasikin, M. (2009). Biogrease Based on Palm Oil and Lithium Soap Thickener: Evaluation of Antiwear. *World Applied Sciences Journal*, 6(3), 401–407.
- Rizvi, S. Q. A. (2008). *A Comprehensive Review of Lubricant Chemistry, Technology, Selection, and Design*.
- Rob King. (2017). Understanding Engine Oil. In *Penrite Oil*. <https://www.micksgarage.com/blog/understanding-engine-oil/>
- Robert, M. (2012). Grease. In *Tribology & Lubrication Technology* (pp. 24–27).
- Rose, G. (2013). *A Better Way to Test Grease Consistency*.
- RSC. (2020). *What's the difference between a grease and a lubricant – Liquid Wrench*.
- Salomonsson, L., Stang, G., & Zhmud, B. (2007). Oil/thickener interactions and rheology of lubricating greases. *Tribology Transactions*, 50(3), 302–309. <https://doi.org/10.1080/10402000701413471>
- Sánchez, R., Fiedler, M., Kuhn, E., & Franco, J. M. (2011). Tribological characterization of green lubricating greases formulated with castor oil and different biogenic thickener agents: A comparative experimental study. *Industrial Lubrication and Tribology*, 63(6), 446–452. <https://doi.org/10.1108/00368791111169034>
- Sánchez, R., Franco, J. M., Delgado, M. A., Valencia, C., & Gallegos, C. (2009). Development of new green lubricating grease formulations based on cellulosic derivatives and castor oil. *Green Chemistry*, 11(5), 686–693. <https://doi.org/10.1039/b820547g>
- Saruls, R., & Brazil, L. (2017). *Impacts and Trends On The Grease Industry*.
- SCL. (2018). *Grease Bleed Separation - What You Need to Know*.
- Scott, D. (2018). Introduction to tribology. In *Fundamental of Tribology* (Third, pp. 1–9). Worlds Scientific. [https://doi.org/10.1142/9781786345189\\_0001](https://doi.org/10.1142/9781786345189_0001)
- Shayeb, A., Odeh, I. B., Tameem, M., & Barahma, S. (2011). *Conversion of Used Engine Oil into Lubricating Grease*.
- Shen, T., Wang, D., Yun, J., Liu, Q., Liu, X., & Peng, Z. (2016). Tribological properties and tribochemical analysis of nano-cerium oxide and sulfurized isobutene in titanium complex grease. *Tribology International*, 93, 332–346. <https://doi.org/10.1016/j.triboint.2015.09.028>
- Silver, H. B., & Stanley, I. R. (1974). The effect of the thickener on the efficiency of load-carrying additives in greases. *Tribology*, 7(3), 113–118.

[https://doi.org/10.1016/0041-2678\(74\)90011-6](https://doi.org/10.1016/0041-2678(74)90011-6)

Singh, K., Sadeghi, F., Russell, T., Lorenz, S. J., Peterson, W., Villarreal, J., & Jinmon, T. (2021). Fluid-Structure Interaction Modeling of Elastohydrodynamically Lubricated Line Contacts. *Journal of Tribology*, 143(9).  
<https://doi.org/10.1115/1.4049260>

Sivebaek, I. M., Samoilov, V. N., & Persson, B. N. J. (2003). Squeezing molecular thin alkane lubrication films between curved solid surfaces with long-range elasticity: Layering transitions and wear. *Journal of Chemical Physics*, 119(4), 2314–2321.  
<https://doi.org/10.1063/1.1582835>

SKF. (2009). *SKF Grease Test Kit*. 1–40.

Smith, T. (1983). Corrosion in lubricant systems. *Anti-Corrosion Methods and Materials*, 30(11), 15–16. <https://doi.org/10.1108/eb007232>

Solverchem Publications (Ed.). (2016). *Lubricating Oil Formulation Encyclopedia*. Solverchem. <https://www.solverchem.com/articles/detergent/powder-detergent-manufacturing-process/details>

Sommer, M., & Haas, W. (2016). A new approach on grease tribology in sealing technology: Influence of the thickener particles. *Tribology International*, 103, 574–583. <https://doi.org/10.1016/j.triboint.2016.08.002>

Spectro Scientific. (2017). *Guide to Measuring Oil Chemistry: Nitration, Oxidation and Sulfation*. <https://www.spectrosci.com/resource-center/lubrication-analysis/>

Suhaila, N., Japar, A., Aizudin, M., Aziz, A., & Razali, M. N. (2018). Formulation of lubricating grease using Beeswax thickener. *IOP Conference Series: Materials Science and Engineering*, 342(1). <https://doi.org/10.1088/1757-899X/342/1/012007>

Sui, T., Song, B., Wen, Y. H., & Zhang, F. (2016). Bifunctional hairy silica nanoparticles as high-performance additives for lubricant. *Scientific Reports*, 6(March). <https://doi.org/10.1038/srep22696>

Sumerlin, S. (2011). *10 Ways to Improve Lubricant Storage and Handling*. Machinery Lubrication. <https://www.machinerylubrication.com/Read/28429/improve-lubricant-storage>

Tamari, S., & Chavez, A. A. (2005). Optimum Design of Gas Pycnometers for Determining the Volume of Solid Optimum Design of Gas Pycnometers for Determining the Volume of Solid Particles. *Journal of Testing and Evaluation*, March 2014. <https://doi.org/10.1520/JTE12674>

Taylor, P., Baart, P., Vorst, B. Van Der, Lugt, P. M., & Ostayen, R. A. J. Van. (2010). Oil-Bleeding Model for Lubricating Grease Based on Viscous Flow Through a Porous Microstructure Oil-Bleeding Model for Lubricating Grease Based on Viscous Flow Through a Porous Microstructure. *Tribology Transactions*, 53(3), 37–41. <https://doi.org/10.1080/10402000903283326>

- Thompson, M. (2008). CHNS Elemental Analysers. In *AMC Technical Briefs*.
- Tobie, T. (2016). *The Effect of Selected Grease Components on the Wear Behavior of Grease-Lubricated Gears*. 138(January), 1–9. <https://doi.org/10.1115/1.4031278>
- Trade, W. (2021). *Waste Engine Oil \_Used Motor Oil*. <https://www.eworldtrade.com/pd/suzeelea/waste-engine-oil-used/852965/>
- Tribonet. (2019). *Four Ball Tester \_ About Tribology*.
- Tsai, W. T. (2011). An analysis of used lubricant recycling, energy utilization and its environmental benefit in Taiwan. *Energy*, 36(7), 4333–4339. <https://doi.org/10.1016/j.energy.2011.04.008>
- Turner, D., Moon, M., & Tuszynski, B. (2020). *Definitions of Terms Relating to the Lubricating Grease Industry*. NLGI Grease Glossary. <https://www.nlgi.org/grease-glossary/>
- Varenberg, M. (2013). Towards a unified classification of wear. *Friction*, 1(4), 333–340. <https://doi.org/10.1007/s40544-013-0027-x>
- Vroom, G. B. (1997). Lubricating Grease. *Journal of the American Society for Naval Engineers*, 37(3), 551–559. <https://doi.org/10.1111/j.1559-3584.1925.tb05523.x>
- Waheeda, N., Abdu, B., Of, B., & Engineering, C. (2018). *FORMULATION OF SOAP BASED GREASE FROM WASTE OIL*.
- Wolak, A., Krasodowski, W., & Zajac, G. (2020). FTIR analysis and monitoring of used synthetic oils operated under similar driving conditions. *Friction*, 8(5), 995–1006. <https://doi.org/10.1007/s40544-019-0344-9>
- Wright, J. (2015). Benefits of FTIR Oil Analysis. In *Machinery Lubrication Oil Analysis* (pp. 20–22). NORIA.
- Wu, C., Xiong, R., Ni, J., Yao, L., Chen, L., & Li, X. (2020). Effects of CuO nanoparticles on friction and vibration behaviors of grease on rolling bearing. *Tribology International*, 152(July), 106552. <https://doi.org/10.1016/j.triboint.2020.106552>
- Xu, N., & Wang, X. (2018). functional groups of a base oil. *New Journal of Chemistry*, 42(December 2017), 9. <https://doi.org/10.1039/C7NJ04833E>
- Younes, H., Christensen, G., Groven, L., Hong, H., & Smith, P. (2016). Three dimensional (3D) percolation network structure: Key to form stable carbon nano grease. *Journal of Applied Research and Technology*, 14(6), 375–382. <https://doi.org/10.1016/j.jart.2016.09.002>
- Zakani, B., Ansari, M., & Grecov, D. (2018). Dynamic rheological properties of a fumed silica grease. *Rheologica Acta*, 57(1), 83–94. <https://doi.org/10.1007/s00397-017-1064-6>
- Zhang, J., Wang, A., & Yin, H. (2020). Preparation of graphite nanosheets in different

solvents by sand milling and their enhancement on tribological properties of lithium-based grease. *Chinese Journal of Chemical Engineering*, 28(4), 1177–1186. <https://doi.org/10.1016/j.cjche.2020.01.013>

Zhao, Y. (2017). *Predictive equipment maintenance oil analysis handbook third edition*. [https://www.spectrosci.com/default/assets/File/SpectroSci\\_OilAnalysisHandbook\\_FINAL\\_2014-08.pdf](https://www.spectrosci.com/default/assets/File/SpectroSci_OilAnalysisHandbook_FINAL_2014-08.pdf)

Zimmark. (2020). *Contamination management - Industrial Lubrication Management Services*.