

REFERENCES

- Avery, M., Chui, B., Kariya, Y.G. and Larson, K. 2001. Hydrogen Induced Corrosion. Material Science 112 Group Research Paper.
- Bai, Y., Knauf, G. and Hillenbrand, H.G. 2010. Materials and Design of High Strength Pipelines.
- Beavers, J.A. and Thompson, N.G. 2006.“External Corrosion of Oil and Natural Gas Pipelines”. *ASM International*.**13C**.
- Budynas, R.G. and Nisbett, J.K. 2008.*Shigley’s Mechanical Engineering Design*. Eight Edition In SI Units. New York: McGraw-Hill.
- Carpinteri, A., R. Brighenti, et al. "A numerical analysis on the interaction of twin coplanar flaws." *Engineering Fracture Mechanic*.**71**(4-6): 485-499.
- Chen, S.H., Yeh, R.T., Cheng, T.P. and Yang, I.J. 1994. Hydrogen sulphide stress corrosion cracking of TIG and laser welded 304 stainless steel. **36**(12): 2029–2041.
- Cheng YF. 2007. “Analysis of electrochemical hydrogen permeation through X-65 pipeline steel and its implications on pipeline stress corrosion cracking”. *International Journal of Hydrogen Energy* 2007; **32**:1269–76.
- Dahlberg, E.P. and Bruno, T.V. 1980. Analysis of Gas Pipeline Failure.
- Efunda, Inc. 2012. Electronic sources: Failure Criteria: Ductile Materials. http://www.efunda.com/formulae/solid_mechanics/failure_criteria/failure_criteria_ductile.cfm (3 June 2012)
- Gamboa, E. Linton, V. and Law, M. 2007.“Fatigue of stress corrosion cracks in X65 pipeline steels”. *International Journal of Fatigue*.**30**: 850–860.
- Gilbert, P.T. 1979. Corrosion Resisting Properties of 90/10 Copper-Nickel-Iron Alloy with Particular Reference to Offshore Oil and Gas Applications. *British Corros*. **14**: 20-25.
- Ginzel, R.K. and Kanters, W.A. 2002. Pipeline Corrosion and Cracking and the Associated Calibration Considerations for Same Side Sizing Applications. *Eclipse Scientific Products Inc.*
- Gomez, J.L.A. and Barquera, S.S. 2003. Effect of Wet Hydrogen Sulfide Environments on the Cracking Susceptibility of Medium Strength Micro alloyed Pipeline Steels for Oil and Gas Transport. *NACE International*. **30**: 80–92.
- González, J. L. and Morales, A., 2008, “Analysis of Laminations in X52 Steel Pipes by Nonlinear by Finite Element,” *Journal of Pressure Vessel Tech.*, **130**: 021706-1.

- González, J. L., Ramírez, R., and Hallen, J. M., 1997, "Hydrogen-Induced Crack Growth Rate in Steel Plates Exposed to Sour Environment," *Corros. Sci.*, **53**, pp. 12–21.
- Hansler, R.J., Ham, J.M. and Laheij G.M.H. 2011. Analysis of Failure Causes of Pipelines Transporting Dangerous Substances. Sixth Pipeline Technology Conference: 4-5 April.
- Hirth, J., 1980, "Effects of Hydrogen on the Properties of Iron and Steel," *Metall. Trans. A*, **11A**, pp. 861–890.
- Ikeda, A., and Morita, Y., 1997, "On the Hydrogen Induced Cracking of Pipeline Steel Under Wet Hydrogen Sulfide Environment," *Second International Congress of Hydrogen in Metals*.
- Jiang, Z. D., J. Petit, et al. (1991). "Stress intensity factors of two parallel 3d surface cracks." *Engineering Fracture Mechanics*.**40**(2): 345-354.
- Kachanov, M. and Chudnovsky, A. 1982. "Interaction of a crack with a field of microcracks". *Lett. Appl. Eng. Sci.***21**(8), pp. 1009-1018.
- Kaminski, C. 2005. Stress Analysis and Pressure Vessels. Ph.D Thesis. University of Cambridge, UK.
- Kim, W.K., Jung, H.G. and Koh, K.Y. 2008. The Effect of Metallurgical Factors on SOHIC in HIC Free Linepipe Steels. *The International Society of Offshore and Polar Engineers*. 978-1-880653
- Kirkhope, K. J., and Bell. R. 1990. "Stress intensity factor equations for single and multiple cracked pressurized thick-walled cylinders." *International Journal of Pressure Vessels and Piping*.**41**(1): 103-111.
- Lam, K.Y. and Phua, S.P. 1991. "Multiple crack interaction and its effect on stress intensity factor". *Engineering Fracture Mechanics*.**40**(3), pp. 583-592.
- Majid, Z.A. and Yaacob, Z. 2001. Alternative Piping Material for Malaysian Fuel Gas Distribution. *Jurnal Teknologi*. **35**(F): 41-54.
- Makkio and Iino. 1978. "The Extension of Hydrogen Blister-Crack Array in Line Pipe Steels," *Metall. Trans. A*, **9A**, pp. 1581–1590.
- Midkiff, J. 1997. Electronic sources: Theory of Finite Element Analysis. http://www.sv.vt.edu/classes/MSE2094_NoteBook/97ClassProj/num/midkiff/theory.html (8 June 2012)
- Miura, N., Y. Takahashi, et al. (2008). "Comparison of stress intensity factor solutions for cylinders with axial and circumferential cracks." *Nuclear Engineering and Design*.**238**(2): 423-434.

- Moon, S.I., Chang, Y.S., Kim, Y.J., Lee, J.H., Song, M.H. and Choi, Y.H. 2007.“Determination of failure pressure for tubes with two non-aligned axial through-wall cracks”. *Determination of Failure Pressure for Tubes.* **144**:91–101.
- Pearce, J. 2001. Metallic Corrosion - Stress Corrosion Cracking. *Materials information Service, “Metallic Corrosion”*. **10**(5): 15-25.
- Roylance, D. 2001. Finite Element Analysis. *Department of Materials Science and Engineering Massachusetts Institute of Technology Cambridge. MA*: 02139.
- State of Michigan. 2001. Hydrogen Sulfide (S_2H) (online). http://www.michigan.gov/deq/0,4561,7-135-3311_4111_4231-9162--,00.html (6 June 2012)
- Truong, K.T. 2011. Evaluating Dynamic Stresses of a Pipeline. *Mechanical and Piping Division The Ultragen Group LTD.* J4G 1G3.
- Widas, P. 1997. Electronic sources: Introduction to Finite Element Analysis. http://www.sv.vt.edu/classes/MSE2094_NoteBook/97ClassProj/num/widas/history.html (8 June 2012)
- Zacaria, M. Y. B., and Davies, T. T., 1993, “Formation and Analysis of Stack Cracks in Pipeline Steel,” *J. Mater. Sci.*, **28**, pp. 322–328.