

## Synthesis, Liquid Crystal Characterization and Photo-Switching Studies on Fluorine Substituted Azobenzene Based Esters

S. M. Gan,<sup>a</sup> A. R. Yuvaraj,<sup>a</sup> M. R. Lutfor,<sup>a</sup> M. Y. Mashitah<sup>a</sup> and Hegde Gurumurthy<sup>ab</sup>

<sup>a</sup>Faculty of Industrial Sciences and Technology, University Malaysia Pahang, 26300 Gambang, Kuantan, Malaysia

<sup>b</sup>BMS R and D Centre, BMSCE, Bull Temple Road, Bangalore, India

### ABSTRACT

A series of fluorinated azobenzene esters have been synthesized and studied by polarized optical microscopy (POM) and UV-Vis spectrophotometry. The  $-\text{CO}_2\text{C}_2\text{H}_5$  group with monofluoro-substituted azobenzene exhibited nematic and smectic phases whereas difluoro-substituted azobenzene showed only the nematic phase. The addition of the electronegative fluorine atom plays an important role in photoisomerization of the azobenzene molecules. The monofluoro-substituted azobenzene gave strong photoisomerization in solution as compared with its difluoro counterparts. In these systems, *trans*–*cis* isomerization occurred after 4 minutes and *cis*–*trans* isomerization occurred after 22 hours which is much longer than expected for fluorine-substituted azobenzene systems. The presented results might have an influence on creating optical data storage devices.

**DOI: 10.1039/C4RA13700K**